




snrc
WWW.SN-RC.COM

DPK7

1/10 轴传电动拉力

1/10 SCALE SHAFT-DRIVEN ELECTRIC RALLY CAR



INTRODUCTION:

The SNRC DK7 is a professional 1/10 shaft-driven 4WD electric rally car kit. Assembly is recommended for users aged 14 years or older with prior experience building and operating RC model vehicles. This is not a toy. It is not suitable for absolute beginners or children without direct supervision by a knowledgeable adult. Please read this instruction manual thoroughly before starting assembly.

SNRC accepts no liability for any loss, injury or damages, whether direct, indirect, special, incidental or consequential, arising from the use, misuse or abuse of this product or accessories required to operate this product.

WARNINGS:

- ⦿ This product is not intended for those ages under 14 years without any adult supervision.
- ⦿ Assemble this kit only in places away from the reach of children.
- ⦿ Pay attention to the safe use of tools and sharp tools, and pay attention to some parts with sharp edges when building vehicles.
- ⦿ Please do not touch any electronic equipment on the model such as motor and speed controller that having higher temperatures after the operation . Otherwise , it may burn yourself seriously by touching them . Better to allow 10 ~ 15minutes to let any electronic equipment cool down.
- ⦿ Please complete a successful pre-run check of your radio equipment and model before the run . Make sure to keep the wheels of the model off the ground when checking the operation of the radio equipment .
- ⦿ When powering on: Switch on the transmitter first, then the vehicle receiver.
When powering off: Switch off the vehicle receiver first, then the transmitter.
Failure to follow this order may cause the model to become uncontrollable and lead to serious damage.
- ⦿ Disconnect the battery pack before storing your model.
- ⦿ Do not overcharge batteries and never leave batteries unattended during charging. Children must not charge batteries without adult supervision.
- ⦿ Keep fingers, loose clothing and hair away from rotating tires, drive shafts and gears when the model is powered on. Contact with moving parts may cause serious injury.
- ⦿ Do not operate it on public places , roads or areas where its operation can conflict with or disrupt pedestrian or vehicular traffic.
- ⦿ Do not use your model as shown below :
- ⦿ Always disconnect the battery before disassembling, adjusting or servicing the model.

In places where children and people gather	In rain , wind snow or darkness condition
In areas where loud noises can disturb others	At anytime your line of sight to the model may beobstructed or Impaired In any way



Electrical Precautions:

- ⦿ Please do not allow any metal part to short circuit the battery or any electronic part using inside the car kit.
- ⦿ Never dispose of batteries in fire.
- ⦿ Use the recommended charger for transmitter batteries and batteries for electronic speed control.
Carefully follow all charging instructions. Do not overcharge batteries or select an incorrect charging mode. Improper charging creates severe hazards including explosion and fire. If the battery becomes extremely hot during charging, stop charging immediately and consult your battery supplier for advice or a replacement.
- ⦿ Unplug the charger when not in use.
- ⦿ Always disconnect and remove the battery when the RC model is not in use.
- ⦿ Low battery voltage may lead to loss of vehicle control. Stop running the car immediately once you notice its speed starts to slow down.
- ⦿ After using the battery, it will generate heat. Please recharge it after it has cooled down.
- ⦿ Never use damaged wires, as they pose a danger, can cause short circuits, and may even trigger fires.
- ⦿ Do not puncture, crush or bend the battery pack. Stop using the battery immediately if it swells, leaks or emits strange odors. Dispose of damaged batteries in compliance with local regulations. Never leave a swollen battery unattended.

Other Equipment Needed (not included):

Radio transmitter & receiver	Battery for transmitter
Electronic speed control	Steering Servo
540 Type brushes or 3650 brushless motor	Pinion Gear (48pitch/64pitch)
190mm body shell	7.4V NiMH or LiPo Battery
Touring Car Tire Set	Battery charger

Tools Needed (not included):

1.5mm, 2.0mm, 2.5mm, 3.0mm Allen Wrench	5.0mm, 5.5mm, 7.0mm hex socket wrench
Modeler’s Craft Knife	Turnbuckle wrench
Calipers/Ruler	Camber gauge
Instant glue / Thread-Locking Compound	Shock Oil & Differential Oil
Thrust, Differential & Joint Grease	Paint for body shell

Assembly: TipsLubricate differentials and universal joints before assembly to ensure smooth operation and extend service life. Do not over-tighten screws to avoid thread damage.

Notes: All replacement parts are available at www.sn-rc.com.

For more information, contact your local dealer .



917110 M2.5x10	943508-02F 3.5x8x0.2	940512-03F 5x12x0.3	941012 10x12	960902 9x2

950210 2x10	931015 10x15x4

OPTIONAL
181283







124131	124132	124133	124134	124136	124138
Tip-1 COMPOSITE PISTONS					




940025 C2.5	960615 6x1.5	961501 15x1



917306 M3x6	917308 M3x8










Tip-1 SHAFT JOINT	
115510	STEEL
115510-LW	S2 LIGHTWEIGHT

Tip-2 FRONT DRIVE SHAFT	
111042	STEEL
112042	S2

Tip-3 REAR DRIVE SHAFT	
111092	STEEL
112092	S2
112092-LW	S2 LIGHTWEIGHT



Tip-4 DRIVE SHAFT	
162047	STEEL
162147	S2









Tip-1 FRONT RALLY TYRE	
160740-40 BK	40° HIGHWAY
160740-50 BK	50° DESERT
160740-60 BK	60° SAND


Tip-2 -REAR RALLY TYRE	
160780-40 BK	40° HIGHWAY
160780-50 BK	50° DESERT
160780-60 BK	60° SAND

Tip-3 WHEEL HUB	
125013	12x 5mm
125013-1	12x 5+1mm
125013-2	12x 5+2mm
125013-3	12x 5+3mm

Tip-4 -REAR RALLY TYRE	
920524	STEEL
920324	S2



918306	918308	918316	917306	917310	915303
M3x6	M3x8	M3x16	M3x6	M3x10	M3x3




DK7 Gear Ratio 齿比适配表

0.8M min 67T / max 77T 40T:12T 3.333(i12)




0.8M Spur gear 大直齿	0.8m Motor gear 电机齿	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
48	内齿比 Gear Ratio (i12)							8.89	8.42	8.00	7.62	7.27	6.96	6.67	6.40	6.15
56		15.56	14.36	13.33	12.44	11.67	10.98	10.37	9.82	9.33	8.89					

917306	917308	918306	918308	916256
M3x6	M3x8	M3x6	M3x8	M2.5x6










915325	915304	918308
M3x2.5	M3x4	M3x8

OPTIONAL 117905










160147 STEEL 160447 S2  47mm 3.0PIN S2 TAPER CVD UNIVERSAL JOINT ASSEMBLY	160247  47mm 3.0PIN S2 RIGHT ANGLE CVD DRIVE SHAFT SPRING STEEL	122027  SLANTING TAPER CVD AXLE SHAFT	122006  4x6 2.0HOLES CVD JOINT PIECE
162047 STEEL 162147 S2  47mm 3.0PIN S2 UNIVERSAL CVD DRIVE SHAFT -SPRING STEEL	160364  13x64mm ALU SHOCK ABSORBER-SET	181191  5.8mm LOW CG SHOCK TOP BALL CUP PA	124102  13mm SUSPENSION NUT-13mm
127001 4.5mm  12/13mm SHOCK ABSORBER MEMBRANES	124131 1-HOLE 124132 2-HOLE 124133 3-HOLE 124134 4-HOLE 124136 6-HOLE 124138 8-HOLE  11mm SHOCK PISTON FLAT TYPE	124135 11mm(1-4/HOLE)  11mm SHOCK PISTON FLAT TYPE SET 11mm	124103  13mm SUSPENSION SPRING RETAINER-13mm
162034 34mm  3.2mm HARDENED SHOCK SHAFT	124126  13x26mm SHOCK TUBE HARD ANODIZED	124016  3.2x3.5mm SHOCK ULTRASHORT BOTTOM CAP SHIM SET	125029  M8x5.5mm ALU SHOCK BOTTOM CAP (COMPLETE SET)
120052  M8 3.2x2.0mm ALU SHOCK BOTTOM CAP SET WITH ORING	151435-1270 1.2x35x7.0 151435-1170 1.1x35x7.0 151435-1070 1.0x35x7.0 151435-0970 0.9x35x7.0  35x7.0 SUSPENSION SPRING	161045  6*8mm SHOCK SPRING RETAINER 6*8mm	121058 5.8x15.5mm 121057 5.8x13.5mm  SHOCK BALL JOINT
121049  4.9mm COMPOSITE BALL JOINT 4.9mm - OPEN	121249  4.9mm COMPOSITE BALL JOINT 4.9mm - CLOSED WITH HOLE	120205  OPTIONAL FLOATING SERVO MOUNT	120284-R  ALU INTEGRATED SERVO FRAME LEFT







120202   3 HOLE SUSPEENSION RUDDER FRAME-STRAIGHT	125022   1 HOLE FLOATING SERVO COLUMN	123061   2 HOLE FLOATING SERVO COLUMN	125013 5mm 125013-1 5+1mm 125013-2 5+2mm 125013-3 5+3mm   SLANTINGTAPER HUB H12
125012 5mm 125012-1 5+1mm 125012-2 5+2mm 125012-3 5+3mm 125012-4 5+4mm   SCREW-LOCK RIGHTANGLE HUB H12	181111  DK DIRECTION PLATE 2-HOLE SET PA	123001  STEEL STEERING BUSHING	181111-AL   DK DIRECTION PLATE 3-HOLE SET ALU
181112  DK DIRECTION CAM PROTECTION SET PA	151414-1635  14x1.6x14x3.5mm DK C=14 DIRECTIONAL PROTECTION SPRING	117001  10x24 ALU DK DIRECTIONAL PROTECTION SHAFT	117002  5.0x27 ALU DK DIRECTION MAIN SHAFT
117003  DK STEERING PROTECTOR AXLE NUT SET	181116  QUICK-RELEASE BATTERY HOLDER SET	181115  QUICK-RELEASE BATTERY HOLDER PRESSURE PLATE	117004  QUICK-RELEASE BATTERY HOLDER SCREWS
150814-0805  8x0.8x14x5mm QUICK-RELEASE BATTERY HOLDER SPRING	181261  DK BEVEL GEARBOX SET PA	177112 12T 177114 14T  STEEL 1/10 12T PINION GEAR 5mm	181173  PA DK CENTRAL DIFFERENTIAL BRACKET PA
181173-AL   ALU DK CENTRAL DIFFERENTIAL BRACKET ALU	131101   ALU DK ECCENTRIC MOTOR CENTRAL DIFF BRACKET	131102-36 36 131102-28 28 131102-13 540   ALU DK MOTOR ECCENTRIC RING ALU	181165  DK CENTRAL DIFFERENTIAL PROTECTIVE COVER PA



40T FRONT & REAR DIFFERENTIAL SET	FRONT & REAR RING GEAR		DIFF HOUSING		STRAIGHT SHAFT PLANETARY GEAR SET				DRIVE CUP	
	STD STEEL 40T 178140-F	LSD STEEL 40T 178140-FL	STD PA 181131	LSD PA 181241	DIFF LOCK 181283	PA 990110	PM STEEL 990110-M	CNC STEEL 990110-F	STEEL 163030	S2 163130
178140-FPPF3.1	F		P			P			F3.1	
178140-FPMF3.1	F		P				M		F3.1	
178140-FPFS3.1	F		P					F		S3.1
178140-FPCS3.1	F		P		C					S3.1
178140-L-FPFS3.1		LF		LP				F		S3.1








48T / 56T CENTER DIFFERENTIAL SET	CENTER SPUR GEAR		DIFF HOUSING		STRAIGHT SHAFT PLANETARY GEAR SET				DRIVE CUP	
	LTD 48T / 56T	LSD 48T / 56T	STD PA 181131	LSD PA 181241	DIFF LOCK 181283	PA 990110	PM STEEL 990110-M	CNC STEEL 990110-F	STEEL 163030	S2 163130
176848-PPPF3.1	P 48T		P			P			F3.1	
176848-PPMF3.1	P 48T		P				M		F3.1	
176848-PPFS3.1	P 48T		P					F		S3.1
176848-PPCF3.1	P 48T		P		C				F3.1	
176848-PPCS3.1	P 48T		P		C					S3.1
176856-PPMF3.1	P 56T		P				M		F3.1	
176856-PPFS3.1	P 56T		P					F		S3.1
176856-PPCS3.1	P 56T		P		C					S3.1
176848-L-PPFS3.1		LP 48T		LP				F		S3.1
176856-L-PPFS3.1		LP 56T		LP				F		S3.1

181283	121098	122098	128202
			
1.5 / 2.0 mm		3.5x23mm	26mm
DIFFERENTIAL LOCK COUPLER PA	CROSS-SHAPED PLANETARY GEAR SHAFT - ROUND HOLE	DIFF CROSS SHAFT 3.5mm	DIFF GASKET 26mm



















133424 GEAR DIFF ANTI-SLIP PLATE	169003-AL 0.3mmALU 169004-AL 0.4mm ALU 169005-AL 0.5mmALU 169003-F 0.3mm SUS 169004-F 0.4mm SUS 169005-F 0.5mm SUS LSD FRICTION DISC	181141 211mm DK LEFT AND RIGHT ANTI-COLLISION 211mm PA	181151 DK LARGE ANGLE FRONT BUMPER SET PA
181152 DK REAR DIFFUSER PA	128312 SOFT / HARD FRONT BUMPER FOAM	117006 ALU 1/10 DECORATIVE EXHAUST PIPE AL	181163 68.5mm PA 1/10 FRONT CAR SHELL PILLAR 15 HOLES
181161 ADJUSTABLE REAR BODY POST	121022 60mm 161024 71mm REAR BODY MOUNT SET	121023 BODY SUPPORT	121081 J23T+F25T COMPOSITE SERVO HORN
125215 25T 125216 23T ALU ALU LOCKING OF STEERING GEAR ARM	181143 FRPNT 68mm PA DK CHASSIS REINFORCEMENT SEAT	181144 REAR 119mm PA DK CHASSIS REINFORCEMENT SEAT	181153 WATERPROOF EQUIPMENT BOX SET PA
127020 WATERPROOF EQUIPMENT BOX SEALANT SET SG	181172-15 15° 39mm 1/10 BALL HEAD ADJUSTABLE UPPER ARM	121249 0° 181192 15° 4.9mm PA ROUND HEAD BALL SEAT	181171 39mm PA 1/10 BALL HEAD ADJUSTMENT UPPER ARM
117005-15 M3x4.0x14.8mm 1/10 BALL HEAD ADJUSTABLE ROD SUS410	181181 L/R 5.8x54mm DK BALL HEAD BOW-SHAPED FRONT INFERIOR ARM	181183 L/R 56mm DK BOW-SHAPED LOWER REAR ARM LEFT AND RIGHT	131115 ALU DK UPPER ARM BRACKET 45mm






131111   FF DK GEARBOX SWING ARM FRAME FF AL	131112   FR DK GEARBOX SWING ARM FRAME FR AL	131113   RF DK GEARBOX SWING ARM FRAME RF AL	131114   RR DK GEARBOX SWING ARM FRAME RR AL
181251  GEARBOX LOWER ARM SHAFT SLEEVE SET PA	181201  DK DOUBLE-BALL STEERING KNUCKLE	181203  DK REAR AXLE BRACKET LEFT AND RIGHT	181201-AL   ALU DK DOUBLE-BALL STEERING KNUCKLE
181203-AL   ALU DK REAR AXLE BRACKET LEFT AND RIGHT	118042 STEEL 118142 S2  42mm 3.0PIN DK CENTRAL FRONT DRIVE SHAFT CVD PIN S2 SET	118049 STEEL 118192 S2  92mm 3.0PIN DK CENTRAL REAR DRIVE SHAFT CVD PIN S2 SET	115112  ALU TRANSMISSION SHAFT PROTECTIVE COVER
115510  TRANSMISSION SHAFT JOINT	115510-LW  LIGHTWEIGHT TRANSMISSION SHAFT JOINT LIGHT WEIGHT	115405  DRIVE SHAFT CROSS JOINT	111042 STEEL 112042 S2  42mm 3.0PIN UNIVERSAL CVD DRIVE SHAFT-S2
111092 STEEL 112092 S2  92mm3.0PIN UNIVERSAL CVD DRIVE SHAFT-S2	112092-LW  92mm 3.0PIN UNIVERSAL CVD DRIVE SHAFT-S2 LIGHT WEIGHT	167101-AL  ALU 2.0mm DK TOURING RALLY CLOSED CHASSIS	167102-C  3.0mm DK7 RALLY FRONT SHOCK TOWER CARBON FIBER
167103-C  3.0mm DK7 RALLY REAR SHOCK TOWER CARBON FIBER	167104-C  2.0mm DK CARBON FIBER CENTER DIFF CONNECTING PLATE	167105-C  2.0mm DK FRONT STEERING BRACKET CARBON FIBER	167107-C  2.0mm DK TOURING RALLY INTEGRATED UPPER DECK





167108-C  2.0mm DK FLOATING SERVO MOUNT CARBON FIBER	167109-C  F/R 43/90mm DK FRONT REINFORCEMENT PIECE CARBON FIBER 2.0mm	167102-AL  ALU 3.0mm Dk7 RALLY CAR FRONT SHOCK TOWER	167103-AL  ALU 3.0mm Dk7 RALLY CAR REAR SHOCK TOWER
167104-AL  ALU 2.0mm DK CENTER DIFFERENTIAL CONNECTING PLATE	167105-AL  ALU 2.0mm DK FRONT STEERING BRACKET	167107-AL  ALU 2.0mm DK TOURING RALLY INTEGRATED UPPER DECK	131104  ALU 30° 30° FAN MOUNT
117905  DK TORSION ANTI-ROLL BAR SET	181263  DK SERIES GEAR BOX ANTI-ROLL BAR CLAMP PLATE	117904  DK ANTI-ROLL BAR STOPPER 6x5 M3 SET SUS410	117014  M3x14 DK TORSION ANTI-ROLL BAR BALL LINK M3-14 SUS410
924982 924982-AL  4.9mmx5x10 ANTI-ROLL BAR BALL END LOW FRICTION	121149  4.9mm PA BALL JOINT 5mm SHORT OPEN	154035-12 1.2mm 154035-14 1.4mm 154035-16 1.6mm 154035-18 1.8mm  DK TORQUE ANTI-ROLL BAR FE	611720  DK7 RALLY CAR PROTECTIVE SHELL PC TRANSPARENT
181194  DUSTPROOF SHELL SUPPORT SETS PA	986013  30mm COOLING FAN	 160740-40 160780-40 40° RALLY TYRE SET PREGLUE BLUE HIGHWAY	 160740-50 160780-50 50° RALLY TYRE SET PREGLUE BLUE HIGHWAY
 160740-60 160780-60 60° RALLY TYRE SET PREGLUE BLUE HIGHWAY	611710  195x260 1/10 SCALE RALLY BODY	121324  PA PROTECTION RACK	121320 90° 121322 40°  40°/90° REARVIEW MIRROR





 4.9	L B	924904-4	 4.9	L	924964	4	 5.8	L B	925804-5	 5.8	L	925863	3.3
		924904-6			924965	5			925804-6			925868	8
		924904-8			924968	8			925804-8			925869	10
		924904-10							925804-10				
		924905-6							925805-6				
		924906-6							925806-6				
		924906-8											
		924908-6											
PER PACK x4 pcs													
BALLEND LARGEANGLE LOW FRICTION WITH THREAD UNIVERSAL BALL END LOW FRICTION INTERNALTHREAD													







940060  6mm	940100  6mm	990812 12T 990820 20T 990813 13T 990821 21T 990814 14T 990822 22T 990815 15T 990823 23T 990816 16T 990824 24T 990817 17T 990825 25T 990818 18T 990826 26T 990819 19T  0.8M
BODY CLIP	LONG BODY CLIP	PINION GEAR ALU HARD COATED 0.8M

990801 12T-19T 0.8M 990802 20T-26T 0.8M  0.8M	919502 2g 919503 3g 919505 5g 919510 10g 	950334 3x34 950347 3x47 	122025 3x25mm 
PINION GEAR ALU HARD COATED	ROUND SHAPE BALANCE WEIGHT	DK UPPER CONTROL ARM SHAFT FE	FRONT PIVOT PIN FOR C-HUB

951509 1.5x9 951510 1.5x9.8 951518 1.5x18 950209 2x9 950210 2x9.8 950212 2x12 950218 2x18 950312 3x12 950317 3x17 	920318 18mm 920320 20mm 920322 22mm 920324 24mm 920328 28mm 920332 32mm 920336 36mm 920340 40mm 920345 45mm 920350 50mm 920355 55mm  M3 H3 S2
PIN	ADJ. TURNBUCKLE L/R M3 H3 SPRING STEEL

920718 18mm 920720 20mm 920722 22mm 920724 24mm 920728 28mm 920732 32mm 920736 36mm 920740 40mm 920745 45mm 920750 55mm  M3 H3 SUS410	930306 3x6x2.5 930307 3x7x3 930308 3x8x4 930408 4x8x3 930418 4x8x3-F 930410 4x10x4 930518 5x8x2.5-F 930508 5x8x2.5 930510 5x10x4 930612 6x12x4 931015 10x15x4 
ADJ. TURNBUCKLE L/R M3 H3 SUS410	BALL-BEARING



930117 DK6/DK7 		919402 M4 AL 919300-Ti M3 919400-Ti M4 919301-Ti M3-F 919401-Ti M4-F 		918254-Ti M2.5x4 Ti 918256-Ti M2.5x6 Ti 918258-Ti M2.5x8 Ti 918110-Ti M2.5x10 Ti 918112-Ti M2.5x12 Ti 918114-Ti M2.5x14 Ti 918304-Ti M3x4 Ti 918305-Ti M3x5 Ti 918306-Ti M3x6 Ti 918308-Ti M3x8 Ti 918310-Ti M3x10 Ti 918312-Ti M3x12 Ti 918314-Ti M3x14 Ti  M2.5 / M3-Ti			
WHOLE VEHICLE BEARING		NUT M3 / M4		HEX SCREW ROUND HEAD M2.5 M3-Ti			
917254-Ti M2.5x4 Ti 917256-Ti M2.5x6 Ti 917258-Ti M2.5x8 Ti 917110-Ti M2.5x10 Ti 917304-Ti M3x4 Ti 917305-Ti M3x5 Ti 917306-Ti M3x6 Ti 917308-Ti M3x8 Ti 917310-Ti M3x10 Ti 917312-Ti M3x12 Ti 917314-Ti M3x14 Ti  Ti		940306-1A 3x6x1 940306-15A 3x6x1.5 940306-2A 3x6x2 940306-25A 3x6x2.5 940306-3A 3x6x3 940306-4A 3x6x4 940306-5A 3x6x5 940306-6A 3x6x6  ALU		940306-8A 3x6x8 940306-10A 3x6x10 940306-12A 3x6x12			
HEX SCREW FLAT HEAD M2.5 / M3-Ti		WASHER-ALU					
942606-05F 2.6x6 942607-05F 2.6x7 940306-02F 3x6x0.2 940306-03F 3x6x0.3 940307-03F 3x7x0.3 940307-05F 3x7x0.5 943507-01F 3.5x7x0.1 943507-02F 3.5x7x0.2 943508-02F 3.5x8x0.2 943508-03F 3.5x8 x0.3 943509-02F 3.5x9 x0.2 943509-03F 3.5x9 x0.3 943509-04F 3.5x9 x0.4 940408-02F 4x8x0.2 940408-03F 4x8x0.3 940410-02F 4x10x0.2 940410-03F 4x10x0.3 940410-05F 4x10x0.5 940508-02F 5x8x0.2 940508-03F 5x8x0.3 940510-01F 5x10x0.1 940510-02F 5x10x0.2 940511-01F 5x11x0.1 940512-02F 5x12x0.2 940513-03F 5x13x0.3 940611-02F 6x11.5x0.2 940611-03F 6x11.5x0.3		940614-02F 6x14x0.2 940615-03F 6x15x0.3 940614-04F 6x14.5x0.4 940614-05F 6x14x0.5 940712-05F 7x12x0.5 940812-03F 8x12x0.3 940812-05F 8x12x0.5 941012-01F 10x12x0.1 941012-02F 10x12x0.3 941012-03F 10x12x0.4 941012-04F 10x12x0.4 941012-05F 10x12x0.5 941215-02F 12x14.8x0.2 941215-03F 12x14.8x0.3 941316-02F 13.2x15.9x0.2 941316-03F 13.2x15.9x0.3 941316-04F 13.2x15.9x0.4 941316-05F 13.2x15.9x0.5		 ALU		 3x6x2mm	
		WASHER SFH SCREW FLAT HEAD-ALU		CONICAL SHIM-ALU			
		940308-4A 3x8x4 940408-15A 4x8x1.5 940408-2A 4x8x2 940309-1A 3x9x1 940309-15A 3x9x1.5 940309-2A 3x9x2  ALU		WASHER ALU			
 STEEL		960615 6x1.5 960702 7x2 960722 7x2.2 960725 7x2.5 960802 8x2 960822 8x2.2 960825 8x2.5 960902 9x2 960925 9x2.5 961002 10x2 961003 10x3 961124 11x2.4 961301 13x1 961401 14x1 961501 15x1-13 962215 22x1.5 962225 22x2.5 		SILICONE O-RING			
WASHER							
900100 THE DIFFERENTIAL OIL 900050 SHOCK ABSORBER OIL 909001 GRAPHITE OIL 909002 ENGINE AFTER RUN OIL 909003 AIR FILTER OIL 909004 ONE-WAY LUBE 909005 CERAMIC BEAD OIL 909006 SINGLE BEARING OIL 		909007 HIGH SPEED BEARING OIL 909008 SEAL OIL		909009 HIGH STRENGTH SCREW GLUE 909010 MEDIUM STRENGTH SCREW GLUE 909011 STICKY RUBBER 909012 FUEL LUBRICATION ADDITIVE 			
OIL				STICKY RUBBER			

SET-UP SHEET



RACE/TRACK		NAME		COUNTRY		DATE / /																	
QUAL POSITION		FINAL POSITION		BEST LAPTIME /sec		TOTAL LAPS		WEIGH															
TRACK SURFACE		GRAVEL		ASPHALT		TRACTION		HIGH		MEDIUM		LOW		TRACK LAYOUT		TECHNICAL		MIXED		FAST		°C	

FRONT		SHOCKS		REAR	
/cst		OIL		/cst	
		SPRING			
FRONT		DAMPING PISTON		REAR	
☐		☐ 1 HOLES ☐		☐	
☐		☐ 2 HOLES ☐		☐	
☐		☐ 3 HOLES ☐		☐	
☐		☐ 4 HOLES ☐		☐	
☐		☐ 6 HOLES ☐		☐	
☐		☐ 8 HOLES ☐		☐	
☐ PLANE ☐ RAMP		☐ PLANE ☐ RAMP			

ANTI ROLL BAR					
FRONT ☐ NO ☐ 1.2 ☐ 1.4 ☐ 1.6 ☐ 1.8					
REAR ☐ NO ☐ 1.2 ☐ 1.4 ☐ 1.6 ☐ 1.8					

DIFFERENTIAL					
FRONT		MIDDLE		REAR	
☐ SOLID		☐ SOLID		☐ SOLID	
OIL		OIL		OIL	
☐ LSD		☐ LSD		☐ LSD	

LSD FRICTION PLATE					
☐ SUS		☐ SUS		☐ SUS	
☐ ALU		☐ ALU		☐ ALU	
☐ 0.3mm		☐ 0.3mm		☐ 0.3mm	
☐ 0.4mm		☐ 0.4mm		☐ 0.4mm	
☐ 0.5mm		☐ 0.5mm		☐ 0.5mm	

TYRE	FRONT	
	REAR	

BODY	
BODY	
WING	

ELECTRONICS GEARING					
ESC					
MOTOR					
SERVO					
TIMING					
mah		C		g	

REMARKS	

