


MTS TBM-V2

1:10 ELECTRONIC TOURING PRO CAR KIT
(MID MOTOR)



MADE IN CHINA

RACE UPT

SURC

MTS T3M-V2

INTRODUCTION:

MTS T3M-V2 1:10 Central Drive Touring Car kit is a professional 1:10 4 wheel drive car and should be built by aged 14 years or over or that they had experience building and operating R/C model cars before. This is not a toy intended for use by beginners or by children without any supervision of a knowledgeable adult. Please read the instruction manual carefully before building.

Race Opt should not be liable for any loss, injury or damages, whether direct, indirect, special, incidental, consequential, arising from the use, misuse, abuse of this product or accessories required to operate this product.

WARNINGS:

- ⦿ This product is not intended for those ages under 14 years without any adult supervision.
- ⦿ Assemble this kit only in places away from the reach of children.
- ⦿ Pay attention to the safe use of tools and sharp tools, and pay attention to some parts with sharp edges when building vehicles.
- ⦿ Please do not touch any electronic equipment on the model such as motor and speed controller that having higher temperatures after the operation. Otherwise, it may burn yourself seriously by touching them. Better to allow 10 ~ 15 minutes to let any electronic equipment cool down.
- ⦿ Please complete a successful pre-run check of your radio equipment and model before the run. Make sure to keep the wheels of the model off the ground when checking the operation of the radio equipment.
- ⦿ When on the model, please always turn on the transmitter before turn on the receiver in the car. When off the model please always turn off the receiver before turn off the transmitter. Otherwise, the model may become uncontrollable and cause serious damage.
- ⦿ Disconnect the battery pack before storing your model.
- ⦿ Do not get overcharge for the battery or leave battery unattended while charging. Never let children charge the battery without adult supervision.
- ⦿ Do not operate it on public places, roads or areas where its operation can conflict with or disrupt pedestrian or vehicular traffic.
- ⦿ Do not use your model as shown below:

In places where children and people gather	In rain, wind, snow or darkness condition
In areas where loud noises can disturb others	At anytime your line of sight to the model may be obstructed or impaired in any way

Electrical Precautions:

- ⊙ Please do not allow any metal part to short circuit the battery or any electronic part using inside the car kit.
- ⊙ Never put batteries into fire.
- ⊙ Use the recommended charger for the transmitter battery and battery for electronic speed control.

Please follow the charging instructions carefully . Please do not over charge the battery or choose the wrong charging mode .

It becomes dangerous that causes the explosion and lead to the fire . If battery becomes extremely hot during the charging , please seek the advice from or get replacement from the corresponding battery supplier.

- ⊙ Please unplug charger when not in use.
- ⊙ When not using RC model , please always disconnect and remove the battery.
- ⊙ Low battery may result in loss of control . Please stop running the car at once when you find its speed start to slow down.
- ⊙ After use the battery , the battery remains heat and please recharges it after the battery is cool down.
- ⊙ Never use damaged wires that are dangerous and cause short circuits and may lead to the fire.

Other Equipment Needed (not included):


Radio transmitter & receiver	Battery for transmitter
Electronic speed control	Steering Servo
540 Type brushes or brushless motor	Pinion Gear (48pitch/64pitch)
190mm body shell	7.4V Nimh or Lipo Battery
Touring Car Tire set	Battery charger

Tools Needed (not included):

1.5mm, 2.0mm, 2.5mm, 3.0mm allen wrench	5.0mm, 5.5mm, 7.0mm hex socket wrench
Modelers craft knife	Turnbuckle wrench
Calipers/Ruler	Camber gauge
Instant glue/Thread lock glue	Shock and Diff Oil
Thrust, Diff and Joint grease	Paint for body shell


Notes: All replacement parts can be found from www.race-opt.com/www.sn-rc.com and can be purchased from local hobby shop. If any further information needed, please email to enquiry@rc-explorer.com.

MTS T3M-V2



121063-AL ALU. FRONT BELT PULLEY (38T)
121067 COMPOSITE GEAR DIFF. CASE & COVE

163130 UNIVERSAL CVD DRIVE SHAFT-SPRING STEEL10x3.1 S2(2
990110 PLANETARY GEAR SET-PLASTIC
128202 DIFF GASKET 26mm




Low-Traction
1000# cst



High-Traction
10000# cst

 + 1.3g

Add 1.3g of oil the diff.



LOCATION



121067-AL ALU. FRONT BELT PULLEY (38T)
125226-AL 20T FIXED PULLEY (NARROW) AL
125019-LW LIGHT WEIGHT SUSPENSION MOUNT (RR)
125228 ALU. SOLID LAYSHAFT (NARROW) 4.0
163131 FRONT SOLID AXLE SPOOL OUTDRIVE
-SPRING STEEL10x7.5x3.1 S2
996110 SPUR GEAR 110T / 64P


48P	
994084	SPUR GEAR 84T/48P
994084-WH	SPUR GEAR 84T/48P
994087	SPUR GEAR 87T/48P
994087-WH	SPUR GEAR 87T/48P

64P	
996110	SPUR GEAR 110T/64P
996110-WH	SPUR GEAR 110T/64P
996116	SPUR GEAR 116T/64P
996116-WH	SPUR GEAR 116T/64P

MTS T3M-V2






940025	960615	961401
C2.5	6x1.5	14x1



Tip-3 SPENSION SPRING	
129140	1.4x17x4.0 RD 4.0KG
129145	1.4x17x4.5 SR 3.5KG
129150	1.4x17x5.0 YE 3.0KG
129155	1.4x17x5.5 BL 2.5KG



Tip-2 MULTI-LOBE COMPRESSION SPRING	
129012	COMPRESSION SPRING 0.2x4x3x9.5
129013	COMPRESSION SPRING 0.3x4x3x9.5
129022	COMPRESSION SPRING 0.2x5x4x9.5
129023	COMPRESSION SPRING 0.3x5x4x9.5
129032	COMPRESSION SPRING 0.2x6.5x5x9.5
129033	COMPRESSION SPRING 0.3x6.5x5x9.5

- 124201 RAS- SHOCK CAP
- 124402 RAS-SHOCK TOP COVER
- 129013 MULTI-LOBE COMPRESSION SPRING 0.3x5x4x9.5
- 124433 RAS-SHOCK PISTON (3 HOLE)
- 124236 RAS-SHOCK SHAFT 3x36mm
- 124316 RAS-SHOCK BODY 12x16mm
- 124414 RAS-SHOCK V2 TOP COVER(3x2.2MM YELLOW)
- 125031 ALU SHOCK BOTTOM CAP(COMPLETE SET)M8x4.0
- 124003 SUSPENSION SPRING RETAINER-12mm
- 129145 1.4 x17x4.5 SUSPENSION SPRING SR 3.0KG
- 124014 ALU.SHOCK SPRING RETAINING COLLAR LOW GRAVITY - 3.0mm
- 121058 SHOCK BALL JOINT





- 128261 CARBON GRAPHITE CHASSIS FOR MTS (2mm)
- 125211 ALU. REAR BULKHEAD WITH ACTIVE TOE SUSPENSION SHAFT PIN (25mm)
- 125227 ALU. MOTOR AND SPUR GEAR SHAFT MOUNT
- 125201 ALU. FRONT BULKHEAD 25mm
- 121095 COMPOSITE SERVO MOUNT SET

MTS T3M-V2




- 128264 CARBON GRAPHITE FRONT 2ND DESK FOR (2mm)
- 123090 ACTIVE TOE SUSPENSION HOLDER(S2)
- 129812 ACTIVE TOE SUSPENSION SPRING(5x0.7x12x8)
- 125227 ALU. MOTOR AND SPUR GEAR SHAFT MOUNT
- 121096 COMPOSITE ADJUSTMENT BALL-BEARING HUB
- 127035 SYNCHRONOUS BELT LENGTH-351 117T





- 115531 THREE SECTION UNIVERSAL DRIVE SHAFT AXLE S2
- 115405 THREE SECTION UNIVERSAL DRIVE SHAFT CROSS JOINT
- 150410 THREE SECTION UNIVERSAL DRIVE SHAFT JOINT HOUSING C-CLIP
- 115910 THREE SECTION UNIVERSAL DRIVE SHAFT JOINT HOUSING S2
- 112037 38mm THREE SECTION UNIVERSAL DRIVE SHAFT(SPRING STEEL)- 2mm PIN
- 112038 38mm THREE SECTION UNIVERSAL DRIVE SHAFT(SPRING STEEL)- 3mm PIN
- 121099 DRIVE SHAFT REPLACEMENT PLASTIC CAP

MTS T3M-V2


			
930306 3x6x2.5	917314-GD M3x14	940362 3x6x2	916205 M2x5





Tip-1	Servo Arm
125215	25T Servo Arm-J (JR,KO)
125216	23T Servo Arm-F (Futaba)





- 924900 PIVOT BALL 4.9x6mm DOUBLE BEVEL SHOULDERS
- 920320 ADJ. TURNBUCKLE L/R 20mm - SPRING STEEL
- 920336 ADJ. TURNBUCKLE L/R 36mm - SPRING STEEL
- 924906 BALL END 4.9mm WITH THREAD 6mm H2.0
- 123055 SPRING STEEL STEERING SHAFT
- 125206 ALU. STEERING MOUNT HOLDER
- 125207 ALU. STEERING PLATE
- 121249 COMPOSITE BALL JOINT 4.9mm - CLOSED WITH HOLE
- 121049 COMPOSITE BALL JOINT 4.9mm - OPEN
- 125215 ALU. SERVO ARM(25T)


918306-GD M3x6




- 128262 CARBON GRAPHITE FRONT SHOCK TOWER (LCG, 3mm)
- 128263 CARBON GRAPHITE REAR SHOCK TOWER (LCG, 3mm)
- 125104 REAR BEARING SLEEVE CLAMP (L+R)

MTS T3M-V2



123046 SUSPENSION ARM BALL JOINT HOLDER
123047 SUSPENSION ARM BALL JOINT HEX NUT M6.5
920324 ADJ. TURNBUCKLE L/R 24 mm - SPRING STEEL
920328 ADJ. TURNBUCKLE L/R 28 mm - SPRING STEEL
123048 BALL UNIVERSAL 5.9mm HEX (H3)




121179	TURN THE CUP AROUND 8°. THREE SECTION STICK USE
118237	38mm THREE SECTION OF ROD CVD UNIVERSAL JOINT (SPRING STEEL)- 2mm PIN
118238	38mm THREE SECTION OF ROD CVD UNIVERSAL JOINT (SPRING STEEL)- 2mm PIN
121249	COMPOSITE BALL JOINT 4.9mm - CLOSED WITH HOLE
924906	BALL END 4.9mm WITH THREAD 6mm H2.0
924908	BALL END 4.9mm WITH THREAD 8mm H2.0
924916	BALL END 4.9mm L6mm WITH THREAD 6mm H2.0

125451 ALU. FRONT ARM JOINT HOLDER (L)
125452 ALU. FRONT ARM JOINT HOLDER (R)
125213 ALU. REAR ARM JOINT HOLDER V2 (L)
125214 ALU. REAR ARM JOINT HOLDER V2 (R)
123702 ALU. STEERING BLOCK HOLDER 2° (2DEG)
123700 ALU. STEERING BLOCK HOLDER 0° (0DEG)
125012 OPTION ALU WHEEL HUB 12x5mm
128171-2.0 GRAPHITE FRONT ARM V2(L,2mm)
128172-2.0 GRAPHITE FRONT ARM V2(R,2mm)
128173-2.0 GRAPHITE REAR ARM V2(L,2mm)
128174-2.0 GRAPHITE REAR ARM V2(R,2mm)
123035 SERVO MOUNT SCREW BUSHING



Tip-1	
	
123144	1.4 mm
123146	1.6 mm
123148	1.8 mm


Tip-2	
	
123134	1.4 mm
123136	1.6 mm
123138	1.8 mm



124245-V2 REDUCED AIR SHOCK V2 (45MM)
123134 1.4 ANTI ROLL BAR SHAFT (EXTEND VER.)
123144 1.4 ANTI ROLL BAR SHAFT HOLDER (EXTEND VER.)
124204 RAS-SHOCK CAP BALL END 5.9 M2.5
925801 BALL UNIVERSAL 5.8x6mm HEX H3.0


MTS T3M-V2

915325	917306-GD	918306-GD	918308-GD
M3x2.5	M3x6	M3x6	M3x8




- 128215 GRAPHITE FLOATING SERVO MOUNT 2.0mm
- 123061 FLOATING SERVO COLUMN 2 HOLE
- 125420 30-40mm FAN MOUNT
- 120202 SUSPEENSION RUDDER FRAME-STRAIGHT 3 HOLE
- 128268 CARBON GRAPHITE BATTERY ARM HOLDER (3MM)
- 125218 ALU. BATTERY MOUNT HOLDER (V2)
- 123063 CENTER BATTERY PRESSURE SHIM 1.0mm POM 25H BATTERIES

917310-GD	917306-GD	918312-GD	918308-GD
M3x10	M3x6	M3x12	M3x8



- 121011 COMPOSITE BUMPER
- 121012 COMPOSITE UPPER HOLDER FOR BUMPER
- 121021 FRONT BODY MOUNT SET
- 121023 BODY SUPPORT
- 121307 COMPOSITE REAR BUMPER
- 128259 CARBON GRAPHITE FRONT BUMPER
- ANTI-COLLISION PLATE (2MM)
- 940060 BODY CLIP 6mm

MTS T3M-V2



Tip-1	
129023	0.2x4x3x9.5
129033	0.3x4x3x9.5
129024	0.2x5x4x9.5
129034	0.3x5x4x9.5
129025	0.2x6.5x5x9.5
129035	0.3x6.5x5x9.5

Tip-2	
124431	1 HOLE
124432	2 HOLE
124433	3 HOLE

Tip-3	
129140	1.4x17x4.0 4.0KG
129145	1.4x17x4.5 3.5KG
129150	1.4x17x5.0 3.0KG
129155	1.4x17x5.5 2.5KG

Tip-4	
124012	0mm
124013	-1mm
124014	-3mm

Tip-5	
128264	STANDARD
128265	STRENGTHEN

Tip-6	
123702	2° L/R
123704	4° L/R
123706	6° L/R

Tip-13	
996110	110T/64P PA
996116	116T/64P PA
996110-WH	110T/64P POM
996116-WH	116T/64P POM

Tip-14	
996024	24 T/64P
996045	45 T/64P
996010	23-34T/64P
996011	35-45T/64P

Tip-7	
127035	LENGTH
127135	FIBRE
127235	PU
127335	FIBRE-WHITE

Tip-8	
125012-1	5+1mm
125012-2	5+2mm
125012-3	5+3mm
125012-4	5+4mm

Tip-9	
990110	PLASTIC
990110-AL	ALU
990110-F	STEEL





Tip-10	
128171-2.5	2.5mm L
128172-2.5	2.5mm R

Tip-11	
128173-2.5	2.5mm L
128174-2.5	2.5mm R

Tip-12	
123134	1.4mm
123136	1.6mm
123138	1.8mm
123144	1.4mm
123146	1.6mm
123148	1.8mm
123224	1.4 / 1.6 / 1.8




1/10 ELECTRIC TOURING CAR

MTS T3M-V2

118238 38mm 118240 40mm  S2 3.0PIN THREE SECTION OF ROD CVD UNIVERSAL JOINT-S2	118237 38mm 118239 40mm  S2 2.0PIN THREE SECTION OF ROD CVD UNIVERSAL JOINT-S2	115531  S2 DRIVE SHAFT AXLE (SPRING STEEL)	115910  S2 DRIVE SHAFT JOINT HOUSING -SPRING STEEL
115405  DRIVE SHAFT CROSS JOINT	150410  DRIVE SHAFT JOINT HOUSING C-CLIP	112038 38mm 112040 40mm  S2 3.0PIN THREE SECTION UNIVERSAL DRIVE SHAFT-SPRING STEEL	112037 38mm 112039 40mm  S2 2.0PIN THREE SECTION UNIVERSAL DRIVE SHAFT-SPRING STEEL
124245-V2 12x45mm 124249-V2 12x49mm 124257-V2 12x57mm  MULTISTAGE REDUCED AIR SHOCKER-V2	160345  13x46mm SHORTER SHOCK ABSORBER 13x46mm	124201  ALU ALU RAS- SHOCK CAP	124402  RAS-SHOCK V2 TOP COVER
124236 3x36mm 124239 3x40mm 124247 3x48mm  3.0mm RAS-SHOCK SHAFT	124316 12x16mm 124318 12x18mm 124322 12x22mm  ALU ALU-RAS-SHOCK BODY	124003  ALU 12mm ALU-SUSPENSION SPRING RETAINER-12mm	124414  3.0x2.2mm RAS-SHOCK V2 TOP COVER
125031  M8x4.0mm ALU SHOCK BOTTOM CAP (COMPLETE SET)	120055  3.0x4mm UITRASHORT BOTTOM CAP SET WITH ORING	121058  5.8x15.5mm SHOCK BALL JOINT 5.8x15.5mm	129012 0.2x4x3x9.5 129013 0.3x4x3x9.5  4x3x9.5 MULTI-LOBE COMPRESSION SPRING
129022 0.2x5x4x9.5 129023 0.3x5x4x9.5  5x4x9.5 MULTI-LOBE COMPRESSION SPRING	129032 0.2x6.5x5x9.5 129033 0.3x6.5x5x9.5  6.5x5x9.5 MULTI-LOBE COMPRESSION SPRING	129042 0.2x7.5x6x9.5 129043 0.3x7.5x6x9.5  7.5x6x9.5 MULTI-LOBE COMPRESSION SPRING	129052 0.2x9x7x9.5 129053 0.3x9x7x9.5  9x7x9.5 MULTI-LOBE COMPRESSION SPRING













1/10 ELECTRIC TOURING CAR

MTS T3M-V2

124430 (0 HOLE) 124431 (1 HOLE) 124432 (2 HOLE) 124433 (3 HOLE) 124435 (5 HOLE) 124437 (7 HOLE)		129140 1.4x17x4.0 RD 4.0kg 129145 1.4x17x4.5 SR 3.5kg 129150 1.4x17x5.0 YE 3.0kg 129155 1.4x17x5.5 BL 2.5kg		129345 1.4x19x4.5 RD 4.0kg 129350 1.4x19x5.0 SR 3.5kg 129355 1.4x19x5.5 YE 3.0kg 129360 1.4x19x6.0 BL 2.5kg	
RAS-SHOCK PISTON		SUSPENSION SPRING 1.4x17mm		SUSPENSION SPRING 1.4x19mm	
129450 1.4x21x5.0 RD 3.5kg 129455 1.4x21x5.5 SR 3.0kg 129460 1.4x21x6.0 YE 2.5kg 129465 1.4x21x6.5 BL 2.0kg	129550 1.5x21x5.0 RD 4.5kg 129555 1.5x21x5.5 SR 4.0kg 129560 1.5x21x6.0 YE 3.5kg 129565 1.5x21x6.5 BL 3.0kg	124012	124013 -1mm 124014 -3mm		
		 ALU	 ALU		
SUSPENSION SPRING 1.4x21mm		SUSPENSION SPRING 1.5x21mm		ALU SHOCK SPRING RETAINING COLLAR	
124204	124211 5.9x7mm 124311 5.9x10mm 124411 5.9x12mm	124501	121011		
 5.9 M2.5mm	 5.9mm	 ALU			
RAS-SHOCK CAP BALL END 5.9 M2.5mm		RAS-SHOCK CAP BALL END SCREW 5.9mm		RAS-SHOCK HOLDER TOOL	
COMPOSITE BUMPER					
121013	121012	121021	161022 60mm 161024 71mm		
			 71mm		
FRONT ANTI-COLLISION INNER STRUT		COMPOSITE UPPER HOLDER FOR BUMPER		FRONT BODY MOUNT SET	
REAR BODY MOUNT SET 71mm LENGHT					
121023	121049	121249	121067		
	 4.9mm	 4.9mm	 38T		
BODY SUPPORT		COMPOSITE BALL JOINT 4.9mm - OPEN		COMPOSITE BALL JOINT 4.9mm - CLOSED WITH HOLE	
COMPOSITE GEAR DIFF. CASE & COVER 38T					
121095	121096	121099	121307		
		 2.0PIN			
COMPOSITE SERVO MOUNT SET		COMPOSITE ADJUSTMENT BALL-BEARING HUB		DRIVE SHAFT REPLACEMENT PLASTIC CAP	
COMPOSITE REAR BUMPER					











1/10 ELECTRIC TOURING CAR

MTS T3M-V2

121179  8° TURN THE CUP AROUND 8° THREE SECTION STICK	121114  S2 CUP 3.6 GEAR DIFFERENTIAL - PLASTIC SET S2 CUP 3.6	121113 ALU  S2 CUP 3.6 GEAR DIFFERENTIAL - SET - ALU GEAR S2 CUP 3.6	121113-F  S2 CUP 3.6 GEAR DIFFERENTIAL - SET - ALU GEAR S2 CUP 3.6
161112 ALU  S2 CUP 3.1 GEAR DIFFERENTIAL - SET - ALU GEAR S2 CUP 3.1	161113  S2 CUP 3.1 GEAR DIFFERENTIAL - PLASTIC SET 3.1	161112-F  S2 CUP 3.1 GEAR DIFFERENTIAL - SET - STEEL GEAR S2 CUP 3.1	990110  PLANETARY GEAR SET-PLASTIC
990110-AL  ALU PLANETARY GEAR SET-HARD COATED-ALU	990110-F  STEEL PLANETARY GEAR SET-STEEL	163130 3.1 123011 3.6  S2 UNIVERSAL CVD DRIVE SHAFT - 10x3.6 S2	163031 3.1mm 163036 3.6mm  S2 FRONT SOLID AXLE SET 10x7.5 S2
160031-LW 3.1mm 160036-LW 3.6mm  S2 FRONT SOLID AXLE SET 10x7.5 S2	122098  3.5x23mm DIFF CROSS SHAFT 3.5mm	120200  OPTIONAL FLOATING SERVO MOUNT (2HOLE)	120202  3 HOLE SUSPENSION RUDDER FRAME-STRAIGHT
123005  ALU BELT TENSIONER SET	123031  ALU 25mm ALU CHASSIS BRACE	123035  SERVO MOUNT SCREW BUSHING	123046 2.0 123046-2.5  2.0/2.5mm SUSPENSION ARM BALL JOINT HOLDER
123047  M6.5 H4.0 SUSPENSION ARM BALL JOINT HEX NUT M6.5	123048  5.8mm L4 H3.0 BALL UNIVERSAL 5.8mm HEX	123055  SPRING STEEL STEERING SHAFT	123061  2 HOLE FLOATING SERVO COLUMN

1/10 ELECTRIC TOURING CAR

MTS T3M-V2

123062  2.5mm BATTERY PRESSURE SHIM POM 25H BATTERIES	123063  1mm BATTERY PRESSURE SHIM POM 25H BATTERIES	123089  ALU REAR BODY MOUNT SET -ALU	123090  S2 ACTIVE TOE SUSPENSION HOLDER
123134 1.4 123136 1.6 123138 1.8  ANTI ROLL BAR SHAFT (EXTEND VER.)	123144 1.4 123146 1.6 123148 1.8  ANTI ROLL BAR SHAFT HOLDER (EXTEND VER.)	123224  1.4/1.6/1.8 LENGTHEN ANTI ROLL BAR MALE & FEMALE SHAFT	123700  0° STEERING BLOCK HOLDER
123702 2DEG 123704 4DEG 123706 6DEG  ALU STEERING BLOCK HOLDER	123890  S2 3.0PIN STEERING WITH CVD UNIVERSAL JOINT	123891  S2 3.0PIN STEERING WITH CVD UNIVERSAL JOINT WHEEL HUB	123892 2.0mm 123893 2.5mm  ADAPTIVE REAR TOE SUSPENSION ASSEMBLY
121063-AL  38T ALU ALU. FRONT BELT PULLEY	121067-AL  38T ALU ALU. GEAR DIFF. CASE PULLEY	125012 H12x5mm 125012-1 H12x5+1mm 125012-2 H12x5+2mm 125012-3 H12x5+3mm 125012-4 H12x5+4mm  ALU H12 OPTIONAL ALU WHEEL HUB	
125019-LW  ALU ALU. LIGHT WEIGHT FRONT SOLID AXLE	125104  ALU L+R REAR BEARING SLEEVE CLAMP	125201  25mm ALU. FRONT BULKHEAD	125206  ALU ALU. STEERING MOUNT HOLDER
125207  ALU ALU. STEERING PLATE	125211  25mm ALU. REAR BULKHEAD WITH ACTIVE TOE SUSPENSION	125215  25T ALU. SERVO ARM	125216  23T ALU. SERVO ARM













1/10 ELECTRIC TOURING CAR

MTS T3M-V2

125218 ALU ALU. BATTERY MOUNT HOLDER(V2)	125317-LW 30mm LW FAN MOUNT 30mm LIGHTWEIGHT	125418-LW 40mm LW FAN MOUNT 40mm LIGHTWEIGHT	125420 30/40mm 30-40mm FAN MOUNT
125213 V2 RL ALU. ADAPTIVE REAR TOE SUSPENSION JOINT HOLDER	125214 V2 RR ALU. ADAPTIVE REAR TOE SUSPENSION JOINT HOLDER	125217 SUS 47mm BATTERY CHASSIS HOLDER	125219 FF RR SUS 0.5mm GRAPHITE ARM STRENGTHEN PLATE
125226-AL 20T ALU 20T FIXED PULLEY (NARROW)	125228 4.0 ALU. SOLID LAYSHAFT (NARROW)	125227 ALU. MOTOR AND SPUR GEAR SHAFT MOUNT	125234 SUS 29g FRONT ANTI-COLLISION PRESSING PLATE
125451 ALU FR ALU. FRONT ARM JOINT HOLDER	125452 ALU FL ALU. FRONT ARM JOINT HOLDER	125802 V2 BATTERY FIXING ASSEMBLY V2	128115 CARBON FIBER ACTIVE TOE SUSPENSION SPRING
128261 2.0mm CARBON GRAPHITE CHASSIS	128262 3.0mm CARBON GRAPHITE REAR SHOCK TOWER	128263 3.0mm CARBON GRAPHITE REAR SHOCK TOWER	128264 128265 PRO 2.0mm CARBON GRAPHITE FRONT 2ND DESK
128173-2.0 2.0mm 128173-2.5 2.5mm RL GRAPHITE REAR ARM V2	128174-2.0 2.0mm 128174-2.5 2.5mm RR GRAPHITE REAR ARM V2	128171-2.0 2.0mm 128171-2.5 2.5mm FL GRAPHITE FRONT ARM V2	128172-2.0 2.0mm 128172-2.5 2.5mm FR GRAPHITE FRONT ARM V2

1/10 ELECTRIC TOURING CAR

MTS T3M-V2

128259  2.0mm FRONT BUMPER ANTI-COLLISION PLATE	128268  V2 3.0mm CARBON GRAPHITE BATTERY ARM HOLDER	929058  THREE POINT BALL MULTI LINK UPPER SWING ARM (CAR SHELL SUPPORT)	929068  DOUBLE BALL END MULTI LINK UPPER SWING ARM
127035  117T SYNCHRONOUS BELT LENGTH-351 117T	127135  117T FIBRE SYNCHRONOUS BELT (FIBRE)LENGTH-351 117T	127235  117T PU SYNCHRONOUS BELT SHORT PU-351 117T	127335  117T WHITE SYNCHRONOUS BELT HIGH FLEXIBILITY PU 117T
128202  26mm DIFF GASKET 26mm	128210 128310 45°  AFTER FLOODING FOAM BUMPER	129812  5x0.7x12x8 ACTIVE TOE SUSPENSION SPRING	940060  6mm BODY CLIP
940100  6mm LONG BODY CLIP	121320  90° REARVIEW MIRROR 90°	121322  40° REARVIEW MIRROR 40°	121324  PROTECTION RACK
128401/611710  195x260mm Dt2 PULL CAR SHELL PC	128402/611810  PC 195x260mm GTR DRIFT CAR SHELL PC 195x260mm	128403/611610  195x260mm FLAT CAR SHELL PC	128404/611620  195x200mm FLAT CAR SHELL PC
128405/611630  195x200mm FLAT CAR SHELL PC	128406/611820  PC 195x260mm AMG DRIFT CAR SHELL PC 195x260mm	994018 18T 994026 26T 994034 34T 994019 19T 994027 27T 994035 35T 994020 20T 994028 28T 994036 36T 994021 21T 994029 29T 994037 37T 994022 22T 994030 30T 994038 38T 994023 23T 994031 31T 994039 39T 994024 24T 994032 32T 994040 40T 994025 25T 994033 33T  48P PINION GEAR ALU HARD COATED 48P	

1/10 ELECTRIC TOURING CAR

MTS T3M-V2

996024 24T 996032 32T 996040 40T
 996025 25T 996033 33T 996041 41T
 996026 26T 996034 34T 996042 42T
 996027 27T 996035 35T 996043 43T
 996028 28T 996036 36T 996044 44T
 996029 29T 996037 37T 996045 45T
 996030 30T 996038 38T 996046 46T
 996031 31T 996039 39T



64P

PINION GEAR ALU HARD
COATED 64P

994013 18T-30T 48P



48P

PINION GEAR ALU HARD
COATED


996010 24T-34T 64P
 996011 35T-45T 64P



64P

PINION GEAR ALU HARD
COATED

994072 72T
 994081 81T
 994084 84T
 994087 87T
 994084-WH 84T
 994087-WH 87T



48P

SPUR GEAR
48P

996110 110T
 996116 116T
 996110-WH 110T
 996116-WH 116T



64P

SPUR GEAR
64P

919502 2g
 919503 3g




ROUND SHAPE
BALANCE WEIGHT

919505 5g
 919510 10g



ROUND SHAPE
BALANCE WEIGHT


924956 4.9xM3x6 H2.0
 924958 4.9xM3x8 H2.0



4.9xM3

DOUBLE BALL END 4.9
WITH THREAD


924968



4.9xM3x8 H2.0

DOUBLE BALL END 4.9 WITH
THREAD (BODY SUPPORTER)


924900



4.9X6mm

DOUBLE BEVEL SHOULDERS
4.9x6mm


925800



5.8mm

BALL UNIVERSAL
5.8x3x7.5mm HEX


925801



5.8mm M3 L3

BALL UNIVERSAL
5.8mm M3 L3 HEX H3.0


924904 4.9x4
 924906 4.9x6
 924908 4.9x8
 924910 4.9x10



4.9mm L4

BALL END 4.9mm L4 WITH
THREAD H2.0


925805 5.8x5
 925806 5.8x6
 925808 5.8x8
 925810 5.8x10



5.8mm

BALL END 5.8mm WITH
THREAD H2.5


924916 4.9X6 L6
 924918 4.9X8 L6



4.9mm

BALL END 4.9mm
WITH THREAD H2.0


924926 4.9X6 L8
 924918 4.9X8 L8



4.9mm

BALL END 4.9mm
WITH THREAD H2.0

925848 5.8x8 L12




5.8mm

BALL END 5.8mm L12mm
WITH THREAD 8mm H3.0

920718 18mm
 920720 20mm
 920722 22mm
 920724 24mm
 920728 28mm
 920732 32mm
 920736 36mm
 920740 40mm

920745 45mm
 920750 50mm



M3 H3 SUS410

ADJ. TURNBUCKLE L/R
M3 H3 SUS410

920318 18mm
 920320 20mm
 920322 22mm
 920324 24mm
 920328 28mm
 920332 32mm
 920336 36mm
 920340 40mm

920345 45mm
 920350 50mm









M3 H3 S2

ADJ. TURNBUCKLE L/R
M3 H3 SPRING STEEL

1/10 ELECTRIC TOURING CAR

MTS T3M-V2

916310-P M3X10 916312-P M3X12 916315-P M3X15  M3 PA HEX SOCKET CAP SCREW M3 PLASTIC	915325 M3x2.5 915303 M3x3 915304 M3x4 915306 M3x6 915308 M3x8 915310 M3x10 915312 M3x12 915314 M3x14 915408 M4x8  M3 / M4 HEX SET SCREW M3 / M4	916205 M2x5 916256 M2.5x6 916110 M2.5x10  M2.5 HEX SOCKET CAP SCREW M2.5	916308 M3x8 916310 M3x10 916312 M3x12 916314 M3x14 916316 M3x16 916318 M3x18 916320 M3x20 916322 M3x22 916325 M3x25  M3 HEX SOCKET CAP SCREW M3
918206 M2x6 918208 M2x8 918210 M2x10 918256 M2.5x6 918258 M2.5x8 918110 M2.5x10 918112 M2.5x12 918114 M2.5x14 918304 M3x4 918305 M3x5 918306 M3x6 918308 M3x8 918310 M3x10 918312 M3x12 918314 M3x14 918316 M3x16  M2 / M2.5 M3 HEX SCREW ROUND HEAD	917256 M2.5x6 917258 M2.5x8 917304 M3x4 917306 M3x6 917308 M3x8 917310 M3x10 917312 M3x12 917314 M3x14 917316 M3x16  M2.5 M3 HEX SCREW FLAT HEAD M3		
915325-GD M3x2.5 GD 915304-GD M3x4 GD 915306-GD M3x6 GD 915308-GD M3x8 GD 915310-GD M3x10 GD 915312-GD M3x12 GD 915314-GD M3x14 GD  M3-GD HEX SET SCREW M3-GD	916205-GD M2x5 GD  M2.5-GD HEX SOCKET CAP SCREW M2.5	918256-GD M2.5x6 GD 918110-GD M2.5x10 GD 918112-GD M2.5x12 GD 918114-GD M2.5x14 GD  M2.5-GD HEX SCREW ROUND HEAD M2.5-GD	
918304-GD M3x4 GD 918305-GD M3x5 GD 918306-GD M3x6 GD 918308-GD M3x8 GD 918310-GD M3x10 GD 918312-GD M3x12 GD 918314-GD M3x14 GD 918316-GD M3x16 GD  M3-GD HEX SCREW ROUND HEAD M3-GD	917256-GD M2.5x6 917258-GD M2.5x8 917304-GD M3x4 917306-GD M3x6 917308-GD M3x8 917310-GD M3x10 917312-GD M3x12 917314-GD M3x14 917316-GD M3x16  M2.5 / M3-GD HEX SCREW FLAT HEAD M2.5 M3-GD		
910105-GD  ALL METAL SCREW	919300 M3 919400 M4 919301 M3-F 919401 M4-F  M3 / M4 NUT M3 / M4	919402 M4-ALU  M4 ALU NUT M4	919300-Ti M3 919400-Ti M4 919301-Ti M3-F 919401-Ti M4-F  Ti NUT M3 / M4
918254-Ti M2.5x4 Ti 918256-Ti M2.5x6 Ti 918258-Ti M2.5x8 Ti 918110-Ti M2.5x10 Ti 918112-Ti M2.5x12 Ti 918114-Ti M2.5x14 Ti 918304-Ti M3x4 Ti 918305-Ti M3x5 Ti 918306-Ti M3x6 Ti 918308-Ti M3x8 Ti 918310-Ti M3x10 Ti 918312-Ti M3x12 Ti 918314-Ti M3x14 Ti 918316-Ti M3x16 Ti  M2.5 / M3-Ti HEX SCREW ROUND HEAD M2.5 M3-Ti	917254-Ti M2.5x4 Ti 917256-Ti M2.5x6 Ti 917258-Ti M2.5x8 Ti 917110-Ti M2.5x10 Ti  M2.5-Ti HEX SCREW FLAT HEAD M2.5-Ti		

1/10 ELECTRIC TOURING CAR

MTS T3M-V2

917304-Ti M3x4 Ti
917305-Ti M3x5 Ti
917306-Ti M3x6 Ti
917308-Ti M3x8 Ti
917310-Ti M3x10 Ti
917312-Ti M3x12 Ti
917314-Ti M3x14 Ti
917316-Ti M3x16 Ti



M3-Ti

HEX SCREW FLAT HEAD
M3-Ti

930306 3x6x2.5 931015 10x15x4
930308 3x8x4
930418 4x8x3-F
930410 4x10x4
930518 5x8x2.5-F
930508 5x8x2.5
930510 5x10x4
930612 6x12x4




BALL-BEARING

930115 T3-V2



WHOLE VEHICLE BEARING


950318 3x18mm
950320 3x20mm



FRONT PIVOT PIN
FOR C-HUB

951509 1.5x9
951510 1.5x9.8
951518 1.5x18
950209 2x9
950210 2x9.8
950212 2x12
950218 2x18
950312 3x12

950317 3x17




PIN

940025 C2.5
940030 C3
940040 C4
940050 C5



E-CLIP


947262 2.5x6x2
947362 3x6x2



ALU

WASHER SFH SCREW
FLAT HEAD-ALU

948362



3x6x2mm

CONICAL SHIM-ALU

940391 3x9x1
940391-5 3x9x1.5
940392 3x9x2




ALU

WASHER-ALU

940361 3x6x1
940361-5 3x6x1.5
940362 3x6x2
940362-5 3x6x2.5
940363 3x6x3
940364 3x6x4
940365 3x6x5
940366 3x6x6

940368 3x6x8
940361-0 3x6x10
940361-2 3x6x12




ALU

WASHER-ALU

940265 2.6x6
940272 2.6x7
940373 3x7x0.3
940375 3x7x0.5
943581 3.5x8x0.1
943582 3.5x8x0.2
943583 3.5x8x0.3
943591 3.5x9x0.1

943592 3.5x9x0.2
943593 3.5x9x0.3
943594 3.5x9x0.4
945101 5x10x0.1
945102 5x10x0.2
945103 5x10x0.3
945111 5x11x0.1
945122 5x12x0.2

945133 5x13x0.3
941502 12x14.8x0.2
941503 12x14.8x0.3




STEEL

WASHER

944003 4x10x0.3
944005 4x10x0.5
945082 5x8x0.2
945083 5x8x0.3
946003 6x11.5x0.3
947005 7x12x0.5
948003 8x12x0.3
948005 8x12x0.5

941302 13.2x15.9x0.2
941303 13.2x15.9x0.3
941304 13.2x15.9x0.4
941305 13.2x15.9x0.5



STEEL

WASHER

960615 6x1.5
960702 7x2
960722 7x2.2
960802 8x2
960822 8x2.2
960825 8x2.5
960902 9x2
961124 11x2.4

961301 13x1
961401 14x1
961501 15x1-13



SILICONE O-RING

909009 HIGH STRENGTH SCREW GLUE
909010 MEDIUM STRENGTH SCREW GLUE
909011 STICKY RUBBER
909012 FUEL LUBRICATION ADDITIVE



STICKY RUBBER

900100 THE DIFFERENTIAL OIL
900050 SHOCK ABSORBER OIL
909001 GRAPHITE OIL
909002 ENGINE AFTER RUN OIL
909003 AIR FILTER OIL
909004 ONE-WAY LUBE
909005 CERAMIC BEAD OIL
909006 SINGLE BEARING OIL

909007 HIGH SPEED BEARING OIL
909008 SEAL OIL



OIL