

# 4PRO 5031-A

## ACTIVE TWO-WAY SPEAKER

### DESCRIPTION

The 4PRO 5031-A is a self-powered, lightweight two-way full bandwidth loudspeaker system equipped with two 15" woofers and a 1.7" voice coil diaphragm, compression driver mounted to a constant directivity horn. The 90° angle is wide enough to provide coverage of an audience when used one per side, yet narrow enough to allow displaying of multiple enclosures without excessive coverage overlap. The 4PRO 5031-A is the ideal choice when the application requires high performance and simple set-up, perfect for main PA, side fills, night clubs and corporate events.



### FEATURES

- 1200 WATT PEAK, 600 WATT RMS
- 132 dB max spl
- 90 x 60, Wide dispersion constant directivity horn
- 2 x 15" woofer, 2.5" voice coil
- 1" HF driver, 1.7" voice coil

**TECHNICAL SPECIFICATIONS**

<b>Acoustical specifications</b>	Frequency Response	45 Hz ÷ 20000 Hz
	Max SPL @ 1m	132 dB
	Horizontal coverage angle	90°
	Vertical coverage angle	60°
<b>Transducers</b>	Compression Driver	1.0", 1.75" v.c
	Woofers	2 x 15", 2.5" v.c
<b>Input/Output section</b>	Input signal	bal/unbal
	Input connectors	Combo XLR/Jack
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
<b>Processor section</b>	Crossover Frequencies	1650 Hz
	Protections	Thermal, RMS
	Limiter	Fast Limiter
	Controls	Volume, EQ Shape, Mic/Line
<b>Power section</b>	Total Power	1200 W Peak, 600 W RMS
	High frequencies	400 W Peak, 200 W RMS
	Low frequencies	800 W Peak, 400 W RMS
	Cooling	Convection
	Connections	VDE
<b>Standard compliance</b>	Safety agency	CE compliant
<b>Physical specifications</b>	Hardware	3 x Flytracks
	Handles	2 side
	Pole mount/Cap	Yes
	Color	Black
<b>Size</b>	Height	1094 mm / 43.07 inches
	Width	430 mm / 16.93 inches
	Depth	430 mm / 16.93 inches
	Weight	40.5 kg / 89.29 lbs
<b>Shipping information</b>	Package Height	1134 mm / 44.65 inches
	Package Width	484 mm / 19.06 inches
	Package Depth	484 mm / 19.06 inches
	Package Weight	47 kg / 103.62 lbs

**PART NUMBER**

- **13000369**

4PRO 5031-A

115V







EAN 8024530009823







- **13000368**

4PRO 5031-A


220-240V

EAN 8024530009816







Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars











Horizontal 1/3 Octave Polars



Horizontal One Octave Polars







ACCESSORIES



AC XLR-3M3F XLR CONN. 3MALE3FEMALEXCABLE

PART NUMBER **13360102**  
EAN: 8024530006402



COVER CVR 4PRO 5031

PART NUMBER **13360273**  
EAN: 8024530013493



DOUBLE STUD 4X

PART NUMBER **13360030**  
EAN: 8024530020231