



ALL-IN-ONE Conference Camera




User Manual

Product detail

- ① HD wide-angle camera
- ② Omnidirectional noise reduction microphone
- ③ Full-range high-fidelity speakers
- ④ Indicator light
- ⑤ Lens cover for privacy protection
- ⑥ Adjustable clamp/base
- ⑦ 1/4 tripod screw hole design
- ⑧ USB cable(1.5 meters)
- ⑨ Phase Inventor Tube






Specifications

- 2K(2560x1440P)
- Wide view angle 94°
- Frame rate: 30fps
- Omnidirectional noise reduction microphone
- Hi-Fi Speaker
- Voice pickup radius 3 meters
- Lens cover for privacy protection
- Drive-free plug and play USB connectivity
- Compatible operating system:
Windows XP&7&10 and above
Mac OS10.5 system or higher version
Android 5.1&6.0& above

Installation

1. Clamping/Tripod

Place the device on the desktop, computer monitor, or tripod.




(Note: This product does not include a tripod, please purchase separately if necessary.)



2. When placed on the monitor.

Open the mounting clip and place the camera on it according to the steps and methods shown in the figure.

make sure the device is installed firmly.



Connection



Reminder:

When using a desktop computer, please connect the device to the USB port on the back of the computer for more stable power supply. (USB3.0 1A USB2.0 500mA)