

Jaocom

health • audio



WIRELESS AUDIO, A HAPPY LIFESTYLE





Jaocom
health • audio

Advanced Digital Appliance **LISTENING 2025**
www.jaocom.com



health•audio



PERFECT SOUND, YOU CAN VISUALIZE



health•audio

Company Introduction

Zhuhai Jaocom Audio Co., Ltd was established in August 2004. Our company mainly focuses on developing and manufacturing wireless intelligent audio, which is one of the few HNTE (High and NEW Technology Expertise) audio industries in China (HNTE #: Gr20174405868).

Jaocom aiming to extend international market. Jaocom Audio fully owns its intellectual property rights. Also, Jaocom Audio obtained multiple national invention patents and utility model patents. A series of Bluetooth speakers and WiFi speakers had launched in Europe and US market, products' perfect sound effects and hi-fi quality won numerous reputable comments.

In accordance with company's globalization strategy, Jaocom tries to establish business with other foreign markets while providing superior OEM services to European and American premium brands. After years and years' efforts, our company now enters into business relationships with South America, South Africa, Middle East, Southeast Asia markets. We also built long term partnership with our clients in Germany, France, Spain, UK, Italy, Netherlands, Sweden, USA, Brazil, Chile, Argentina, Uruguay, Australia, Russia, Turkey, Korea, Indonesia and so on.

Jaocom is strictly guided by the principle of "making the quality of production better". Our product has received UL, FCC, CE, Red, RoHS, Reach, PoPs product certificates from the accredited lab TUV and SGS etc. Providing the highest quality products and best user experience are our priority of all time.

Let us take the opportunity to make Jaocom an excellent international brand in audio product field and enjoy a brilliant future together.



amfori 

Trade with purpose

BSCI





health•audio

CONTENTS

- ① Bluetooth Speaker
- ②③ Portable BT Speaker
- ③① Sound Bar
- ④④ Tower Speaker

**FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE**

HOT SALE PRODUCT

**EXCEPTIONAL QUALITY
PRIME CHOICE FOR AUDIOPHILES**



health audio



Bluetooth Speaker Hisw-A300




Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 357*241*196mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz

21V5000mAh lithium-ion battery

Speaker Driver: 25 core 8Ω silk film tweeter *2PCS;

5.25 inch 4Ω woofer *1PCS;

Hisw-A500Max Bluetooth Speaker




Dimension: 449*297*249mm

Output Power: 200W(30W*2+30W*2+80W)

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter *2PCS;
4 inch 4Ω full frequency speaker *2PCS;
6.5 inch 4Ω woofer *1PCS;



Bluetooth Version 5.3



4.1-CH 3-Way Clarity



Dual-Core DSP



App control

Bluetooth Speaker Hisw-A500



Bluetooth Version 5.3



4.1-CH 3-Way Clarity



Dual-Core DSP



App control




Dimension: 449*273*246mm
Output Power: 160W(20W*2+20W*2+80W)
Power Supply: AC100-240V~50/60Hz
Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
4 inch 4Ω full frequency speaker*2PCS;
6.5 inch 4Ω woofer*1PCS;

Hisw-A9Max Bluetooth Speaker



Dimension: 390*200*270mm
Output Power: 140W(30W*2+80W)
Power Supply: AC100-240V~50/60Hz
Speaker Driver: 25 core 8Ω silk film tweeter *2PCS;
6.5 inch 4Ω woofer*1PCS;




Bluetooth Version 6.0



Four-Way DRC




Dual-Core DSP




24bit 96KHz Sampling Rate


Bluetooth Speaker Hisw-A8Max




Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate




Dimension: 390*200*190mm
Output Power: 120W(30W*2+60W)
Power Supply: AC100-240V~50/60Hz
Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
5.25 inch 4Ω woofer*1PCS;

Hisw-A7Max Bluetooth Speaker



Dimension: 400*245*168mm
Output Power: 100W (25W*2+50W)
Power Supply: AC100-240V~50/60Hz
Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
5 inch 4Ω woofer*1PCS;




Bluetooth Version 6.0



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

Bluetooth Speaker Hisw-A6Max



Dimension: 390*180*190mm
Output Power: 100W (25W*2+50W)
Power Supply: AC100-240V~50/60Hz
Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
5.25 inch 4Ω woofer*1PCS;




Eight Touching Keys



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

Hisw-A3 Bluetooth Speaker



Dimension: 360*240*152mm
Output Power: 70W(30W+40W)
Power Supply: 22V2A adapter
Speaker Driver: 2.75inch 6Ω full frequency speaker*2PCS;
4 inch 4Ω woofer*1PCS;




2.1ch System



Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate

Bluetooth Speaker Hisw-A2Pro




Wireless Charging Function



Four-Way DRC



Dual-Core DSP



Removable Dust Cover/touch Buttons



Dimension: 585*150*120mm

Output Power: 30W*2

Power Supply: 22V2A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker*2PCS;

Hisw-A2 Bluetooth Speaker



PATENT NO. 202030753353.5

Dimension: 312*150*120mm


Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker *2PCS;



Eight Touching Keys




Eliminate Unnecessary Noise

Four-Way DRC




Dual-Core DSP



24bit 96KHz Sampling Rate

Bluetooth Speaker Hisw-A1Max




Bluetooth Version 6.0




Four-Way DRC



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 345*194*135mm

Output Power: 60W(10W+10W+40W)

Power Supply: 22V1.6A adapter

Speaker Driver: 20 core 8Ω silk film tweeter*1PCS;

2.75inch 6Ω full frequency speaker*1PCS;

4 inch 4Ω woofer*1PCS;


Hisw-A1 Bluetooth Speaker



Dimension: 345*194*135mm
Output Power: 60W(10W+10W+40W)
Power Supply: 22V1.6A adapter
Speaker Driver: 20 core 8Ω silk film tweeter*1PCS;
2.75inch 6Ω full frequency speaker*1PCS;
4 inch 4Ω woofer*1PCS;




Eight Touch Key



Four-Way DRC




Dual-Core DSP



24bit 96KHz Sampling Rate


Bluetooth Speaker Hisw-ClassiC5



Bluetooth Version 5.3



Stereo 2-Way



Dual-Core DSP



App control



Dimension: 200*230*300mm

Output Power: 80W*2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
5 inch 4Ω woofer*1PCS;

Hisw-Gold5 Bluetooth Speaker



Dimension: 198*230*306mm

Output Power: 80W*2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
5 inch 4Ω woofer*1PCS;




Bluetooth Version 5.3



Stereo 2-Way



Dual-Core DSP



App control

Bluetooth Speaker Hisw-Gold6



Bluetooth Version 6.0



Wireless Stereo 3-Way



Dual-Core DSP



TV Partner



Dimension: 231*233*452mm

Output Power: 120W*2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
2.75 inch 6Ω full frequency speaker*1PCS;
6.5 inch 4Ω woofer*1PCS;

Hisw-Silver6 Bluetooth Speaker



Dimension: 231*233*452mm

Output Power: 120W*2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;

2.75 inch 6Ω full frequency speaker*1PCS;


6.5 inch 4Ω woofer*1PCS;




Eight Touching Keys



Wireless Stereo 3-Way



Four-Way DRC



24bit 96KHz Sampling Rate

Bluetooth Speaker Hisw-Gold6E




Karaoke Function



Wireless Stereo 3-Way



Dual-Core DSP



24bit 96KHz Sampling Rate



Dimension: 231*233*452mm

Output Power: 120W *2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
2.75 inch 6Ω full frequency speaker*1PCS;
6.5 inch 4Ω woofer*1PCS;

Hisw-Gold7 Bluetooth Speaker



Dimension: 233*251*419mm

Output Power: 120W *2

Power Supply: AC100-240V~50/60Hz

Speaker Driver: 25 core 8Ω silk film tweeter*2PCS;
2.75 inch 6Ω full frequency speaker*1PCS;
6.5 inch 4Ω woofer*1PCS;




Bluetooth Version 6.0



Wireless Stereo 3-Way



Dual-Core DSP



24bit 96KHz Sampling Rate

Bluetooth Speaker F5-20



Bluetooth



OPTICAL



USB PLAY
lossless music



AUX INPUT




CLOCK



Wireless Charging



FM



RMS



Touch Clock Display



Wireless Charging Function



Dimension: 180*180*93mm

Output Power: 20W*2(RMS)

Power Supply: 15V1.6A

Speaker Driver: 2.25 inch 4Ω full frequency speaker*2PCS;

Powerful Alarm Clock Sleep Function

F5-20 Pro Bluetooth Speaker



Dimension: 200*200*85mm
Output Power: 20W*2(RMS)
Power Supply: 15V1.6A adapter
Speaker Driver: 4480 4Ω full frequency speaker*2PCS;



Powerful Alarm Clock Sleep Function




Super Magnetic



Wireless Charging Function

Bluetooth Speaker **F5-30**



Eight Touch Key



Wireless Charging Function



Rich Functional Interface



Powerful Alarm Clock And Sleep Function



PATENT NO. 202030753353.5

Dimension: 312*150*120mm

Output Power: 25W*2

Power Supply: 20V1.8A adapter

Speaker Driver: 3 inch 6Ω full frequency speaker*2PCS;

PORTABLE BT SPEAKER

FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE



www.jaacom.com

Portable BT Speaker **Hish-D5**




Karaoke Function



Dual-Core DSP



Bluetooth Version 6.0



Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



PATENT NO. 202223217039.8

Dimension: 189*200*197mm

Power Supply: 7.4V2000mAh lithium-ion battery

Speaker Driver: 4 inch 4Ω full frequency speaker*1PCS;

Charging Interface: TYPE-C 5V

Output Power: 25W

Hish-D6 Portable BT Speaker



PATENT NO. 202130271232.1

Dimension: 287*168*165mm

Power Supply: 7.4V2000mAh lithium-ion battery

**Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;**

Charging Interface: TYPE-C 5V

Output Power: 30W




Bluetooth Version 6.0



Karaoke Function




Dual-Core DSP



Four-Way DRC




Portable BT Speaker Hish-D7




Karaoke Function



Dual-Core DSP



Bluetooth Version 6.0



Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



PATENT NO. 202030753043.3

Dimension: 287*168*164mm

Power Supply: 7.4V2000mAh lithium-ion battery

Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;


Charging Interface: TYPE-C 5V

Output Power: 30W

Hish-D8Plus Portable BT Speaker



Dimension: 287*168*165mm
Power Supply: 12V2000mAh lithium-ion battery
Speaker Driver: 25 core 8Ω silk film tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;
Charging Interface: TYPE-C 5V
Output Power: 55W




Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details


Portable BT Speaker **Hish-D8Max**




Karaoke Function



Dual-Core DSP



Bluetooth Version 6.0



Four-Way DRC

24 bit/96 KHz

24bit 96KHz Sampling Rate Hear More Music Details



Dimension: 287*168*210mm

Power Supply: 12V2000mAh lithium-ion battery

Speaker Driver: 2.75 inch 6Ω full frequency speaker*1PCS;
4 inch 4Ω full frequency speaker *1PCS;

Charging Interface: TYPE-C 5V

Output Power: 50W

Hish-D8 Portable BT Speaker



PATENT NO. 202223217039.8


Dimension: 287*168*165mm

Power Supply: 12V2000mAh lithium-ion battery

**Speaker Driver: 2.75 inch 6Ω tweeter*1PCS;
4 inch 4Ω full frequency speaker*1PCS;**

Charging Interface: TYPE-C 5V

Output Power: 40W




Bluetooth Version 6.0



Karaoke Function



Dual-Core DSP



Four-Way DRC



24bit 96KHz Sampling Rate Hear More Music Details



health·audio



中国音乐文化历史悠久，据乐记记载
凡音之起，由人心而生，人心之动物使之然也，
感于物而动，故行于声，声相应，故生变，
谓之音，比音而乐之，及于戚羽调，谓之乐。
由此可见，乐由心生，其本在人心之德于物。
乐器科技依据此理念，创导健康音响新理念，
认为用高品质音响播放合适的音乐，
可使人们心情愉悦而有益健康。

樂
中國風

SOUND BAR


PERFECT SOUND, YOU CAN VISUALIZE




X4Max Bluetooth Sound Bar




Dimension: 406*74*49mm
Output Power: 20W*2(RMS)
Power Supply: 12V1A
Speaker Driver: 4480 4Ω full frequency speaker*2PCS



Super Magnetic



Four Sound Effects




Excellent Craftmanship




TV Partner


Bluetooth Sound Bar X4LPro



RMS28W



Super Magnetic



Excellent Craftsmanship



TV Partner



Dimension: 406*74*49mm

Output Power: 14W*2(RMS)


Power Supply: 12V1A

Speaker Driver: 4480 4Ω full frequency speaker*2PCS

X4L Bluetooth Sound Bar




Dimension: 406*74*49mm
 Output Power: 26W(RMS)
 Power Supply: 18V650mA
 Speaker Driver: 4480 6Ω full frequency speaker*1PCS;




Professional Radiator



Rubber Corrugated Rim




Four Sound Effects




RMS 26W


Bluetooth Sound Bar X4




RMS 25W



Body Thickness Is Only 50mm



Professional Double Radiator



Super Magnetic



PATENT NO. 202130271223.2


Dimension: 408*51*50mm

Output Power: 25W(RMS)


Power Supply: 18V650mA

Speaker Driver: 4480 6Ω full frequency speaker*1PCS;


X4Plus Bluetooth Sound Bar




Double Inverted Pipe Technology



Body Thickness Is Only 50mm



Professional Double Radiator




Super Magnetic




Dimension: 906*74*49mm
Output Power: 25W*2(RMS)
Power Supply: 15V1.6A adapter
Speaker Driver: 4480 4Ω full frequency speaker*2PCS;


Bluetooth Sound Bar SH1 Pro+




Body Thickness Is Only 49mm



Metal Grille



Professional Double Radiator



PATENT NO. 202130610580.7

Dimension: 906*74*49mm

Output Power: 25W*2

Power Supply: 20V1.8A


Speaker Driver: 4480 6Ω full frequency speaker*2PCS;

PERFECT SOUND, YOU CAN VISUALIZE

SH1Pro Bluetooth Sound Bar



Dimension: 706*74*49mm
Output Power: 16W*2(RMS)
Power Supply: 18V1A adapter
Speaker Driver: 4480 6Ω full frequency speaker*2PCS;




RMS32W



High Quality Full Frequency Speaker



Double Inverted Pipe Technology



Excellent Craftsmanship

Bluetooth Sound Bar Hisw-S1



TV Partner



Silk Film



Long Strokes Bass Speaker



Hisw-S1

Dimension: 906*83*49mm

Output Power: 50W

Power Supply: 22V1.6A adapter

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

4480 6.5Ω full frequency speaker*2PCS;

Hisw-S2

Wireless Surround

Dimension: 49*83*143mm

Output Power: 15W

Power supply: 18V1A adapter

Speaker Driver:

1.75 inch 4Ω full frequency speaker *2PCS;

Hisw-S3

Wireless Subwoofer

Dimension: 236*236*367mm


Output Power: 60W

Power supply: AC100-240V~50/60Hz

Speaker Driver:


6.5 inch 8Ω subwoofer*1PCS

Hisw-S4Max Bluetooth Sound Bar



Dimension: 906*74*49mm
Output Power: 100(25W*2+50W)
Power Supply: 22V2A adapter
Speaker Driver: 4480 6Ω full frequency speaker*2PCS

Wired Subwoofer
Dimension: 110*230*428mm
Speaker Driver: 5 inch 4Ω subwoofer*1PCS



Comfortable Silicone Keys



Rich Functional Interface



Long Strokes Bass Speaker


Bluetooth Sound Bar Hisw-S4



Comfortable Silicone Keys



Rich Functional Interface



Four Sound Effects



TV Partner



Dimension: 506*74*49mm
Output Power: 60(15W*2+30W)
Power Supply: 22V2A adapter
Speaker Driver: 4480 6Ω full frequency speaker*2PCS

Wired Subwoofer
Dimension: 110*200*298mm
Speaker Driver: 3.5 inch 6Ω subwoofer*1PCS

X4W Bluetooth Sound Bar



X4SW

Plastic Cabinet

Dimension: 506*74*49mm

Output Power: 15W*2

Power Supply: 20V1.2A adapter

Speaker Driver:

4480 6Ω full frequency speaker*2PCS

Wireless Subwoofer

Dimension: 400*200*90mm

Output Power: 30W

Speaker Driver: 4 inch 4Ω subwoofer*1PCS

Power supply: AC100-240V~50/60Hz

X4LW

Plastic Cabinet

Dimension: 506*74*49mm

Output Power: 15W*2+30W

Power Supply: 20V1.8A adapter

Speaker Driver:

4480 6Ω full frequency speaker*2PCS

Wired Subwoofer

Dimension: 400*200*90mm

Speaker Driver: 4 inch 4Ω subwoofer*1PCS



Comfortable Silicone Keys




Subwoofers Be Placed Freely



TV Partner

Bluetooth Sound Bar SH1W Pro



Body Thickness Is Only 49mm



Rich Functional Interface



EV Wire High Temperature Voice Coil



Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 25W*2+50W

Power Supply: 22V2A adapter

Speaker Driver: 20 core 8Ω silk film tweeter*2PCS;
4480 6Ω full frequency speaker*2PCS;

Subwoofer

Dimension: 400*230*97mm

Speaker Driver: 5 inch 4Ω subwoofer*1PCS;

Jaocom
health•audio

PERFECT SOUND, YOU CAN VISUALIZE

SH1W Pro+ Bluetooth Sound Bar



Super Magnetic



Silk Film



Long Strokes Bass Speaker

TWS-SH1W Pro+

Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 30W*2

Power Supply: 22V1.6A adapter

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

4480 6Ω full frequency speaker*2PCS;

Wireless Subwoofer

Dimension: 400*300*120mm

Output Power: 60W

Speaker Driver: 6.5 inch 4Ω subwoofer*1PCS;

Power supply: AC100-240V~50/60Hz

SH1W Pro+

Plastic Cabinet

Dimension: 906*74*49mm

Output Power: 30W*2+60W

Power Supply: 22V2.8A adapter

Speaker Driver:

20 core 8Ω silk film tweeter*2PCS;

4480 6Ω full frequency speaker*2PCS;

Wired Subwoofer

Dimension: 400*300*120mm

Speaker Driver: 6.5 inch 4Ω subwoofer*1PCS;




health • audio



TOWER SPEAKER

PERFECT SOUND, YOU CAN VISUALIZE
BLUETOOTH 5.0

T01 TOWER SPEAKER



WIRELESS AUDIO
A HAPPY LIFESTYLE

T01 TOWER SPEAKER




Dimension: 180*180*780mm

Output Power:
(25W*2+50W)*2

Power Supply: (AC100-240V~50/60Hz)*2

Speaker Driver:
20 core 8Ω silk film tweeter*2PCS;
3 inch 6Ω full frequency speaker*4PCS;
5 inch 4Ω woofer*2PCS;




High Power Switching Power Supply




New DSP Processing Chip



True Wireless Stereo(TWS)



Professional Radiator



High Power Switching Power Supply



Powerful Digital Amplifier



Large Diameter Phase-inverter Tube



Eight Physical Key

PERFECT SOUND
YOU CAN VISUALIZE

T02 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 205*205*1130mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter*1PCS;


2.75 inch 4Ω full frequency speaker*4PCS;

6.5 inch 8Ω woofer*1PCS;



T02 TOWER SPEAKER

T03 TOWER SPEAKER




High Power Switching Power Supply



Rich Functional Interface



Silk Film Tweeter



Silicone Shock-absorbing Foot Pads

WIRELESS AUDIO
A HAPPY LIFESTYLE

T03 TOWER SPEAKER



PATENT NO. 201720035966.8

Dimension: 214*214*1140mm

Output Power: 30W*2+60W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter*1PCS;

3 inch 4Ω full frequency speaker*4PCS;

6.5 inch 8Ω woofer*1PCS;

PERFECT SOUND
YOU CAN VISUALIZE

T04 TOWERSPEAKER



PATENT NO. 201720035966.8

Dimension: 205*205*1130mm

Output Power: 30W*2+60W


Power Supply: AC100-240V~50/60Hz

Speaker Driver:

20 core 8Ω silk film tweeter*1PCS;

2.75 inch 4Ω full frequency speaker*4PCS;

6.5 inch 8Ω woofer*1PCS;



High Power Switching Power Supply



Powerful Digital Amplifier



Silk Film Tweeter



Eight Touch Key



T04 TOWERSPEAKER

T04W TOWER SPEAKER



WIRELESS AUDIO
A HAPPY LIFESTYLE

T04W TOWER SPEAKER



Dimension: 130*110*1000mm

Output Power: 20W*2+40W

Power Supply: AC100-240V~50/60Hz


Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;

3.5 inch 4Ω woofer*1PCS;



LED Display



2.1ch Digital Amplifier



Built-in Subwoofer



Eight Physical Key



Mobile Device Bracket



Powerful Digital Amplifier



LED Display



Wired Stereo Port

PERFECT SOUND
YOU CAN VISUALIZE

T05 TOWER SPEAKER



Dimension: 130*110*820mm

Output Power: 20W*2

Power Supply: 18V1.3A power adapter

Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;



T05 TOWER SPEAKER

T06 TOWER SPEAKER



Eight Physical Key



New DSP Processing Chip



True Wireless Stereo(TWS)



Professional Radiator

WIRELESS AUDIO
A HAPPY LIFESTYLE

T06 TOWER SPEAKER



Dimension: 130*110*820mm

Output Power: (25W*2)*2

Power Supply: 20V1.2A power adapter*2

Speaker Driver:

3 inch 6Ω full frequency speaker*4PCS;

PERFECT SOUND
YOU CAN VISUALIZE

T07 TOWER SPEAKER



PATENT NO. CN 207947886 U

Dimension: 110*100*1000mm

Output Power: 20W*2

Power Supply: 18V1.3A power adapter

Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;




Eight Physical Key



Powerful Digital Amplifier



RGB Light




Bluetooth 5.0




T07 TOWER SPEAKER

T09 Pro TOWER SPEAKER



High Power Switching Power Supply



2.1ch Digital Amplifier



Built-in 5 Inch Woofer



360° Digital Potentiometer

WIRELESS AUDIO
A HAPPY LIFESTYLE

T09 Pro TOWER SPEAKER



Dimension: 150*150*916mm

Output Power: 25W*2+50W

Power Supply: AC100-240V~50/60Hz

Speaker Driver:

3 inch 6Ω full frequency speaker*2PCS;

5 inch 4Ω woofer*1PCS;

Jaocom

health • audio

WIRELESS AUDIO, A HAPPY LIFESTYLE





health•audio

**FOCUS ON SOUND QUALITY
TO CREATE A BETTER LIFE**

LISTENING 2025



Zhuhai Jaocom Audio Co., Ltd

<http://www.jaocom.com>

E-mail: info@jaocom.com

Tel: +86-756-8500956 Fax: +86-756-8500957

Add: 5/F, 3rd Bd, 615 Huawei Road, 519075, Zhuhai, China.

BLUETOOTH/PORTABLE BT/TOWER/SOUNDBAR/SPEAKER