

TOBILED®



No.5 building, Qingwan industrial zone, Sanzao Town, Jinwan District,
Zhuhai City, Guangdong province, China, 519040


Contact No.: 0086-756-6805251/6805252/6805253/6805254/
6805465/6805310;

Email: info@tobiled.com www.tobiled.com Fax: 0086-756-6805559

TOBILED CO., LIMITED ALL rights reserved.
Designs and specifications may change without prior notice.

2025
Rechargeable LED light





TOTO Rechargeable LED table light

Material: Aluminum housing with natural alabaster

Housing color: black and white (different color is available on request)

Power: 1 W

Input voltage: DC5V/1A

Color temperature: 1800K/6500K

CRI > 90




Battery charging time: 5-6 hours

Working time with battery: >30 hours


Type C USB connector

Touch switch, dimmable, flicker-free

IP rating: IP20







TOTO-R Rechargeable LED table light

Material: Aluminum housing with natural alabaster

Housing color: black and white (different color is available on request)

Power: 1 W

Input voltage: DC5V/1A

Color temperature: 1800K/6500K

CRI > 90

Battery charging time: 5-6 hours

Working time with battery: >30 hours

Type C USB connector

Touch switch, dimmable, flicker-free

IP rating: IP20

Multiple charging methods



Plug



PC



Power Bank




- On / Off: short touch
- Dimming: long touch



- Left: OFF (Light Off)
- Middle: WW (1800K)
- Right: NW (6500K)

- Indicator lamp:
1. when it is red, the battery is in charging.
 2. when it is green, the battery is fully charged.



- Press the timer switch:
- 1 time - 1hr timer;
 - 2 times - 2hr timer;
 - 3 times - cancel timer.



Simple design



IP Rating



Single color dimming




Single



4000mAh large capacity lithium battery





TOTO-W Rechargeable Mini Wall Washer Night Light

Material: aluminum housing with powder coating

Housing color: black and white (different color is available on request)

Power: 2 W

Input voltage: DC5V/1A

Color temperature: 1800K/4000K


CRI > 90

Battery charging time: 5 - 6 hours

Type C USB connector

Human body induction switch

IP rating: IP20




Light sensor





Indicator lamp:

1. when it is red, the battery is in charging.
2. when it is green, the battery is fully charged.




Default: Motion-Sensor Mode.
Press the Mode Switch:
once - Left light on: Constant-On Mode;
twice - Right light on: Motion-Sensor Mode;
long touch: Dimming .









Linear L1232 Motion sensor rechargeable night light / cabinet light

Material: Aluminum housing with PC diffuser

Housing finishing: Powder coating with Blue/Green/Pink/Orange/White color
(different color is available on request)

Power: 1W

Input voltage: DC5V/2A

Color temperature: 1800-4000K

CRI > 90

Battery charging time: 3-4hours



Working time with battery : 6-7 hours at full load, 35-40 hours at minimum load (0.1W)

Type C USB connector

Dimmable, flicker-free

IP rating: IP20

It is fixed with magnets and requires no screw fixing




Key A operations :

1. Press Key A quickly to turn it on /off
2. Press and hold Key A 1 seconds for dimming (from 10%-100%)
3. Press Key A twice quickly to change the color between 1800K and 4000K
4. Press Key A twice, holding the key a bit longer on the second press to change the color from 1800K to 4000K

Key B operations:

1. Press and hold Key B more than 3. seconds to enter the Body-sensing mode or Always-on mode
(the blue light near to the motion sensor will turn on)

| | | |
|--|--|---|
|  1.5m sensing distance 120°induction range 20s delay light |  Magnets attach directly to metal surfaces |  Stick on wall with adhesive metal plates |
|  IP Rating |  Color temperature changeable 1800~4000K |  2000mAh large capacity lithium battery DC5V/2A 3-4hours charging time |



Linear L1232S Motion sensor rechargeable night light / cabinet light

Material: Aluminum housing with PC diffuser

Housing finishing: Powder coating with Blue/Green/Pink/Orange/White color
(different color is available on request)

Power: 1W

Input voltage: DC5V/2A

Color temperature: 1800-4000K

CRI > 90

Battery charging time: 3-4hours


Working time with battery : 6-7 hours at full load, 35-40 hours at minimum load (0.1W)

Type C USB connector


Dimmable, flicker-free

IP rating: IP20

It is fixed with magnets and requires no screw fixing



Type C USB connector



Key A operations :

1. Press Key A quickly to turn it on /off
2. Press and hold Key A 1 seconds for dimming (from 10%-100%)
3. Press Key A twice quickly to change the color between 1800K and 4000K
4. Press Key A twice, holding the key a bit longer on the second press to change the color from 1800K to 4000K

Key B operations:

1. Press and hold Key B more than 3. seconds to enter the Body-sensing mode or Always-on mode
(the blue light near to the motion sensor will turn on)

| | | |
|--|--|---|
|  1.5m sensing distance 120°induction range 20s delay light |  Magnets attach directly to metal surfaces |  Stick on wall with adhesive metal plates |
|  IP Rating |  Color temperature changeable 1800~4000K |  2000mAh large capacity lithium battery DC5V/2A 3-4hours charging time |



Linear L3223C Motion sensor rechargeable night light / cabinet light

Material: Aluminum housing with PC diffuser

Housing finishing: Powder coating with Blue/Green/Pink/Orange/White color
(different color is available on request)

Power: 1W

Input voltage: DC5V/2A

Color temperature: 1800-4000K

CRI > 90

Battery charging time: 3-4hours



Working time with battery : 6-7 hours at full load, 35-40 hours at minimum load (0.1W)

Type C USB connector

Dimmable, flicker-free

IP rating: IP20

It is fixed with magnets and requires no screw fixing



Key A operations :

1. Press Key A quickly to turn it on /off
2. Press and hold Key A 1 seconds for dimming (from 10%-100%)
3. Press Key A twice quickly to change the color between 1800K and 4000K
4. Press Key A twice, holding the key a bit longer on the second press to change the color from 1800K to 4000K

Key B operations:

1. Press and hold Key B more than 3. seconds to enter the Body-sensing mode or Always-on mode (the blue light near to the motion sensor will turn on)



| | | |
|---|--|---|
|  1.5m sensing distance 120° induction range 20s delay light |  Magnets attach directly to metal surfaces |  Stick on wall with adhesive metal plates |
|  IP Rating |  Color temperature changeable 1800~4000K |  2000mAh large capacity lithium battery DC5V/2A 3-4hours charging time |





ROSA-R Makeup mirror



Material: Aerospace aluminum housing
Surface treatment: Powder coating, electroplating
 (available in various colors: white, black, rust, industrial gray, gold plating, etc.)
Power: 4W
Input voltage: DC5V/2A
Color temperature: 4000K
CRI > 90
Battery charging time: 5-6 hours
Working time with battery : 4-5 hours at full load, 50 hours at minimum load
 Type C USB connector
 Touch switch, dimmable, flicker-free
IP rating: IP53
 Lifespan: 50,000 hours





ROSA-S Makeup mirror

Material: Aerospace aluminum housing
Surface treatment: Powder coating, electroplating
 (available in various colors: white, black, rust, industrial gray, gold plating, etc.)
Power: 4W
Input voltage: DC5V/2A
Color temperature: 4000K
CRI > 90
Battery charging time: 5-6 hours
Working time with battery : 4-5 hours at full load, 50 hours at minimum load
 Type C USB connector
 Touch switch, dimmable, flicker-free
IP rating: IP53
 Lifespan: 50,000 hours







MINI Rechargeable touch lamp


Housing Material: Aluminium with powder coating finish
Housing color: white / black (different color is available on request)
Power: 2W
Voltage: DC5V / 2A
Color : Single
CRI > 90
Battery charge time: 5~7 hours
Working time with battery : 8-10 hours at full power/**120** hours at lowest power
 Type C USB connector
 Touch switch
 dimmable,
 No flickering, nonglare
Lifetime: 50,000 hours
Warranty: 1 year
IP rating: IP20
weight:412g



Available in different colors



• On / Off: short touch
 • Dimming: long touch



Multiple charging methods



Plug



PC



Power Bank



Simple design




Central lighting



IP Rating



Single



Single color dimming



6000mAh large capacity lithium battery





TH350 Rechargeable touch lamp


Housing Material: Aluminium with powder coating finish
Housing color: white / black (different color is available on request)
Power: 2W
Voltage: DC 5V / 2A
Color : 1800K ~ 4000K changeable
CRI > 90
Battery charge time: 5~6 hours
Working time with battery : 12 hours at full power /120 hours at lowest power
 Type C USB connector
 Touch switch
 Double color dimmable
 No flickering, nonglare
Lifetime: 50,000 hours
Warranty: 1 year
IP rating: IP53
weight: 790g



Available in different colors



- **On / Off:** short touch
- **Dimming:** long touch
- **Color temperature changing:** by tapping 2 times on the lamp cap surface, second time with a bit longer touch
Dimming from 5%-100%



Multiple charging methods



Plug



PC



Power Bank

| | | |
|---|---|---|
|  Simple design |  Central lighting |  IP Rating |
|  Color temperature changeable 1800~4000K |  Double color dimming |  6600mAh large capacity lithium battery |



335mm

TH350-A Rechargeable touch lamp


Housing Material: Aluminium with powder coating finish
Housing color: white / black (different color is available on request)
Power: 2W
Voltage: DC 5V / 2A
Color : 1800K ~ 4000K changeable
CRI > 90
Battery charge time: 5~6 hours
Working time with battery : 12 hours at full power/**120** hours at lowest power with USB charging base, cable length 1000mm
 Touch switch
 Double color dimmable
 No flickering, nonglare
Lifetime: 50,000 hours
Warranty: 1 year
IP rating: IP53
weight:998g



Available in different colors



- **On / Off:** short touch
- **Dimming:** long touch
- **Color temperature changing:** by tapping 2 times on the lamp cap surface, second time with a bit longer touch
Dimming from 5%-100%



Multiple charging methods

Plug PC Power Bank

| | | |
|--|---|---|
|  Simple design |  Central lighting |  IP Rating |
|  Color temperature changeable 1800~4000K |  Double color dimming |  6600mAh large capacity lithium battery |

With USB plug Charging Base



6 Contact Charging Base

