

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Toggle lock

密封条
Gasket

配件
Accessories

转舌锁型号说明

Description of Cam lock Model

JK

基本代码
Basic Code

300

规格号
Specification No.

17

功能尺寸
Functional size

-1

钥匙单抽
Key pull in 1 position


-2

钥匙双抽
Key pull in both positions

功能尺寸：锁身实现功能的尺寸，具体参照尺寸图；同一个系列的锁可有多种长度的功能尺寸；不同的功能尺寸用对于的数字表示，单位MM；如功能尺寸17MM，在产品名称中则用17表示
举例说明：JK300-10-1 即为：12MM转舌锁，功能尺寸10MM，单拔（具体的适配情况通过产品的规格型号进行详细说明归纳）
The function size is the size of the lock to achieve the locking function, refer to the drawing for details. Locks of the same series are available in a variety of functional sizes, the different functional sizes being indicated by different numbers. Units in millimeters. For example, if the functional size of a product is 17mm, then the product name is denoted by 17.
Examples of how to illustrate: JK300-10-1, this is the hole size 12mm cam lock, the functional size is 10mm, key can be withdrawn in 1 position.


转舌锁安装示意图

Stops and Basic Height Descriptions



Jk300

ZA RoHS




- 产品说明:
- ◆ 材质：锌合金锁芯锁壳，亮铬电镀
 - ◆ 锁芯结构：4排片
 - ◆ 钥匙材质：铜钥匙，镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格：钥匙组合100组，同号
 - ◆ 锁头固定方式：螺母
 - ◆ 舌片固定方式：螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 100 key combinations standard.
Hex nut mounted.
Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk300	2	1	90°	16	22.4
2	Jk300	2	2	90°	16	22.4
3	Jk300	3	3	180°	16	22.4

Jk301

ZA



- 产品说明:
- ◆ 材质：锌合金锁芯锁壳 镀镍
 - ◆ 锁芯结构：5排片
 - ◆ 钥匙材质：铁钥匙，镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格：同号#K202
 - ◆ 锁头固定方式：螺母
 - ◆ 舌片固定方式：螺丝

Description:
Zinc alloy die cast housing and cylinder, nickel plated.
5 disc tumbler mechanism.
Steel keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike #K202.
Hex nut mounted.
Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk301	2	1	90°	16	20.7
2	Jk301	2	2	90°	16	20.7

12mm转舌锁 Cam lock

Jk302


ZA K_A



产品说明:

- ◆ 材质: 锌合金锁, 表面烤漆黑色
- ◆ 锁头固定方式: 铁六角螺母
- ◆ 可选配多种舌片/可定制舌片
- ◆ 钥匙材质: 铜钥匙, 镀镍
- ◆ 舌片固定方式: 螺丝型

Description:
Zinc alloy die cast housing, black plated.
Multiple tongue pieces are available/Customize the tongue
Hex nut or speed clip mounted.
Cam is affixed by screw.
Brass key, nickel plated.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk302	2	1	90°	16	21.9

Jk303


ZA



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 4个珠子
- ◆ 钥匙材质: 锌合金钥匙镀镍或包胶套
- ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 钥匙组合25组, 同号
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 pin tumbler mechanism.
Zinc alloy tubular key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 25 key combinations standard.
Hex nut mounted.
Cam is affixed by screw.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk303	2	1	90°	10.5	16.9
2	Jk303	2	2	90°	10.5	16.9

12mm转舌锁 Cam lock

JK304


ZA K_D



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 6排片
- ◆ 钥匙材质: 铜钥匙, 镀镍
- ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 钥匙组合150组
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
6 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 150 key combinations standard.
Hex nut mounted.
Cam is affixed by screw.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	JK304	2	1	90°	9.8	17.4

Jk305


ZA RoHS



产品说明:

- ◆ 材质: 锌合金锁芯, 铜锁壳亮铬电镀
- ◆ 锁芯结构: 4个珠子
- ◆ 钥匙材质: 铜管铁柄, 镀镍
- ◆ 标准规格: 钥匙组合50组, 同号
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 铆死型

Description:
Zinc alloy die cast cylinder, brass housing, bright chrome plated.
4 pin tumbler mechanism.
All keyed alike or 50 key combinations standard.
Hex nut mounted.
Cam is fixed.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk305	2	1	90°	10.5	17
2	Jk305	2	2	90°	10.5	17

12mm转舌锁 Cam lock

Jk306

ZA




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 标准规格: 钥匙号可选#1001/#905
- ◆ 钥匙材质: 锌合金镀镍或铜管铁柄, 镀镍

- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺母
- ◆ 锁芯结构: 4个珠子

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 pin tumbler mechanism.
Key number choosable #1001 or #905
Zinc alloy tubular key or brass tubular iron handle, nickel plated.
Hex nut mounted.
Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk306-10.5	2	1/2	90°	10.5	21
2	Jk306-13	2	1/2	90°	13	23.5



Jk307

ZA




产品说明:

- ◆ 材质: 锌合金锁壳, 铜锁芯镀镍
 - ◆ 锁芯结构: 7个珠子
 - ◆ 钥匙材质: 铜管铁柄, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 钥匙组合5000组, 同号
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺母

Description:
Zinc alloy die cast cylinder, brass housing, nickel plated.
7pin tumbler mechanism.
Steel made brass tubular keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 5000 key combinations available.
Hex nut mounted.
Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk307	2	1	90°	10.5	21.2
2	Jk307	2	2	90°	10.5	21.2



12mm转舌锁 Cam lock

JK 308

ZA




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 1个珠子
 - ◆ 钥匙材质: 铜管铁柄, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 同号#198
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
1 pin tumbler mechanism.
Brass tubular iron handle, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, key code#198.
Hex nut mounted.
Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	JK308	2	1	90°	6.8	14



Jk309

RoHS

CU




产品说明:

- ◆ 材质: 铜锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 4个珠子
 - ◆ 钥匙材质: 铜圆管铁柄, 镀镍
- ◆ 标准规格: 钥匙组合100组, 同号
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺母

Description:
Brass housing and cylinder, bright chrome plated.
4 pin tumbler mechanism.
Steel made brass tubular keys, nickel plated.
All keyed alike or 100 key combinations standard.
Hex nut mounted.
Cam is affixed by nut.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk309	2	1	90°	12.5	21
2	Jk309	2	2	90°	12.5	21



12mm转舌锁 Cam lock

Jk310

RoHS CU




- 产品说明:
- ◆ 材质: 铜锁芯锁壳 亮铬电镀
 - ◆ 锁芯结构: 7个珠子
 - ◆ 钥匙材质: 铜圆管铁柄, 镀镍
 - ◆ 标准规格: 钥匙组合5000组, 同号
 - ◆ 锁头固定方式: 螺母

Description:
Brass housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Brass tubular keys, nickel plated.
All keyed alike or 5000 key combinations available.
Hex nut mounted.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk310	2	1	90°	11.8	23

Jk311

ZA KA



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 4个珠子
 - ◆ 钥匙材质: 锌合金圆管, 镀镍
 - ◆ 标准规格: 同号#JK311
 - ◆ 锁头固定方式: 螺母


Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 pin tumbler mechanism.
Zinc alloy tubular keys, nickel plated.
All keyed alike, key code#JK311.
Hex nut mounted.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk311	2	1	90°	10	19.9

12mm转舌锁 Cam lock

Jk312

ZA KA




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 镀镍
 - ◆ 锁芯结构: 4个珠子
 - ◆ 钥匙材质: 锌合金钥匙包胶套, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格: 同号#102/506
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺丝
 - ◆ KA#102锁头没有珠子

Description:
Zinc alloy die cast housing and cylinder, nickel plated.
4 pin tumbler mechanism.
Zinc alloy made tubular key with plastic cover, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, key code#102/506.
Hex nut mounted.
Cam is affixed by screw.
Key #102, no pin mechanism.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk312	2	1	90°	10.5	17.5
2	Jk312	2	2	90°	10.5	17.5

JK313

ZA KA




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 3排片
 - ◆ 钥匙材质: 铜钥匙, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格: 同号#J001
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
3 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, key code#J001.
Hex nut mounted.
Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk313	2	1	90°	10.5	17.3
2	Jk313	2	2	90°	10.5	17.3

12mm转舌锁 Cam lock

JK315




产品说明:

- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 锁芯结构: 4个珠子
- 钥匙材质: 铜圆管铁柄, 镀镍
- 可选配多种舌片/可定制舌片
- 标准规格: 钥匙组合100组, 同号
- 锁头固定方式: 螺母
- 舌片固定方式: 螺母

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 pin tumbler mechanism.
Steel made brass tubular keys, nickel plated.
Multiple tongue pieces are available/Customize the tongue
All keyed alike or 100 key combinations standard.
Hex nut mounted.
Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	JK315	2	1	90°	16	26.8
1	JK315	2	2	90°	16	26.8



ZA

JK320




产品说明:

- 材质: 锌合金锁芯锁壳, 镀镍
- 钥匙材质: 锌合金圆管三角
- 舌片固定方式: 铆死型
- 配总长12mm专用舌片

Description:
Zinc alloy die cast housing and cylinder, nickel plated.
Zinc alloy round keys, nickel plated.
Cam is fixed.
The lock is equipped with 12mm cam.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn
1	JK320	2	2	90°



ZA

16mm转舌锁 Cam lock

Jk360




产品说明:

- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 锁芯结构: 4排片
- 钥匙材质: 铁钥匙, 镀镍
- 可选配多种舌片/可定制舌片
- 标准规格: 同号#198
- 锁头固定方式: 插片
- 舌片固定方式: 铆死型

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 disc tumbler mechanism.
Steel keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, key code#198.
Speed clip mounted.
Cam is fixed.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk360	2	2	90°	8	18.9



ZA



Jk361




产品说明:

- 材质: 铜锁芯锁壳, 亮铬电镀
- 锁芯结构: 7个珠子
- 钥匙材质: 铜管铁柄, 镀镍
- 可选配多种舌片/可定制舌片
- 标准规格: 钥匙组合10000组, 同号
- 锁头固定方式: 螺母
- 舌片固定方式: 螺母

Description:
Brass housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Steel made brass tubular keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 10000 combinations available.
Hex nut mounted.
Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk361-10	2	1/2	90°	10	24.3
2	Jk361-13	2	1/2	90°	13	27.3
3	Jk361-16	2	1/2	90°	16	30.3




RoHS

CU

16mm转舌锁 Cam lock

Jk362

ZA
K_A
RoHS




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 3排片
 - ◆ 钥匙材质: 铜钥匙 镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格: 同号#224
 - ◆ 锁头固定方式: 插片
 - ◆ 舌片固定方式: 铆死型

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
3 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, key code#224.
Speed clip mounted.
Cam is fixed.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk362	2	2	90°	10.5	15

Jk363

ZA



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 4排片
 - ◆ 钥匙材质: 铜或铁钥匙, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格: 同号#JK198
 - ◆ 锁头固定方式: 插片
 - ◆ 舌片固定方式: 铆死型


Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
4 disc tumbler mechanism.
Brass or iron key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike #JK198
Speed clip mounted.
Cam is fixed.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk363	2	1	90°	9.5	18

16mm转舌锁 Cam lock

JK364

RoHS
ZA




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 7个珠子
 - ◆ 钥匙材质: 锌合金管, 镀镍
 - ◆ 黑色包胶套钥匙
 - ◆ 标准规格: 钥匙组合1000组
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Zinc alloy tubular keys, nickel plated.
Keys with black plastic cover.
1000 key combinations available.
Hex nut mounted.
Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	JK364	2	2	90°	10.5	19.4

Jk365

ZA
RoHS



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 5排片
 - ◆ 钥匙材质: 铜钥匙, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格: 钥匙组合100组, 同号
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 卡簧型



Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
5 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
Cam is circlip type.
All keyed alike or 100 combinations available.
Hex nut mounted.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk365	2	1	90°	11	20.6
1	Jk365	2	2	90°	11	20.6

16mm转舌锁 Cam lock

Jk366

RoHS CU




- 产品说明:
- ◆ 材质: 铜锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 7个珠子
 - ◆ 钥匙材质: 铜管铁柄钥匙, 镀镍
 - ◆ 标准规格: 钥匙组合10000组, 同号
 - ◆ 锁头固定方式: 螺母
 - ◆ 可选配多种舌片/可定制舌片

Description:
Brass housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Brass tubular iron handle keys, nickel plated.
All keyed alike or 10000 key combinations available.
Hex nut mounted.
Various cam configurations and customized cam available.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk366	2	1	90°	11.8	23.6

JK367

ZA RoHS



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 5排片
 - ◆ 钥匙材质: 铜钥匙, 镀镍
 - ◆ 标准规格: 钥匙组合100组, 同号
 - ◆ 锁头固定方式: 插片
 - ◆ 舌片固定方式: 卡簧型
 - ◆ 可选配多种舌片/可定制舌片


Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
5 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 100 combinations available.
Hex nut mounted.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk367	2	1/2	90°	11	20.6

16mm转舌锁 Cam lock

JK368

CU




- 产品说明:
- ◆ 材质: 铜锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 6颗珠子
 - ◆ 标准规格: 钥匙组合50组或同号
 - ◆ 舌片固定方式: 六角螺母固定
 - ◆ 钥匙材质: 全铜钥匙, 镀镍
 - ◆ 舌片规格: 可选配或定制
 - ◆ 锁头固定方式: 六角螺母固定

Description:
Brass housing and cylinder, bright chrome plated.
4 pin tumbler mechanism.
Brass key, nickel-plated.
Various cam configurations and customized cam available.
All keyed alike or 50 key combinations standard.
Hex nut mounted.
Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk368-16	2	1	90°	16	27
2	Jk368-20	2	1	90°	20	31
3	Jk368-25	2	1	90°	25	36

JK369

ZA KA



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮镍电镀
 - ◆ 锁芯结构: 3排片, 按压功能
 - ◆ 钥匙材质: 全铜钥匙, 镀镍
 - ◆ 标准规格: 同号#1500
 - ◆ 舌片规格: 无, 按压伸缩功能

Description:
Zinc alloy die cast housing and cylinder, bright nickel plated.
3 disc tumbler mechanism. Push function.
Brass key, nickel-plated.
No need cam. Push-to-retract function
All keyed alike, Key code #1500.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn
1	Jk369	2	1	45°

16mm转舌锁 Cam lock


JK370

ZA K A



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮镍电镀
 - ◆ 舌片规格: 无, 按压伸缩功能
 - ◆ 锁芯结构: 3排片, 按压功能
 - ◆ 标准规格: 同号#1500
 - ◆ 钥匙材质: 全铜钥匙, 镀镍

Description
Zinc alloy die cast housing and cylinder, bright nickel plated.
3 disc tumbler mechanism. Push function.
Brass key, nickel-plated.
No need cam. Push-to-retract function.
All keyed alike, Key code #1500.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn
1	Jk370	2	1	45°

JK371


ZA

NEW



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 标准规格: 三角钥匙同号
 - ◆ 锁芯结构: 无珠片结构
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 钥匙材质: 锌合金镀蓝白锌
 - ◆ 舌片固定方式: 螺丝固定
 - ◆ 舌片规格: 可选配或定制

Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
No pin tumbler mechanism.
Zinc alloy key, blue white zinc plated.
Various cam configurations and customized cam available.
All keyed alike, with triangle key.
Hex nut mounted.
Cam is affixed by nut.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk371	2	2	90°	12.8	23.2

16mm转舌锁 Cam lock


JK372

CU



- 产品说明:
- ◆ 材质: 铜锁芯锁壳, 亮铬电镀
 - ◆ 标准规格: 钥匙组合500组, 同号
 - ◆ 锁芯结构: 7颗珠子
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 钥匙材质: 全铜钥匙, 镀镍
 - ◆ 舌片固定方式: 螺母固定
 - ◆ 舌片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome plated.
7 pin tumbler mechanism, brass key, nickel-plated.
Various cam configurations and customized cam available.
All keyed alike or 500 key combinations.
Hex nut mounted, cam is affixed by nut.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk372	2	1	90°	24.6	35.7


JK373

CU



- 产品说明:
- ◆ 材质: 铜锁芯锁壳, 亮铬电镀
 - ◆ 标准规格: 钥匙组合5组或同号
 - ◆ 锁芯结构: 4颗珠子
 - ◆ 锁头固定方式: 插片固定
 - ◆ 钥匙材质: 全铜钥匙, 镀镍
 - ◆ 舌片固定方式: 卡簧固定
 - ◆ 舌片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome plated.
4 pin tumbler mechanism, Brass key, nickel-plated.
Various cam configurations and customized cam available.
All keyed alike or 5 key combinations.
Speed clip mounted. Cam is affixed by clip.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk373	2	1	90°	11.4	19.1

19mm转舌锁 Cam lock

Jk500

ZA RoHS




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 7个珠子
- ◆ 圆管可选: 锌合金、铜、铁、不锈钢
- ◆ 手柄: 可选铁或不锈钢, 可选包胶套
- ◆ 特殊要求: 定位片可做90度与180度
- ◆ 标准规格: 钥匙组合10000组, 同号
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺母
- ◆ 可选配多种舌片/可定制舌片

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Tubular material: Zinc alloy, Brass, Iron, Stainless steel
Handle material: Iron, stainless steel, plastic
90° and 180° rotations available.
All keyed alike or 10000 key combinations available.
Hex nut mounted.
Cam is affixed by nut.
Various cam configurations and customized cam available

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk500-17	2	1/2	90° / 180°	17	33
2	Jk500-19	2	1/2	90° / 180°	19	35.3
3	Jk500-23	2	1/2	90° / 180°	23	39.3
4	Jk500-25	2	1/2	90° / 180°	25	42.3
5	Jk500-28	2	1/2	90° / 180°	28	43.7
6	Jk500-30	2	1/2	90° / 180°	30	47



Jk501

ZA RoHS




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 镀镍
- ◆ 锁芯结构: 5排片
- ◆ 钥匙材质: 铜钥匙, 镀镍
- ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 钥匙组合100组, 同号
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 锁头不锈钢盖, 附防尘块

Description:
Zinc alloy die cast housing and cylinder, nickel plated
5 disc tumbler mechanism. Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 100 combinations available.
Hex nut mounted. Cam is affixed by screw.
Stainless steel capped bezel and with dust shutter mechanisms inside the cylinder.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk501-15.9	2	1/2	90°	15.9	29.8
2	Jk501-22.2	2	1/2	90°	22.2	36.2
3	Jk501-28.6	2	1/2	90°	28.6	42.2
4	Jk501-35	2	1/2	90°	35	48.8



19mm转舌锁 Cam lock

Jk502

ZA RoHS




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 镀彩锌
- ◆ 锁芯结构: 5排片
- ◆ 钥匙材质: 铜钥匙, 镀镍
- ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 钥匙组合100组, 同号
- ◆ 锁头固定方式: 螺母或插片
- ◆ 舌片固定方式: 螺丝
- ◆ 锁头不锈钢盖

Description:
Zinc alloy die cast housing and cylinder, color zinc plated.
5 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 100 combinations available.
Hex nut or speed clip mounted.
cam is affixed by screw.
Stainless steel capped bezel.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk502-15.9	2	1/2	90°	15.9	28
2	Jk502-22.2	2	1/2	90°	22.2	35
3	Jk502-28.6	2	1/2	90°	28.6	40
4	Jk502-35	2	1/2	90°	35	47



Jk503

ZA




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 5排片
- ◆ 钥匙材质: 铜钥匙, 镀镍
- ◆ 钥匙可包胶套或不包胶套可单边洗齿或双边洗齿, 可左转或右转
- ◆ 标准规格: 钥匙组合300组, 同号
- ◆ 锁头固定方式: 螺母或插片
- ◆ 舌片固定方式: 螺丝
- ◆ 可选配多种舌片/可定制舌片

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
5 disc tumbler mechanism.
Brass keys, nickel plated.
Key can be with or without plastic cover, left or right rotations available.
All keyed alike or 300 combinations available.
Hex nut or speed clip mounted.
Cam is affixed by screw.
Various cam configurations and customized cam available.


序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk503-16	2	1/2	90°	16	28
2	Jk503-20	2	1/2	90°	20	32
3	Jk503-25	2	1/2	90°	25	37
4	Jk503-30	2	1/2	90°	30	42



19mm转舌锁 Cam lock

JK504

ZA



- 产品说明:
- 材质: 锌合金锁芯锁壳, 亮铬电镀
 - 锁芯结构: 7颗珠子
 - 钥匙材质: 铜管(或锌合金管)铁柄钥匙镀镍
 - 标准规格: 钥匙组合10000组, 同号
 - 锁头固定方式: 六角螺母固定
 - 舌片固定方式: 螺母固定
 - 舌片规格: 可选配或定制


Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Zinc alloy or brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted.
Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk504-17	2	1/2	90°	17	33.5
2	Jk504-19	2	1/2	90°	19	35.5
3	Jk504-23	2	1/2	90°	23	39.5
4	Jk504-25	2	1/2	90°	25	41.5
5	Jk504-28	2	1/2	90°	28	44.5

Jk505

ZA

NEW



- 产品说明:
- 材质: 锌合金锁芯锁壳, 电镀蓝锌
 - 锁芯结构: 5排片
 - 钥匙材质: 铜单边洗齿钥匙镀镍
 - 舌片规格: 可选配或定制
 - 标准规格: 钥匙组合100组, 同号
 - 锁头固定方式: 六角螺母固定
 - 舌片固定方式: 铆死固定
 - 锁头包不锈钢盖+防尘盖块


Description
Zinc alloy die cast housing and cylinder, blue-zinc plated.
5 disc tumbler mechanism. Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 100 key combinations.
Hex nut mounted. Cam is riveted.
Stainless steel capped bezel with dust shutter mechanism inside the cylinder.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk505	2	2	90°	11.8	20.9

19mm转舌锁 Cam lock

JK506

ZA




- 产品说明:
- 材质: 锌合金锁芯锁壳, 镀镍
 - 锁芯结构: 6排片, 蛇形钥匙
 - 钥匙材质: 铜双边洗齿钥匙镀镍
 - 舌片规格: 可选配或定制
 - 标准规格: 钥匙组合100组, 同号
 - 锁头固定方式: 插片固定
 - 舌片固定方式: 铆死固定
 - 锁头包不锈钢盖+防尘盖块

Description
Zinc alloy die cast housing and cylinder, nickel plated.
6 disc tumbler mechanism. Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 100 key combinations.
Speed clip mounted. Cam is riveted.
Stainless steel capped bezel with dust shutter mechanism inside the cylinder.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk506	2	2	90°	10.5	17.6

JK507

ZA




- 产品说明:
- 材质: 锌合金锁芯锁壳, 电镀亮铬
 - 锁芯结构: 6排片, 蛇形钥匙
 - 钥匙材质: 铜双边洗齿钥匙, 镀镍
 - 舌片规格: 可选配或定制
 - 标准规格: 钥匙组合100组, 同号
 - 锁头固定方式: 插片固定
 - 舌片固定方式: 铆死固定
 - 锁头包不锈钢盖+防尘盖块

Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
6 disc tumbler mechanism. Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 100 key combinations.
Speed clip mounted. Cam is riveted.
Stainless steel capped bezel with dust shutter mechanism inside the cylinder.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk507	2	2	90°	10	20.6

Jk508

ZA




产品说明:

- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 锁芯结构: 10排片
- 钥匙材质: 铜钥匙, 镀镍
- 可选配多种舌片/可定制舌片
- 标准规格: 钥匙组合6000组, 同号
- 锁头固定方式: 螺母
- 舌片固定方式: 螺母
- 可做一级管理钥匙

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
10 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 6000 key combinations available.
Hex nut mounted.
Cam is affixed by nut.
Master keys available.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk508-17	2	1	90°	17	33
2	Jk508-19	2	1	90°	19	35
3	Jk508-23	2	1	90°	23	39
4	Jk508-25	2	1	90°	25	41
5	Jk508-28	2	1	90°	28	44



Jk509

ZA




产品说明:

- 材质: 锌合金锁芯锁壳, 电镀亮铬
- 锁芯结构: 10排片, 蛇形钥匙
- 钥匙材质: 铜双边洗齿钥匙, 镀镍
- 功能尺寸: 可选17、23、25、28等规格
- 标准规格: 钥匙组合3000组或同号
- 锁头固定方式: 六角螺母固定
- 舌片固定方式: 螺母固定
- 舌片规格: 可选配或定制

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
10 disc tumbler mechanism.
Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 3000 key combinations.
Hex nut mounted.
Cam is affixed by nut.
Functional size: optional 17mm, 23mm, 25mm, 28mm and etc.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk509-17	2	1/2	90°	17	31
2	Jk509-23	2	1/2	90°	23	37
3	Jk509-25	2	1/2	90°	25	39
4	Jk509-28	2	1/2	90°	28	42



Jk510

ZA

RoHS




产品说明:

- 材质: 锌合金锁芯锁壳, 镀镍
- 锁芯结构: 5排片
- 钥匙材质: 铜钥匙, 镀镍
- 可选配多种舌片/可定制舌片
- 标准规格: 钥匙组合50组, 同号
- 锁头固定方式: 螺母或插片
- 舌片固定方式: 螺丝
- 钥匙可包胶套

Description:
Zinc alloy die cast housing and cylinder, nickel plated.
5 disc tumbler mechanism.
Brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 50 combinations available.
Hex nut or speed clip mounted.
Cam is affixed by screw.
Key can be equipped with plastic cover.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk510	2	1/2	90°	16	29



Jk511

CU




产品说明:

- 材质: 铜锁芯锁壳, 亮铬电镀或本色
- 锁芯结构: 7颗珠子
- 钥匙材质: 铜管铁柄镀镍
- 功能尺寸: 可选12、16、23、25、28等规格
- 标准规格: 钥匙组合10000组或同号
- 锁头固定方式: 六角螺母固定
- 舌片固定方式: 防滑螺母固定
- 舌片规格: 可选配或定制

Description:
Brass housing and cylinder, bright chrome plated or natural color.
7 pin tumbler mechanism.
Brass key with steel made holder, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Functional size: optional 12mm, 16mm, 23mm, 25mm, 28mm and etc.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk511-12	2	1/2	90°	12	28
2	Jk511-16	2	1/2	90°	16	32
3	Jk511-23	2	1/2	90°	23	39
4	Jk511-25	2	1/2	90°	25	41
5	Jk511-28	2	1/2	90°	28	44




19mm转舌锁 Cam lock

Jk512



ZA RoHS



- 产品说明:
- ◆ 材质: 铜(锌合金)锁芯锁壳 亮铬电镀或本色
 - ◆ 锁芯结构: 7颗珠子
 - ◆ 钥匙材质: 铜管铁柄镀镍
 - ◆ 舌片规格: 可选配或定制
 - ◆ 标准规格: 钥匙组合10000组或同号
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 舌片固定方式: 防滑螺母固定
 - ◆ 功能尺寸: 可选21.3、26.3、33.2等规格


Description
Brass/ Zinc alloy housing and cylinder, bright chrome plated or natural color. 7 pin tumbler mechanism. Brass key with steel made holder, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 10000 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 21.3mm, 26.3mm, 33.2mm, and etc.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk512-21.3	2	1/2	90°	21.3	34.3
2	Jk512-26.3	2	1/2	90°	26.3	39.3
3	Jk512-33.2	2	1	90°	33.2	46

Jk513



ZA



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 5个珠子
 - ◆ 钥匙材质: 铜材质圆棒锌合金手柄, 镀镍
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺母

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated. 5 pin tumbler mechanism. Brass round keys, nickel plated. Hex nut mounted. Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk513-20	2	1	90°	20	37.8
2	Jk513-27	2	1	90°	27	44.8


19mm转舌锁 Cam lock

Jk515

NEW



ZA




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 10排片蛇形钥匙
 - ◆ 钥匙材质: 铜双边洗齿钥匙镀镍
 - ◆ 舌片规格: 可选配或定制
 - ◆ 标准规格: 钥匙组合10000组或同号
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 舌片固定方式: 防滑螺母固定
 - ◆ 功能尺寸: 可选17.5、22.5等规格


Description
Zinc alloy housing and cylinder, bright chrome plated. 10 disc tumbler mechanism. Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 10000 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 17.5, 22.5mm and etc.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk515-17.5	2	1/2	90°	17.5	36
2	Jk515-22.5	2	1/2	90°	22.5	41

Jk516



ZA



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 偏心锁芯
 - ◆ 钥匙材质: 月牙钥匙, 镀镍
 - ◆ 舌片尺寸及转向多种
 - ◆ 标准规格: 同号或最多10000组钥匙组合
 - ◆ 锁头固定方式: 六角螺母
 - ◆ 舌片固定方式: 螺母型


Description:
Zinc alloy die cast housing and cylinder, bright chrome plated. Eccentric lock cylinder. Crescent keys, nickel plated. Various cam configurations and rotations available. All keyed alike or 10000 combinations available. Hex nut mounted. Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk516	2	1/2	90°	20	36

19mm转舌锁 Cam lock

Jk517

ZA K₂D




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 7排片或5排片选择
 - ◆ 钥匙材质: 全铜双边洗齿钥匙镀镍
 - ◆ 舌片规格: 可选配或定制
 - ◆ 标准规格: 钥匙组合500组或同号
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 舌片固定方式: 螺丝固定
 - ◆ 功能尺寸: 可选16、22等规格

Description
Zinc alloy housing and cylinder, bright chrome plated.
5 or 7 disc tumbler mechanism.
Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 500 key combinations.
Hex nut mounted.
Cam is affixed by screw.
Functional size: optional 16mm, 22mm and etc.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk517-16	2	1/2	90°	16	35.6
1	Jk517-22	2	1/2	90°	22	35.6

Jk518

ZA RoHS



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 10排片, 可做字母管理
 - ◆ 钥匙材质: 全铜双边洗齿钥匙镀镍
 - ◆ 舌片规格: 可选配或定制
 - ◆ 标准规格: 钥匙组合5000组或同号
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 舌片固定方式: 螺丝固定
 - ◆ 功能尺寸: 可选20.5、28.5等规格


Description
Zinc alloy housing and cylinder, bright chrome plated.
10 disc tumbler mechanism. master key available.
Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 5000 key combinations.
Hex nut mounted.
Cam is affixed by screw.
Functional size: optional 20.5mm, 28.5mm and etc.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk518-20.5	2	1/2	90°	20.5	35
2	Jk518-28.5	2	1/2	90°	28.5	42.7

19mm转舌锁 Cam lock

Jk519

ZA




- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 6排片
 - ◆ 钥匙材质: 月牙形钥匙, 镀镍
 - ◆ 可选配多种舌片/可定制舌片
 - ◆ 标准规格: 钥匙组合1000组, 同号
 - ◆ 锁头固定方式: 螺母
 - ◆ 舌片固定方式: 螺母

Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
6 disc tumbler mechanism.
Crescent keys, nickel plated.
Various cam configurations and customized cam available.
1000 key combinations available or keyed alike.
Hex nut mounted.
Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk519-17	2	1	90°	17	35.5
2	Jk519-25	2	1	90°	25	43.5

Jk521

ZA



- 产品说明:
- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 7个珠子
 - ◆ 钥匙材质: 锌合金管铁柄, 镀镍
 - ◆ 标准规格: 钥匙组合10000组, 同号
 - ◆ 锁头固定方式: 螺母
 - ◆ 伸缩锁, 钥匙可选包胶套与不包胶套


Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Steel made zinc alloy tubular keys, nickel plated.
All keyed alike or 10000 key combinations available.
Hex nut mounted.
Push to closed tubular slam lock. Keys are available with or without plastic cover.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L2尺寸mm Size
1	Jk521	2	1	90°	34.5

19mm转舌锁 Cam lock


Jk520

ZA




JK520 (A)

CU



JK520 (B)

ZA



产品说明:

- ◆ Jk520、Jk520 (B) 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ Jk520 (A) 材质: 锌合金锁壳, 铜锁芯, 镀铬
- ◆ Jk520锁芯结构: 7个珠子
- ◆ Jk520钥匙材质: 铁柄锌合金管, 镀镍

Description:
JK520 and JK520(B) is zinc alloy die cast housing and cylinder, bright chrome plated.
JK520(A) is zinc alloy material lock housing, brass cylinder, chrome plated.
7 pin tumbler mechanism for JK520.
JK520 key material: steel made zinc alloy tubular keys, nickel plated.
JK520(A) key material: brass dimple keys, nickel plated.
JK520(B) key material: brass keys with plastic cover.
All keyed alike or 10000 key combinations available.
Cylinder for vending machine.

- ◆ Jk520 (A) 钥匙材质: 全铜卡巴钥匙, 镀镍
- ◆ Jk520 (B) 钥匙材质: 白铜钥匙镀镍, 握柄包胶套
- ◆ 标准规格: 钥匙组合10000组, 同号
- ◆ 自动售货机锁芯


序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn
1	Jk520	2	1	180°

19mm转舌锁 Cam lock

Jk522

ZA

K/A



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 标准规格: 钥匙同号#CH751
- ◆ 钥匙材质: 全铜单边洗齿钥匙镀镍
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 锁芯结构: 5排片, 锁芯包不锈钢
- ◆ 舌片规格: 标配伸缩


盖+防尘块

Description:
Zinc alloy housing and cylinder, bright chrome plated.
5 disc tumbler mechanism.
Brass key, nickel plated.
Standard retractable latch.
All keyed alike, key code #Ch751. Hex nut mounted.
Stainless steel capped bezel with dust shutter mechanism inside the cylinder.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L2尺寸mm Size
1	Jk522	2	1	90°	36.5

Jk523

ZA



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 标准规格: 钥匙组合10000组, 同号
- ◆ 锁芯结构: 7个珠子
- ◆ 锁头固定方式: 螺母
- ◆ 钥匙材质: 铁制铜管钥匙, 镀镍
- ◆ 按压锁


Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Steel made brass tubular keys, nickel plated.
All keyed alike or 10000 key combinations available.
Hex nut mounted.
Push lock.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk523	2	1	90°	23	38

19mm转舌锁 Cam lock

JK524

ZA



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 10排片蛇形钥匙
- ◆ 钥匙材质: 白铜双边洗齿镀镍手
- ◆ 舌片规格: 按压杆长度标配
- ◆ 标准规格: 钥匙组合3000组或同号
- ◆ 锁头固定方式: 六角螺母固定


柄包胶套

Description:
Zinc alloy housing and cylinder, bright chrome plated.
10 disc tumbler mechanism. Brass key with plastic holder, nickel plated. Standard retractable latch.
All keyed alike, or 3000 key combinations.
Hex nut mounted.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk524	2	1	90°	24	37.3

JK525

CU



产品说明:

- ◆ 材质: 铜或锌合金锁芯锁壳, 按压锁, 亮铬电镀
- ◆ 锁芯结构: 7个珠子
- ◆ 钥匙材质: 包胶套铁钥匙, 镀镍

Description:
Brass or zinc alloy housing and cylinder, bright chrome plated. 7 pin tumbler mechanism.
Steel keys with plastic cover, nickel plated.
Push lock.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk525	2	1	90°	28	45.5

19mm转舌锁 Cam lock

Jk526

ZA


RoHS



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 可选配多种舌片/可定制舌片
- ◆ 无钥匙
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺母

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
Keyless type, hand operated.
Various cam configurations and customized cam available.
Hex nut mounted.
Cam is affixed by nut.



序号 Fig. NO	型号 Model	档位 Positions	转向 Turn	L1尺寸mm Size
1	Jk526-17	2	90°	17
2	Jk526-25	2	90°	25

Jk527

ZA


RoHS



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 可选配多种舌片/可定制舌片
- ◆ 无钥匙
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
Keyless type, hand operated.
Various cam configurations and customized cam available.
Hex nut mounted.
Cam is affixed by screw.



序号 Fig. NO	型号 Model	档位 Positions	转向 Turn	L1尺寸mm Size
1	Jk527-16	2	90°	16
2	Jk527-22	2	90°	22
3	Jk527-28.5	2	90°	28.5
4	Jk527-35	2	90°	35

19mm转舌锁 Cam lock

Jk528


ZA RoHS



产品说明:

- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 锁头固定方式: 螺母
- 锁芯结构: 壹字型工具
- 舌片固定方式: 螺丝

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
One-line shape.
Hex nut mounted.
Cam is affixed by screw.



序号 Fig. NO	型号 Model	档位 Positions	转向 Turn	L1尺寸mm Size
1	Jk528-16	2	90°	16
2	Jk528-22	2	90°	22
3	Jk528-28.6	2	90°	28.6

Jk529

ZA




产品说明:

- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 标准规格: 钥匙组合10000组或同号
- 锁芯结构: 9颗珠子
- 锁头固定方式: 六角螺母固定
- 钥匙材质: 全铜双边洗齿钥匙镀镍
- 舌片固定方式: 六角螺母固定
- 舌片规格: 可选配或定制
- 锁芯包不锈钢盖+防尘块

Description:
Zinc alloy die cast housing and cylinder, bright chrome plated.
9 pin tumbler mechanism.
Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Stainless steel capped bezel with dust shutter mechanism inside the cylinder.


序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk529	2	1	90°	21.9	40



19mm转舌锁 Cam lock

JK530

ZA RoHS




产品说明:

- 材质: 全铜锁芯锁壳, 亮铬电镀
- 标准规格: 钥匙组合10000组, 同号
- 锁芯结构: 9个珠子
- 锁头固定方式: 螺母
- 钥匙材质: 铜钥匙, 镀镍

Description:
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism.
Brass keys, nickel plated.
All keyed alike or 10000 key combinations available.
Hex nut mounted.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk530-17.8	2	1	90°	17.8	33.8
2	Jk530-22.2	2	1	90°	22.2	38.5
3	Jk530-28.3	2	1	90°	28.3	44.3



Jk531

CU




产品说明:

- 材质: 全铜锁芯锁壳, 亮铬电镀
- 标准规格: 钥匙组合10000组或同号
- 锁芯结构: 9颗珠子
- 锁头固定方式: 六角螺母固定
- 钥匙材质: 全铜双边洗齿钥匙镀镍
- 舌片固定方式: 六角螺母固定
- 舌片规格: 可选配或定制
- 锁头可选择加铜圈 (如上图)

Description:
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism.
Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted.
Lock head can equip with brass ring.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk531-17	2	1	90°	17	32
2	Jk531-20	2	1	90°	20	35
3	Jk531-22	2	1	90°	22	37
4	Jk531-25	2	1	90°	25	40



JK532

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9颗珠子
- ◆ 钥匙材质: 全铜双边洗齿钥匙镀镍
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 六角螺母固定
- ◆ 锁头可选择加铜圈 (如上图)

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism. Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Lock head can equip with brass ring.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk532	2	1	90°	17.5	37



JK533

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9珠子
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 功能尺寸: 12.5, 15.5, 17.5, 20.5, 22.5或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 舌片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism.
Brass key with plastic holder, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted.
Cam is affixed by nut.
Functional size: optional 12.5mm, 15.5mm, 17.5mm, 20.5mm, 22.5mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk533-12.5	2	1	90°	12.5	29.5
2	Jk533-15.5	2	1	90°	15.5	32.5
3	Jk533-17.5	2	1	90°	17.5	34.5
4	Jk533-20.5	2	1	90°	20.5	37.5
5	Jk533-22.5	2	1	90°	22.5	39.5



JK534

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9颗珠子
- ◆ 钥匙材质: 全铜双边洗齿钥匙镀镍
- ◆ 功能尺寸: 17.5、22.5、25.5、28.5或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 舌片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism. Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Functional size: optional 17.5mm, 22.5mm, 25.5mm, 28.5mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk534-17.5	2	1	90°	17.5	37
2	Jk534-22.5	2	1	90°	22.5	42
3	Jk534-25.5	2	1	90°	25.5	45
4	Jk534-28.5	2	1	90°	28.5	48



Jk535

ZA




产品说明:

- ◆ 材质: 锌合金锁壳铜锁芯, 亮铬电镀
- ◆ 钥匙材质: 半圆铜钥匙, 镀镍
- ◆ 可选配多种舌片/可定制舌片
- ◆ 标准规格: 钥匙组合10000组, 同号
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺母

Description:
Zinc alloy die cast housing and brass cylinder, bright chrome plated.
Half round brass keys, nickel plated.
Various cam configurations and customized cam available.
All keyed alike or 10000 key combinations available.
Hex nut mounted.
Cam is affixed by nut.


序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk535-18.5	2	1	180°	18.5	34.4
2	Jk535-22.6	2	1	180°	22.6	38
3	Jk535-28	2	1	180°	28	43.7



19mm转舌锁 Cam lock

Jk536

CU



产品说明:


- ◆ 材质: 全铜(锌合金)锁芯锁壳, 亮铬电镀 ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁芯结构: 机械式结构 ◆ 锁头固定方式: 六角螺母固定
- ◆ 钥匙材质: 白铜双拔洗齿镀镍 ◆ 舌片固定方式: 六角螺母固定
- ◆ 舌片规格: 可选配或定制 ◆ 功能尺寸: 17, 23, 25, 28或定制

Description
Brass (zinc alloy) housing and cylinder, bright chrome plated.
Mechanical structure mechanism. Brass key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Functional size: optional 17mm, 23mm, 25mm, 28mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk536-17	2	1	180°	17	33
2	Jk536-23	2	1	180°	23	39
3	Jk536-25	2	1	180°	25	41
4	Jk536-28	2	1	180°	28	44

JK537

ZA



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀 ◆ 锁头固定方式: 六角螺母固定
- ◆ 锁芯结构: 机械式结构 ◆ 舌片固定方式: 螺丝固定
- ◆ 钥匙材质: 无钥匙配置 ◆ 功能尺寸: 20, 32等规格
- ◆ 舌片规格: 可选配或定制


Description
Zinc alloy housing and cylinder, bright chrome plated.
Mechanical structure mechanism. No key.
Various cam configurations and customized cam available.
Hex nut mounted. Cam is affixed by screw.
Functional size: optional 20mm, 32mm and etc.

序号 Fig. NO	型号 Model	转向 Turn	L1尺寸mm Size
1	Jk537-20	90°	20
2	Jk537-32	90°	32

19mm转舌锁 Cam lock

JK538

ZA



产品说明:


- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀 ◆ 锁头固定方式: 六角螺母固定
- ◆ 锁芯结构: 机械式结构 ◆ 舌片固定方式: 螺丝固定
- ◆ 钥匙材质: 无钥匙配置 ◆ 舌片规格: 可选配或定制

Description
Zinc alloy housing and cylinder, bright chrome plated.
Mechanical structure mechanism. No key.
Various cam configurations and customized cam available.
Hex nut mounted. Cam is affixed by screw.

序号 Fig. NO	型号 Model	转向 Turn	L1尺寸mm Size
1	Jk538	360°	29

JK539

ZA



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀 ◆ 锁头固定方式: 六角螺母固定
- ◆ 锁芯结构: 机械式结构 ◆ 舌片固定方式: 螺母固定
- ◆ 钥匙材质: 无钥匙配置 ◆ 舌片规格: 可选配或定制

Description
Zinc alloy housing and cylinder, bright chrome plated.
Mechanical structure mechanism. No key.
Various cam configurations and customized cam available.
Hex nut mounted. Cam is affixed by nut.

序号 Fig. NO	型号 Model	转向 Turn	L1尺寸mm Size
1	Jk539	90°	30

19mm转舌锁 Cam lock

JK540

ZA




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 5排片
- ◆ 钥匙材质: 全铜双边洗齿镀镍, 手
- ◆ 标准规格: 钥匙组合200组或同号
- ◆ 锁头固定方式: 两边螺丝固定
- ◆ 按压锁住

柄包胶套

Description
Zinc alloy housing and cylinder, bright chrome plated.
8 disc tumbler mechanism. Brass key with plastic holder, nickel plated.
All keyed alike, or 10000 key combinations. Screw mounted.
Remark: Push to lock



开孔尺寸
Recommended hole size

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn
1	Jk540	2	1	90

JK541

ZA




产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 7珠子
- ◆ 钥匙材质: 铜管或锌合金管钥匙,
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 两边螺丝固定
- ◆ 按压锁住

铁柄包胶套

Description
Zinc alloy housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Brass or zinc alloy key with plastic holder, nickel plated.
All keyed alike, or 10000 key combinations.
Screw mounted. Remark: Push to lock



开孔尺寸
Recommended hole size

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk541	2	1	90°	23	36

19mm转舌锁 Cam lock

JK550

CU

K2A




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 5珠子
- ◆ 钥匙材质: 锌合金镀镍钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 两孔螺丝固定

Description
Brass housing and cylinder, bright chrome plated.
5 pin tumbler mechanism. Zinc alloy key, nickel plated.
Various cam configurations and customized cam available.
All keyed alike. Hex nut mounted.
Cam is affixed by two screws.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk550	2	1	360°	9.3	15.5



JK551

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 7珠子
- ◆ 钥匙材质: 铜管不锈钢柄镀镍钥匙
- ◆ 标准规格: 钥匙组合10000组或同号

Description
Brass housing and cylinder, bright chrome plated.
7 pin tumbler mechanism.
Zinc alloy key with stainless steel handle, nickel plated.
All keyed alike, or 10000 key combinations.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn
1	Jk551	2	1	90°



19mm转舌锁 Cam lock

JK552

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9珠子
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 功能尺寸: 18, 26或定制

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism.
Brass key with plastic holder, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Functional size: optional 18mm, 26mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk552-18	2	1	90°	18	34.3
2	Jk552-26	2	1	90°	26	42.3



JK553

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9珠子, 转向11-3
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 功能尺寸: 17.5, 20.5, 22.5或定制

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism, 11-3 turning.
Brass key with plastic holder, nickel plated.
Various cam configurations and customized cam available.
All keyed alike, or 10000 key combinations.
Hex nut mounted. Cam is affixed by nut.
Functional size: optional 17.5mm, 20.5mm, 22.5mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk553-17.5	2	1	90°	17.5	33.5
2	Jk553-20.5	2	1	90°	20.5	36.5
3	Jk553-22.5	2	1	90°	22.5	38.5



JK554

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀或本色
- ◆ 锁芯结构: 8排片蛇形钥匙
- ◆ 钥匙材质: 全铜双边洗齿钥匙镀铬
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 舌片规格: 圆棒长短可定制

Description
Brass housing and cylinder, bright chrome plated.
8 disc tumbler mechanism. Brass key, nickel plated.
Various rod length and customized length available.
All keyed alike, or 10000 key combinations.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk554	2	1	90°	22	37



JK555

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀或本色
- ◆ 锁芯结构: 6排片
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合100组或同号
- ◆ 锁头固定方式: 螺丝固定
- ◆ 舌片固定方式: 卡簧固定
- ◆ 可根据需求定制类似结构锁

Description
Brass housing and cylinder, bright chrome plated or natural color. 6 disc tumbler mechanism.
Brass key with plastic holder, chrome plated.
Various cam configurations and customized cam available. All keyed alike, or 100 key combinations.
Screw mounted. Cam is affixed by speed clip.
Remark: Similar structure locks can be customized according to requirements

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk555	2	2	90°	20.2	25



19mm转舌锁 Cam lock

19mm转舌锁 Cam lock

JK557

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9珠子, 锁头带防钻功能
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 功能尺寸: 17.4, 25.4或定制

Description
Brass housing and cylinder, bright chrome plated. 9 pin tumbler mechanism, with anti-drill function. Brass key with plastic holder, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 10000 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 17.4mm, 25.4mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk557-17.4	2	1	90°	17.4	38.9
2	Jk557-25.4	2	1	90°	25.4	46.9



JK558

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 9珠子, 转向11-3
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合10000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 功能尺寸: 17.5, 20.5, 25或定制

Description
Brass housing and cylinder, bright chrome plated. 9 pin tumbler mechanism, 11-3 turning Brass key with plastic holder, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 10000 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 17.5mm, 20.5mm, 25mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk558-17.5	2	1	90°	17.5	30.5
2	Jk558-20.5	2	1	90°	20.5	30.5
3	Jk558-25	2	1	90°	25	30.5



JK559

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 3珠子内定位
- ◆ 钥匙材质: 全铜镀镍单边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合10组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 两款螺丝固定
- ◆ 功能尺寸: 15或定制

Description
Brass housing and cylinder, bright chrome plated. 3 pin tumbler mechanism. Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 10 key combinations. Hex nut mounted. Cam is affixed by 2 screws. Functional size: optional 15mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk559	2	1	90°	15	18.3



JK560

CU




产品说明:

- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
- ◆ 锁芯结构: 4珠子
- ◆ 钥匙材质: 全铜镀镍双边洗齿钥匙
- ◆ 舌片规格: 可选配或定制
- ◆ 标准规格: 钥匙组合5组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 六角螺母固定
- ◆ 功能尺寸: 11.5、15.6或定制

Description
Brass housing and cylinder, bright chrome plated. 4 pin tumbler mechanism. Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 5 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 11.5mm, 15.6mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk560-11.5	2	1	90°	11.5	22
2	Jk560-15.6	2	1	90°	15.6	27.2



19mm转舌锁 Cam lock

19mm转舌锁 Cam lock

JK561

CU




产品说明:

- 材质: 全铜锁芯锁壳, 亮铬电镀
- 锁芯结构: 4珠子, 左转或右转90度
- 钥匙材质: 全铜镀镍双边洗齿钥匙
- 舌片规格: 可选配或定制
- 标准规格: 钥匙组合10组或同号
- 锁头固定方式: 六角螺母固定
- 舌片固定方式: 防滑螺母固定
- 可替换定位片更改旋转方向

Description
Brass housing and cylinder, bright chrome plated.
4 pin tumbler mechanism, left turning or right turning 90°
Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 10 key combinations. Hex nut mounted. Cam is affixed by nut.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk561	2	1	90°	11.2	19.7



JK562

CU




产品说明:

- 材质: 全铜锁芯锁壳, 亮铬电镀
- 锁芯结构: 2珠子, 锁面打开与关
- 钥匙材质: 全铜镀镍单边洗齿钥匙
- 舌片规格: 可选配或定制
- 标准规格: 钥匙同号
- 锁头固定方式: 六角螺母固定
- 舌片固定方式: 螺丝固定
- 功能尺寸: 14.7或定制

Description
Brass housing and cylinder, bright chrome plated.
2 pin tumbler mechanism.Brass key, nickel plated.
Various cam configurations and customized cam available. All keyed alike. Hex nut mounted.
Cam is affixed by screw. Functional size: optional 14.7mm or customized size.


序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk562	2	2	90°	14.7	20.3



19mm转舌锁 Cam lock

JK563

ZA




产品说明:

- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 锁芯结构: 7珠子, 360度或90度旋转
- 钥匙材质: 铜管铁柄钥匙或手柄包胶套
- 舌片规格: 内牙黄铜圆杆
- 标准规格: 钥匙组合10000组或同号
- 锁头固定方式: 六角螺母固定
- 黄铜圆杆可定制长度与外形

Description
Zinc alloy housing and cylinder, bright chrome plated.
7 pin tumbler mechanism, 360° or 90° turning
Brass key with steel made handle with plastic holder.
Equip with internal brass round rod. All keyed alike, or 10000 key combinations. Hex nut mounted. Brass round rod can customized length and appearance.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk563	2	1	90°	16.3	58.8



JK564

CU




产品说明:

- 材质: 全铜锁芯锁壳, 亮铬电镀
- 锁芯结构: 9珠子, 360度或90度旋转
- 钥匙材质: 全铜镀镍双边洗齿钥匙
- 舌片规格: 内牙黄铜圆杆
- 标准规格: 钥匙组合10000组或同号
- 锁头固定方式: 六角螺母固定
- 黄铜圆杆可定制长度与外形

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism, 360° or 90° turning
Brass key, nickel plated. Equip with internal brass round rod. All keyed alike, or 10000 key combinations.
Hex nut mounted. Brass round rod can customized length and appearance.


序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk564	2	1	90°	17.5	41.5



19mm转舌锁 Cam lock

JK565

CU




- 产品说明:
- 材质: 全铜锁芯锁壳, 亮铬电镀
 - 锁芯结构: 9珠子, 360度或90度旋转
 - 钥匙材质: 全铜镀镍双边洗齿钥匙
 - 标准规格: 钥匙组合10000组或同号
 - 锁头固定方式: 六角螺母固定
 - 锁轴尾部定制条形或螺丝型

Description
Brass housing and cylinder, bright chrome plated.
9 pin tumbler mechanism, 360° or 90° turning
Brass key, nickel plated. All keyed alike, or 10000
key combinations. Hex nut mounted. Customized bar
or screw type at the end of the locking shaft

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk565	2	1	90°	22.5	35.5

JK566

ZA



- 产品说明:
- 材质: 锌合金锁芯锁壳, 亮铬电镀
 - 锁芯结构: 12排片, 字母管理系统
 - 钥匙材质: 全铜镀镍双边洗齿蛇形钥匙
 - 锁片规格: 可选配或定制
 - 标准规格: 钥匙组合10000组或同号
 - 锁头固定: 六角螺母固定
 - 功能尺寸: 29.5或开模定制



Description
Zinc alloy housing and cylinder, bright chrome plated.
12 discs tumbler mechanism, master key available
Brass key, nickel plated. Various cam configurations
and customized cam available. All keyed alike, or 10000
key combinations. Hex nut mounted.
Functional size: optional 29.5mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk566	2	1	90°	29.5	47.5

19mm转舌锁 Cam lock

JK570

CU




- 产品说明:
- 材质: 全铜锁芯锁壳, 亮铬电镀
 - 锁芯结构: 7珠子
 - 钥匙材质: 全铜镀镍单边洗齿钥匙
 - 锁片规格: 可选配或定制
 - 标准规格: 钥匙组合100组或同号
 - 锁头固定方式: 搭配门锁
 - 锁壳外观与长度可定制

Description
Brass housing and cylinder, bright chrome plated.
7 pin tumbler mechanism. Brass key, nickel plated.
Various cam configurations and customized cam
available. All keyed alike, or 100 key combinations.
Mounted with door lock. The appearance and length of
the lock housing can be customized.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk570	2	1	90°	24.4	32.4

JK571

CU



- 产品说明:
- 材质: 全铜锁芯锁壳, 亮铬电镀
 - 锁芯结构: 8排片或10排片蛇形钥匙
 - 钥匙材质: 全铜镀镍双边洗齿钥匙
 - 锁片规格: 可选配或定制
 - 标准规格: 钥匙组合10000组或同号
 - 锁头固定方式: 搭配门锁
 - 其他说明: 锁壳外观与长度可定制


Description
Brass housing and cylinder, bright chrome plated. 8 disc or 10 disc tumbler
mechanism. Brass key, nickel plated. Various cam configurations
and customized cam available. All keyed alike, or 10000 key combinations.
Mounted with door lock. The appearance and length of the lock housing
can be customized

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	L1尺寸mm Size	L2尺寸mm Size
1	Jk571	2	1	22.9	34.3

19mm转舌锁 Cam lock

JK585

CU




- 产品说明:
- ◆ 材质: 全铜锁芯锁壳, 亮铬电镀
 - ◆ 锁芯结构: 4珠子偏芯结构
 - ◆ 钥匙材质: 全铜镀镍单边洗齿钥匙
 - ◆ 舌片规格: 可选配或定制
 - ◆ 标准规格: 钥匙组合100组或同号
 - ◆ 锁头固定方式: 六角螺母固定
 - ◆ 功能尺寸: 17或定制

Description
Brass housing and cylinder, bright chrome plated. 4 pin tumbler mechanism. Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 100 key combinations. Hex nut mounted. Functional size: optional 17mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	L1尺寸mm Size	L2尺寸mm Size
1	Jk585	2	1	17	21.2

JK588

CU




- 产品说明:
- ◆ 材质: 全铜锁芯锁壳, 珠坐, 亮铬电镀
 - ◆ 锁芯结构: 7珠子, 字母管理结构
 - ◆ 管理钥匙转到12点位置, 客用钥匙可使用, 管理钥匙转到9点, 客用钥匙不可使用
 - ◆ 标准规格: 钥匙组合10000组或同号
 - ◆ 锁头固定方式: 搭配客供件
 - ◆ 钥匙材质: 铜管铁柄包胶套钥匙
 - ◆ 锁片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome plated. 7 pin tumbler mechanism, master key available. Brass key, steel made handle with plastic holder. Various cam configurations and customized cam available. All keyed alike, or 10000 key combinations. Mounted with customer-supplied parts
Remark: When the master key is turned to 12 o'clock, the guest key can be used. When the master key is turned to 9 o'clock, the guest key cannot be used.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	Jk588	2	1	90°	22	40.4

19mm转舌锁 Cam lock

SC650




- 产品说明:
- ◆ 材质: 不锈钢锁壳, 锁片, 本色
 - ◆ 锁芯结构: 5排片, 锌合金锁芯包不锈钢盖
 - ◆ 钥匙材质: 全铜钥匙包胶套
 - ◆ 标准规格: 同号
 - ◆ 锁头固定方式: 螺母固定
 - ◆ 舌片固定方式: 螺丝固定

Description
Stainless steel housing, cam, natural color. 5 disc tumbler mechanism, zinc alloy cylinder with stainless steel capped bezel. All brass made tubular key with plastic cover. All keyed alike. Hex nut mounted. Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	SC650	2	1	90°	20.5	35.5

SC651



- 产品说明:
- ◆ 材质: 不锈钢锁壳, 锁片, 本色
 - ◆ 锁芯结构: 5排片, 锌合金锁芯包不锈钢盖
 - ◆ 钥匙材质: 全铜钥匙包胶套
 - ◆ 标准规格: 同号
 - ◆ 锁头固定方式: 螺母固定
 - ◆ 舌片固定方式: 螺丝固定

Description
Stainless steel housing, cam, natural color. 5 disc tumbler mechanism, zinc alloy cylinder with stainless steel capped bezel. All brass made tubular key with plastic cover. All keyed alike. Hex nut mounted. Cam is affixed by screw.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	转向 Turn	L1尺寸mm Size	L2尺寸mm Size
1	SC651	2	2	90°	18	27.7