

► 22mm圆柱锁型号说明

Description of Hole Size 22mm Cam lock Model

JK

600

A

1

XX

!

基本代码
Basic Code

规格号
Specification No.

锁芯代码
Lock cylinder code

材质代码
Material code

表面处理代码
Lock surface treatment code

后缀加标注
Suffixes plus labels


说明：如JK600-D1XX-18
基础代码：JK为基础代码
规格号：3位数，不同的规格号代表不同的系列，圆柱锁规格号600-699

Description: JK600-D1-XX-18 for example.
Base code: JK is base code
Specification: The specification number is a three-digit number and the different specification numbers represent different series, for hole size 22mm cam lock the specification numbers are 600-699.

Jk600锁芯表 Jk600 cylinder list						JK619, JK620, JK623, JK626 转舌锁锁芯列表 JK619, JK620, JK623, JK626 cylinder list		
锁芯编码 Lock cylinder codes	锁芯图片 Picture	锁芯描述 Description	锁芯编码 Lock cylinder codes	锁芯图片 Picture	锁芯描述 Description	锁芯编码 Picture	锁芯图片 Picture	锁芯描述 Description
A		翼型4mm Double bit 4mm	J		一字槽型 One-slot type	R		三角型8mm Triangle 8mm
B		翼型3mm Double bit 3mm	K		11mm外六角 11mm Outer hexagon	S		S型4mm S-type 4mm
C		S型4mm S-type 4mm	L		双翼型 Double bit	T		内六角型8mm Inner hexagon 8mm
D		三角型8mm Triangle 8mm	M		扁圆型 Oblate type	U		外六角型10mm Outer hexagon 10mm
E		四方8x8mm Square 8x8mm	N		7mm三角型 Triangle 7mm	V		四方8x8mm square 8x8mm
F		四方8x8带槽型 Square 8x8 lock cylinder with slot	O		9mm三角型 Triangle 9mm	W		四方7x7mm square 7x7mm
G		四方6x6mm square 6x6mm	P		外七边型 Outer heptagon	X		四方9x9mm square 9x9mm
H		四方7x7mm square 7x7mm	Q		内六方，带销柱 Inner hexagon with slot	Y		一字槽型 One-slot type
I		10mm内六角 10mm inner hexagon				Z		三角型7mm Triangle 7mm

► 圆柱锁安装示意图

Quarter turn lock installation diagram



Jk600系列




产品说明:

- ◆ 材质：锌合金锁壳，亮铬电镀
- ◆ 锁头固定方式：螺母
- ◆ 舌片固定方式：螺丝

Description
Zinc alloy die cast housing, bright chrome plated.
hex nut mounted, cam is affixed by screw.


拉攀选配

Black damping lock bolt options




防尘盖选配

Rubber dust proof cap options




钥匙选配

Key options



ZA



安装示意图

Installation diagram

分解图

Breakdown diagram



Jk600规格表


Jk600 specification sheet

锁芯型号 Lock cylinder model	GH18	GH28	GH32
	锌合金锁壳,镀亮光铬 Zinc alloy die cast housing bright chrome plated	锌合金锁壳,镀亮光铬 Zinc alloy die cast housing bright chrome plated	锌合金锁壳,镀亮光铬 Zinc alloy die cast housing bright chrome plated
	产品型号 Product model	产品型号 Product model	产品型号 Product model
翼型4mm Double bit 4mm	JK600-A1E1-18	JK600-A1E1-28	JK600-A1E1-32
翼型3mm Double bit 3mm	JK600-B1E1-18	JK600-B1E1-28	
S型4mm S-type 4mm	JK600-C1E1-18	JK600-C1E1-28	
三角型8mm Triangle 8mm	JK600-D1E1-18	JK600-D1E1-28	JK600-D1E1-32
四方8x8 Square 8x8	JK600-E1E1-18	JK600-E1E1-28	JK600-E1E1-32
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK600-F1E1-18	JK600-F1E1-28	JK600-F1E1-32
四方6x6 Square 6x6	JK600-G1E1-18	JK600-G1E1-28	JK600-G1E1-32
四方7x7 Square 7x7	JK600-H1E1-18	JK600-H1E1-28	JK600-H1E1-32
10mm内六角 10mm inner hexagon	JK600-I1E1-18	JK600-I1E1-28	JK600-I1E1-32
一字槽型 One-slot type	JK600-J1E1-18	JK600-J1E1-28	JK600-J1E1-32
11mm外六角 11mm Outer hexagon	JK600-K1E1-18	JK600-K1E1-28	JK600-K1E1-32
双翼型 Double bit	JK600-L1E1-18	JK600-L1E1-28	
扁圆型 Oblate type	JK600-M1E1-18	JK600-M1E1-28	
7mm三角型 Triangle 7mm	JK600-N1E1-18	JK600-N1E1-28	JK600-N1E1-32
9mm三角型 Triangle 9mm	JK600-O1E1-18	JK600-O1E1-28	
外七边型 Outer heptagon	JK600-P1E1-18	JK600-P1E1-28	
内六方型带销柱号 Inner hexagon with slot	JK600-Q1E1-18	JK600-Q1E1-28	

锁芯型号 Lock cylinder model	GH36	GH60	GH62
	锌合金锁壳,镀亮光铬 Zinc alloy die cast housing bright chrome plated	锌合金锁壳,镀亮光铬 Zinc alloy die cast housing bright chrome plated	锌合金锁壳,镀亮光铬 Zinc alloy die cast housing bright chrome plated
	产品型号 Product model	产品型号 Product model	产品型号 Product model
翼型4mm Double bit 4mm	JK600-A1E1-36	JK600-A1E1-60	JK600-A1E1-62
翼型3mm Double bit 3mm	JK600-B1E1-36		JK600-B1E1-62
S型4mm S-type 4mm	JK600-C1E1-36		JK600-C1E1-62
三角型8mm Triangle 8mm	JK600-D1E1-36	JK600-D1E1-60	JK600-D1E1-62
四方8x8 Square 8x8	JK600-E1E1-36	JK600-E1E1-60	JK600-E1E1-62
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK600-F1E1-36	JK600-F1E1-60	JK600-F1E1-62
四方6x6 Square 6x6	JK600-G1E1-36	JK600-G1E1-60	JK600-G1E1-62
四方7x7 Square 7x7	JK600-H1E1-36	JK600-H1E1-60	JK600-H1E1-62
10mm内六角 10mm inner hexagon	JK600-I1E1-36	JK600-I1E1-60	JK600-I1E1-62
一字槽型 One-slot type	JK600-J1E1-36	JK600-J1E1-60	JK600-J1E1-62
11mm外六角 11mm Outer hexagon	JK600-K1E1-36	JK600-K1E1-60	JK600-K1E1-62
双翼型 Double bit	JK600-L1E1-36		JK600-L1E1-62
扁圆型 Oblate type	JK600-M1E1-36		JK600-M1E1-62
7mm三角型 Triangle 7mm	JK600-N1E1-36	JK600-N1E1-60	JK600-N1E1-62
9mm三角型 Triangle 9mm	JK600-O1E1-36		JK600-O1E1-62
外七边型 Outer heptagon	JK600-P1E1-36		JK600-P1E1-62
内六方型,带销柱号 Inner hexagon with slot	JK600-Q1E1-36		

Jk601

ZA




- 产品说明:
- 材质: 锌合金锁芯锁壳, 亮铬电镀
 - 锁头固定方式: 螺母
 - 舌片固定方式: 螺丝

Description
Zinc alloy die cast housing, bright chrome plated, hex nut mounted, Cam is affixed by screw.

锁芯型号 Lock cylinder model	GH18 锌合金锁壳,亮铬光铬 Zinc alloy die cast housing bright chrome plated	GH32 锌合金锁壳,亮铬光铬 Zinc alloy die cast housing bright chrome plated	GH60 锌合金锁壳,亮铬光铬 Zinc alloy die cast housing bright chrome plated
翼型4mm Double bit 4mm	JK601-A1E1-18	JK601-A1E1-32	JK601-A1E1-60
三角型8mm Triangle 8mm	JK601-D1E1-18	JK601-D1E1-32	JK601-D1E1-60
四方8x8 Square 8x8	JK601-E1E1-18	JK601-E1E1-32	JK601-E1E1-60
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK601-F1E1-18	JK601-F1E1-32	JK601-F1E1-60
四方6x6 Square 6x6	JK601-G1E1-18	JK601-G1E1-32	JK601-G1E1-60
四方7x7 Square 7x7	JK601-H1E1-18	JK601-H1E1-32	JK601-H1E1-60
10mm内六角 10mm inner hexagon	JK601-I1E1-18	JK601-I1E1-32	JK601-I1E1-60
一字槽型 One-slot type	JK601-J1E1-18	JK601-J1E1-32	JK601-J1E1-60
11mm外六角 11mm Outer hexagon	JK601-K1E1-18	JK601-K1E1-32	JK601-K1E1-60

Jk602

ZA




- 产品说明:
- 材质: 锌合金锁芯锁壳, 亮铬电镀
 - 锁头固定方式: 螺母
 - 舌片固定方式: 螺丝

Description
Zinc alloy die cast housing, bright chrome plated, hex nut mounted, Cam is affixed by screw.

锁芯型号 Lock cylinder model	产品型号 Product model	表面处理 Surface treatment	材质 Material
翼型4mm Double bit 4mm	JK602-A1E5-18	喷砂 镀铬锁壳 镀白锌钢栓	锌合金锁壳,碳钢钢栓
四方7x7 Square 7x7	JK602-H1E5-18	Sandblasted surface,chrome plated lock housing, white zinc plated steel bolts	Zinc alloy die cast housing and cylinder, steel bolts in carbon steel
一字槽型 One-slot type	JK602-J1E5-18		

Jk603

SS 304




- 产品说明:
- 锌合金(不锈钢)锁芯锁壳,亮铬(本色)电镀
 - 锁头固定方式: 螺母
 - 舌片固定方式: 螺丝

Description
Zinc alloy (stainless steel) die cast housing and cylinder, bright chrome (natural color) plated, hex nut mounted, cam is affixed by screw.

锁芯型号 Lock cylinder model	产品型号(锌合金,镀铬) Product model(zinc alloy chrome plated)	产品型号(圆形,不锈钢) Product model(circular, stainless steel)
翼型4mm Double bit 4mm	JK603-A1E1	JK603-A3XX
三角型8mm Triangle 8mm	JK603-D1E1	JK603-D3XX
四方8x8 Square 8x8	JK603-E1E1	JK603-E3XX
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK603-F1E1	JK603-F3XX
四方6x6 Square 6x6	JK603-G1E1	JK603-G3XX
四方7x7 Square 7x7	JK603-H1E1	JK603-H3XX
10mm内六角 10mm inner hexagon	JK603-I1E1	JK603-I3XX
一字槽型 One-slot type	JK603-J1E1	JK603-J3XX
11mm外六角 11mm Outer hexagon	JK603-K1E1	JK603-K3XX
7mm三角型 Triangle 7mm	JK603-N1E1	JK603-N3XX

Jk605

ZA




- 产品说明:
- 材质: 锌合金锁芯锁壳
 - 表面处理: 锁壳亮铬电镀, 手柄黑色
 - 锁头固定方式: 螺母
 - 舌片固定方式: 螺丝
 - 旋转说明: 把手旋转90度可开启或锁闭

Description
Zinc alloy die cast housing and cylinder, bright chrome plated, black handle, hex nut mounted, cam is affixed by screw, handle can be rotated 90 degrees to open or close.

锁芯型号 Lock cylinder model	GH18 黑色 Black	GH32 深绿 Dark green
把手型 Handle type	JK605-01P2	JK605-01P3

JK606

ZA




开孔尺寸
Recommended hole size

产品说明:
◆ 材质: 锌合金锁芯锁壳
◆ 锁头固定方式: 螺母
◆ 舌片固定方式: 螺丝
◆ 旋转说明: 锁芯旋转90度可开启或锁闭
Description
Zinc alloy die cast housing and cylinder, hex nut mounted, cam is affixed by screw, handle can be rotated 90 degrees to open or close.

锁芯型号 Lock cylinder model	GH18 镀铬 Chrome plated 产品型号 Product model	GH32 黑色 Black 产品型号 Product model
翼型4mm Double bit 4mm	JK606-A1E1	JK606-A1P2
四方8x8 Square 8x8	JK606-E1E1	JK606-E1P2
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK606-F1E1	JK606-F1P2
四方6x6 Square 6x6	JK606-G1E1	JK606-G1P2
四方7x7 Square 7x7	JK606-H1E1	JK606-H1P2
10mm内六角 10mm inner hexagon	JK606-I1E1	JK606-I1P2
一字槽型 One-slot type	JK606-J1E1	JK606-J1P2
7mm三角型 Triangle 7mm	JK606-N1E1	JK606-N1P2

JK607

ZA




开孔尺寸
Recommended hole size

产品说明:
◆ 材质: 锌合金锁芯锁壳
◆ 锁头固定方式: 螺母
◆ 舌片固定方式: 螺丝
◆ 表面处理: 孔雀绿
Description
Zinc alloy die cast housing and cylinder, hex nut mounted, cam is affixed by screw, the surface treatment is peacock green.

锁芯型号 Lock cylinder model	GH18 外定位 External positioning 产品型号 Product model
翼型4mm Double bit 4mm	JK607-A1P3
四方8x8 Square 8x8	JK607-E1P3
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK607-F1P3
四方6x6 Square 6x6	JK607-G1P3
四方7x7 Square 7x7	JK607-H1P3
10mm内六角 10mm inner hexagon	JK607-I1P3
一字槽型 One-slot type	JK607-J1P3
7mm三角型 Triangle 7mm	JK607-N1P3

JK608

ZA




开孔尺寸
Recommended hole size

产品说明:
◆ 材质: 锌合金锁芯锁壳, 外定位
◆ 锁头固定方式: 螺母
◆ 舌片固定方式: 螺丝
◆ 黑色塑胶把手, 锁头喷黑漆
Description
Zinc alloy die cast housing and cylinder, external positioning hex nut mounted, cam is affixed by screw, black plastic handle, lock sprayed with black paint.

锁芯型号 Lock cylinder model	GH18 黑色 Black 产品型号 Product model	GH32 深绿 Dark green 产品型号 Product model
把手型 Handle type	JK608-01P2	JK608-01P3

JK609

ZA



开孔尺寸
Recommended hole size

产品说明:
◆ 材质: 锌合金锁芯锁壳, 亮铬电镀
◆ 旋转说明: 锁芯旋转90度后, 松手反弹回到原点
Description
Zinc alloy die cast housing and cylinder, the lock cylinder rotates 90 degrees and then bounces back to the original point with a release.

锁芯型号 Lock cylinder model	锌合金锁壳, 圆形黑色 Zinc alloy die cast housing circular black 产品型号 Product model	锌合金锁壳, 方形黑色 Zinc alloy die cast housing square black 产品型号 Product model	锌合金锁壳, 铅封型, 砂铬 Zinc alloy die cast housing lead seal, sand Chrome 产品型号 Product model
翼型4mm Double bit 4mm	JK609-A1P2	JK609-A1P2-F	JK609-A1E5
三角型8mm Triangle 8mm	JK609-D1P2	JK609-D1P2-F	JK609-D1E5
四方8x8 Square 8x8	JK609-E1P2	JK609-E1P2-F	JK609-E1E5
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK609-F1P2	JK609-F1P2-F	JK609-F1E5
四方6x6 Square 6x6	JK609-G1P2	JK609-G1P2-F	JK609-G1E5
四方7x7 Square 7x7	JK609-H1P2	JK609-H1P2-F	JK609-H1E5
10mm内六角 10mm inner hexagon	JK609-I1P2	JK609-I1P2-F	JK609-I1E5
一字槽型 One-slot type	JK609-J1P2	JK609-J1P2-F	JK609-J1E5
7mm三角型 Triangle 7mm	JK609-N1P2	JK609-N1P2-F	JK609-N1E5


Jk610



产品说明:

- ◆ 材质: 锌合金锁芯锁壳
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 黑色塑胶把手, 锁头喷黑漆
- ◆ 配总长46mm定制舌片

Description
Zinc alloy die cast housing and cylinder, hex nut mounted, cam is affixed by screw, black plastic handle, lock sprayed with black paint, the lock equips with a 46mm cam.



锁芯型号 Lock cylinder model	GH18 黑色 Black
把手型 Handle type	产品型号 Product model
	JK610-01P2


Jk611



产品说明:


- ◆ 材质: 锌合金锁芯锁壳
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 锁头喷黑漆
- ◆ 配总长46mm定制舌片

Description
Zinc alloy die cast housing and cylinder, hex nut mounted, cam is affixed by screw, the lock sprayed with black paint, the lock equips with a 46mm cam.



锁芯型号 Lock cylinder model	GH18 黑色
把手型 Handle type	产品型号 Product model
	JK611-01P2


Jk612



产品说明:

- ◆ 材质: 锌合金锁壳, 铁材质锁芯, 锁壳亮铬电镀
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺母
- ◆ 不配舌片

Description
Zinc alloy die cast housing, steel cylinder, bright chrome plated, hex nut mounted, cam is affixed by nut, the lock does not equip with a cam.



锁芯型号 Lock cylinder model	GH18		
	圆形锁头,镀铬 Circular lock, Chrome plated	方型锁头,镀铬 Square lock, Chrome plated	圆形锁头,不锈钢 Circular lock, stainless steel
	产品型号 Product model	产品型号 Product model	产品型号 Product model
翼型4mm Double bit 4mm	JK612-A1E1	JK612-A1E1-F	JK612-A3XX
三角型8mm Triangle 8mm	JK612-D1E1	JK612-D1E1-F	JK612-D3XX
四方8x8 Square 8x8	JK612-E1E1	JK612-E1E1-F	JK612-E3XX
四方8x8带槽型 Square 8x8 lock cylinder with slot	JK612-F1E1	JK612-F1E1-F	JK612-F3XX
四方6x6 Square 6x6	JK612-G1E1	JK612-G1E1-F	JK612-G3XX
四方7x7 Square 7x7	JK612-H1E1	JK612-H1E1-F	JK612-H3XX
10mm内六角 10mm inner hexagon	JK612-I1E1	JK612-I1E1-F	JK612-I3XX
一字槽型 One-slot type	JK612-J1E1	JK612-J1E1-F	JK612-J3XX
7mm三角型 Triangle 7mm	JK612-N1E1	JK612-N1E1-F	JK612-N1XX


Jk613



产品说明:

- ◆ 材质: 铁材质锁芯锁壳, 亮铬电镀或喷塑
- ◆ 旋转说明: 360度旋转, 实现开启与锁闭


Description
Steel housing and cylinder, bright chrome plated or sprayed with black paint, the lock cylinder rotates 360 degrees to open or close.



锁芯型号 Lock cylinder model	GH18	
	圆形锁头,镀铬 Circular lock, chrome plated	
	产品型号 Product model	
翼型4mm Double bit 4mm	JK613-A1E1	
三角型8mm Triangle 8mm	JK613-D1E1	
四方8x8 Square 8x8	JK613-E1E1	
四方7x7 Square 7x7	JK613-H1E1	
7mm三角型 Triangle 7mm	JK613-N1E1	

Jk615

ZA



开孔尺寸
Recommended hole size

产品说明:


- ◆ 材质: 锌合金锁芯锁壳, 锁头喷黑漆
- ◆ 钥匙材质: 铁(铜)材质铣单边钥匙, 镀镍
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 锁头不锈钢盖防尘块

Description
Zinc alloy die cast housing and cylinder. Sprayed with black paint, steel (brass) keys, nickel plated, cam is affixed by screw, stainless steel capped bezel and with dust shutter mechanism inside the cylinder.

锁芯型号 Lock cylinder model	锌合金锁壳,麻面黑 Zinc alloy die cast housing, textured black
把手加钥匙 Handle and key	产品型号 Product model JK615-01P2

Jk616

ZA



开孔尺寸
Recommended hole size

产品说明:


- ◆ 材质: 锌合金锁芯锁壳, 铁舌片
- ◆ 表面处理: 把手部分镀黑色, 镀蓝白锌舌片
- ◆ 旋转说明: 旋转90度实现开启或锁闭

Description
Zinc alloy die cast housing and cylinder. Steel cam, black plastic handle, the lock body black sprayed, the lock cylinder rotates 90 degrees to open or close.

锁芯型号 Lock cylinder model	GH18	GH32	GH60
手柄型锁芯 Handle type lock cylinder	JK616-01P2	JK616-01P2	JK616-01P2

Jk617

ZA



开孔尺寸
Recommended hole size

产品说明:


- ◆ 材质: 锌合金锁壳
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 锁头和蝴蝶型锁芯喷黑漆

Description
Zinc alloy die cast housing, hex nut mounted, cam is affixed by screw, the lock sprayed with black paint.

锁芯型号 Lock cylinder model	锌合金锁壳,麻面黑 Zinc alloy die cast housing, textured black
手柄型锁芯 Handle type lock cylinder	产品型号 Product model JK617-01P2

Jk618

ZA



开孔尺寸
Recommended hole size

产品说明:


- ◆ 材质: 锌合金锁芯锁壳, 内定位
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 黑色塑胶把手, 锁头喷黑漆

Description
Zinc alloy die cast housing and cylinder, internal positioning, hex nut mounted, cam is affixed by screw, black plastic handle, lock sprayed with black paint.

锁芯型号 Lock cylinder model	GH18	GH32	GH60
手柄型锁芯 Handle type lock cylinder	JK618-01P2	JK618-01P2	JK618-01P2

Jk619

ZA



开孔尺寸
Recommended hole size


- 产品说明:
- 材质: 锌合金锁芯锁壳, 表面喷银漆
 - 锁头固定方式: 螺母
 - 舌片固定方式: 螺丝

Description
Zinc alloy die cast housing and cylinder, Silver painted, hex nut mounted, cam is affixed by screw.

锁芯型号 Lock cylinder model	GH32		
	锌合金锁壳与不锈钢锁壳,规格品镀亮光铬,可选喷漆(黑色与蓝灰) Zinc alloy and stainless steel housing, bright chrome plated, surface painting(black and blue-gray) is available.		
	产品型号 Product model	产品型号 Product model	产品型号 Product model
翼型4mm Double bit 4mm	JK619-A1E1	JK619-A1XX	JK619-A1E1-F
S型4mm S-type 4mm	JK619-S1E1	JK619-S1XX	JK619-S1E1-F
三角型8mm Triangle 8mm	JK619-R1E1	JK619-R1XX	JK619-R1E1-F
四方8x8 Square 8x8	JK619-V1E1	JK619-V1XX	JK619-V1E1-F
四方7x7 Square 7x7	JK619-W1E1	JK619-W1XX	JK619-W1E1-F
一字槽型 One-slot type	JK619-Y1E1	JK619-Y1XX	JK619-Y1E1-F
7mm三角型 Triangle 7mm	JK619-Z1E1	JK619-Z1XX	JK619-Z1E1-F
内六角8mm Inner hexagon 8mm	JK619-T1E1	JK619-T1XX	JK619-T1E1-F
外六角10mm Outer hexagon 10mm	JK619-U1E1	JK619-U1XX	JK619-U1E1-F
四方9x9mm Square 9x9mm	JK619-X1E1	JK619-X1XX	JK619-X1E1-F

Jk622

ZA



开孔尺寸
Recommended hole size


- 产品说明:
- 材质: 锌合金锁芯锁壳
 - 表面处理: 喷黑色锁面, 镀蓝白锌舌片
 - 旋转说明: 旋转90度实现开启或锁闭

Description
Zinc alloy die cast housing and cylinder, the lock sprayed with black paint. The cam is blue zinc plated, the lock cylinder rotates 90 degrees to open or close.

锁芯型号 Lock cylinder model	CH22	
	锌合金锁壳,黑色 Zinc alloy die cast housing,black	不锈钢锁壳 Stainless steel housing
	产品型号 Product model	产品型号 Product model
四方6x6 Square 6x6	JK622-G1E1	SC622-G3XX
一字槽型 One-slot type	JK622-J1E1	SC622-J3XX
6mm三角型 Triangle 6mm	JK622-61E1	SC622-63XX

Jk620

ZA



开孔尺寸
Recommended hole size

产品说明:


- 材质: 锌合金锁芯锁壳
- 表面处理: 喷黑色锁面舌片镀锌
- 旋转说明: 锁芯旋转210度事项开启与锁闭

Description
Zinc alloy die cast housing and cylinder, the lock sprayed with black paint. Zinc plated cam, the lock cylinder rotates 210 degrees to open or close.

锁芯型号 Lock cylinder model	GH32 H=40MM-52MM (舌片尺寸可调型) Adjustable cam size		
	锌合金锁壳与不锈钢锁壳,规格品镀亮光铬,可选喷漆(黑色与蓝灰) Zinc alloy and stainless steel housing, bright chrome plated, surface painting(black and blue-gray) is available.		
	产品型号 Product model	产品型号 Product model	产品型号 Product model
翼型4mm Double bit 4mm	JK620-A1E1	SC620-A3XX	JK620-A1E1-F
S型4mm S-type 4mm	JK620-S1E1	SC620-S3XX	JK620-S1E1-F
三角型8mm Triangle 8mm	JK620-R1E1	SC620-R3XX	JK620-R1E1-F
四方8x8 Square 8x8	JK620-V1E1	SC620-V3XX	JK620-V1E1-F
四方7x7 Square 7x7	JK620-W1E1	SC620-W3XX	JK620-W1E1-F
一字槽型 One-slot type	JK620-Y1E1	SC620-Y3XX	JK620-Y1E1-F
7mm三角型 Triangle 7mm	JK620-Z1E1	SC620-Z3XX	JK620-Z1E1-F
内六角8mm Inner hexagon 8mm	JK620-T1E1	SC620-T3XX	JK620-T1E1-F
外六角10mm Outer hexagon 10mm	JK620-U1E1	SC620-U3XX	JK620-U1E1-F
四方9x9mm Square 9x9mm	JK620-X1E1	SC620-X3XX	JK620-X1E1-F

Jk621

ZA



开孔尺寸
Recommended hole size

产品说明:

- 材质: 锌合金锁芯锁壳, 铁钢栓, 锁头喷黑漆
- 锁头固定方式: 螺母
- 舌片固定方式: 螺丝


Description
Zinc alloy die cast housing and cylinder, iron cam, the lock sprayed with black paint, hex nut mounted, cam is affixed by screw.

锁芯型号 Lock cylinder model	锌合金锁壳,麻面黑 Zinc alloy die cast housing, textured black
	产品型号 Product model
	手柄型锁芯 Handle type lock cylinder
	JK621-01P2


JK623系列



A型 工程图
Engineering drawing



B型 工程图
Engineering drawing



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 镀铬电镀
- ◆ 表面处理: 喷黑色锁壳, 镀白锌舌片
- ◆ 旋转说明: 把手左转180度, 舌片旋转90度, 实现开启或锁闭旋转180度后锁伸长6mm

Description
Zinc alloy die cast housing and cylinder, the lock prayed with black paint. Zinc plated cam, the handle is turned 180 degrees to the left and the tongue is rotated 90 degrees to achieve a lock extension of 6 mm after 180 degrees of opening or closing.

锁芯型号 Lock cylinder model	GH32	
	A型 (钢栓固定) Steel bolt fixing	B型 (钢栓可调型) Adjustable steel bolt
	产品型号 Product model	产品型号 Product model
翼型4mm Double bit 4mm	JK623A-A1E1	JK623B-A1E1
三角型8mm Triangle 8mm	JK623A-R1E1	JK623B-R1E1
四方8x8 Square 8x8	JK623A-V1E1	JK623B-V1E1
四方7x7 Square 7x7	JK623A-W1E1	JK623B-W1E1
一字槽型 One-slot type	JK623A-Y1E1	JK623B-Y1E1
7mm三角型 Triangle 7mm	JK623A-Z1E1	JK623B-Z1E1
内六角8mm Inner hexagon 8mm	JK623A-T1E1	JK623B-T1E1
外六角10mm Outer hexagon 10mm	JK623A-U1E1	JK623B-U1E1
四方9x9mm Square 9x9mm	JK623A-X1E1	JK623B-X1E1


JK625



产品说明:

- ◆ 材质: 锌合金锁芯锁壳, 镀铬电镀
- ◆ 钥匙材质: 铁钥匙, 镀镍
- ◆ 锁头固定方式: 螺母
- ◆ 舌片固定方式: 螺丝
- ◆ 握柄包胶套

Description
Zinc alloy die cast housing and cylinder, bright chrome plated, Steel flat keys, nickel plated, hex nut mounted, Cam is affixed by screw, the key with plastic cover.



锁芯型号 Lock cylinder model	GH18
	A型 (锌合金, 镀铬) Zinc alloy, Chrome plating
	产品型号 Product model
钥匙可拔型 Key withdrawable type	JK625-1-A1E1-2
钥匙不可拔型 Key non removable type	JK625-1-A1E1-1


JK627



产品说明:

- ◆ 材质: 铜锁芯锁壳, 亮铬/亮镍电镀
- ◆ 锁芯结构: 8颗珠子
- ◆ 钥匙材质: 全铜双边洗齿镀镍钥匙
- ◆ 功能尺寸: 22.8/25.8/28.8/32.8或定制
- ◆ 标准规格: 钥匙组合5000组或同号
- ◆ 锁头固定方式: 六角螺母固定
- ◆ 舌片固定方式: 防滑螺母固定
- ◆ 舌片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome/bright nickel plated, 8 pin tumbler mechanism. Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 5000 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 22.8mm, 25.8mm, 28.8mm, 32.8mm or customized size.



序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	JK627	2	1	90°	22.8/25.8/28.8/32.8


Jk626



ZA

- 产品说明:
- 材质: 锌合金锁芯锁壳, 碳钢钢柱
 - 表面处理: 喷蓝灰锁芯锁壳, 镀白锌钢柱
 - 旋转说明: 旋转90度开启与锁闭, 具有锁紧功能

Description
Zinc alloy die cast housing and cylinder, Steel bolts in carbon steel, cylinder and housing painted blue grey, zinc plated steel bolts, the lock cylinder rotates 90 degrees to open or close. Locking function available.



锁芯型号 Lock cylinder model	锌合金基站,喷蓝灰 Zinc alloy base station, sprayed with blue gray
三角型8mm Triangle 8mm	JK626-R1P3
外六角10mm Outer hexagon 10mm	JK626-U1P3
四方8x8 Square 8x8	JK626-V1P3
四方7x7 Square 7x7	JK626-W1P3
四方9x9mm Square 9x9mm	JK626-X1P3
三角型7mm Triangle 7mm	JK626-Z1P3


JK628



- 产品说明:
- 材质: 铜锁芯锁壳, 亮铬/亮镍电镀
 - 锁芯结构: 8颗珠子
 - 钥匙材质: 全铜双边洗齿镀镍钥匙
 - 功能尺寸: 22.4/25.4/30.4/35.4或定制
 - 标准规格: 钥匙组合5000组或同号
 - 锁头固定方式: 六角螺母固定
 - 舌片固定方式: 六角螺母固定
 - 舌片规格: 可选配或定制

Description
Brass housing and cylinder, bright chrome/bright nickel plated. 8 pin tumbler mechanism. Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 5000 key combinations. Hex nut mounted. Cam is affixed by nut. Functional size: optional 22.4mm, 25.4mm, 30.4mm, 35.4mm or customized size.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk628	2	1	90°	22.4/25.4/30.4/35.4




JK629



- 产品说明:
- 材质: 锌合金锁芯锁壳, 珍珠铬电镀
 - 锁芯结构: 机械带手感珠功能
 - 舌片规格: 可选配或定制
 - 左或右90度定位, 具有防振功能
 - 标准规格: 适配三角钥匙
 - 锁头固定方式: 六角螺母固定
 - 舌片固定方式: 防滑螺母固定

Description
Zinc alloy die cast housing and cylinder, Pearl chrome plated. Mechanical mechanism, with feel bead. Various cam configurations and customized cam available. Can supply with triangle key. Hex nut mounted. Cam is affixed by nut. Remark: Left or right 90 degree turning, with anti-vibration function.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk629	2	2	90°	18.5



JK 630




产品说明:


- ◆ 材质：锌合金锁芯锁壳，亮铬电镀
- ◆ 锁芯结构：7颗珠子，全铜圆柱杆
- ◆ 钥匙材质：铁/铜圆管电镀，铁手柄包胶套
- ◆ 标准规格：钥匙组合5000组或同号
- ◆ 锁头固定方式：六角螺母固定
- ◆ 钥匙转动后回弹，手动按压锁住
- ◆ 圆柱规格：标准品或定制长度

Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism, all brass cylindrical rod. Steel made
or brass key, nickel plated, Steel key with plastic cover.
Standard cylindrical rod length or customized rod length
available. All keyed alike, or 5000 key combinations. Hex nut
mounted. Remark: After the key is turned, it rebounds and is
manually pressed to lock.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	JK630	2	1	90°	21.5



JK 631




产品说明:

- ◆ 材质：锌合金锁芯锁壳，亮铬电镀
- ◆ 锁芯结构：7颗珠子，全铜圆柱杆
- ◆ 钥匙材质：铁/铜圆管镀镍，铁手柄包胶套
- ◆ 标准规格：钥匙组合5000组或同号
- ◆ 锁头固定方式：六角螺母固定
- ◆ 钥匙转动后回弹，手动按压锁住
- ◆ 圆柱规格：加长型或定制长度

Description
Zinc alloy die cast housing and cylinder, bright chrome plated. 7 pin tumbler mechanism, all brass cylindrical rod. Steel made or brass key, nickel plated. Steel key with plastic cover. Long cylindrical rod length or customized rod length available. All keyed alike, or 5000 key combinations. Hex nut mounted.
Remark: After the key is turned, it rebounds and is manually pressed to lock.

序号 Fig. NO	型号 Model	档位 Positions	钥匙拖拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk631	2	1	90°	21.5



JK 632




产品说明:

- ◆ 材质：锌合金锁芯锁壳，亮铬电镀
- ◆ 锁芯结构：7颗珠子，伸缩锁舌
- ◆ 钥匙材质：铁/铜圆管镀镍，铁手柄包胶套
- ◆ 锁舌规格：标准品出厂
- ◆ 标准规格：钥匙组合5000组或同号
- ◆ 锁头固定方式：六角螺母固定
- ◆ 12点方向锁舌自由伸缩，钥匙转到9点锁舌锁住

Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
7 pin tumbler mechanism, retractable locking latch. Steel made
or brass key, nickel plated, Steel key with plastic cover.
Standard locking latch. All keyed alike, or 5000 key
combinations. Hex nut mounted. Remark: The lock latch at 12
o'clock is retractable, when the key is turned to the 9 o'clock lock
latch is locked.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk632	2	2	90°	20.5



JK 633




产品说明:

- ◆ 材质：锌合金锁芯锁壳，亮铬电镀
- ◆ 锁芯结构：5排片，伸缩锁舌
- ◆ 钥匙材质：铁/铜单拔洗齿镀镍钥匙
- ◆ 锁舌规格：标准品出厂
- ◆ 标准规格：同号#CH751
- ◆ 锁头固定方式：六角螺母固定
- ◆ 插入钥匙左或右90度旋转带动锁舌伸缩


Description
Zinc alloy die cast housing and cylinder, bright chrome plated.
5 disc tumbler mechanism, retractable locking latch Steel made
or brass key, nickel plated. Standard locking latch. Long
cylindrical rod length or customized rod length available.
All keyed alike, key code #Ch751 Hex nut mounted.
Remark: Insert the key and rotate 90 degrees left or right to
drive the locking latch.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk633	2	1	90°	24.5



JK634

ZA



产品说明:


- 材质: 锌合金锁芯锁壳, 亮铬电镀
- 锁头固定方式: 六角螺母固定
- 锁芯结构: 无钥匙伸缩锁舌
- 无钥匙手动按压带动锁舌伸缩
- 锁舌规格: 标准品出厂

Description
Zinc alloy die cast housing and cylinder, bright chrome plated. No key, with retractable locking latch. Standard locking latch. Hex nut mounted. Remark: No key, manually pressed to drive the locking latch.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk634	2	0	90°	20.5

JK636

CU



产品说明:


- 材质: 铜锁芯锁壳, 亮铬/亮镍电镀
- 标准规格: 钥匙组合100组或同号
- 锁芯结构: 5颗珠子, 锁芯带槽
- 锁头固定方式: 两孔螺丝固定
- 钥匙材质: 全铜单边洗齿镀镍钥匙
- 舌片固定方式: 卡簧固定
- 舌片规格: 长度可选配或定制
- 功能尺寸: 锁直径与开孔尺寸可定制
- 锁面可拉丝或光面

Description
Brass housing and cylinder, bright chrome/bright nickel plated. 5 pin tumbler mechanism, lock cylinder with slot Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 100 key combinations. Two screws mounted. Cam is affixed by speed clip. Functional size: Lock diameter and hole size can be customized Remark: The lock surface can be brushed or glossy finish.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk636	2	1	90°	29.4

JK635

CU



产品说明:



- 材质: 铜锁芯锁壳, 亮铬/亮镍电镀
- 标准规格: 钥匙组合100组或同号
- 锁芯结构: 5颗珠子, 锁芯带槽
- 锁头固定方式: 六角螺母固定
- 钥匙材质: 全铜单边洗齿镀镍钥匙
- 舌片固定方式: 卡簧固定
- 功能尺寸: 锁直径与开孔尺寸可定制
- 舌片规格: 长度可选配或定制
- 锁面可拉丝或光面

Description
Brass housing and cylinder, bright chrome/bright nickel plated. 5 pin tumbler mechanism, lock cylinder with slot Brass key, nickel plated. Various cam configurations and customized cam available. All keyed alike, or 100 key combinations. Hex nut mounted. Cam is affixed by speed clip. Functional size: Lock diameter and hole size can be customized Remark: The lock surface can be brushed or glossy finish.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk635	2	1	90°	21.4

JK637

CU



产品说明:

- 材质: 铜锁芯锁壳, 亮铬/亮镍电镀
- 标准规格: 钥匙组合500组或同号
- 锁芯结构: 6颗珠子, 卡簧固定
- 锁头固定方式: 两孔螺丝固定
- 钥匙材质: 全铜圆柱对边洗齿镀镍钥匙
- 锁面可拉丝或光面
- 功能尺寸: 锁直径与开孔尺寸可定制

Description
Brass housing and cylinder, bright chrome/bright nickel plated. 6 pin tumbler mechanism, speed clip mounted. Brass tubular key, nickel plated. All keyed alike, or 500 key combinations. Two screws mounted. Functional size: Lock diameter and hole size can be customized Remark: The lock surface can be brushed or glossy finish.

序号 Fig. NO	型号 Model	档位 Positions	钥匙抽拔 Key Pulls	左或右转向 Left or right turn	L1尺寸mm Size
1	Jk637	2	1	90°	27.5