


把手锁型号说明


Handle lock model description



注: S双功能 S=(K+J K+M K+O J+M M+O)
Note : S double functions S=(K+J K+M K+O J+M M+O)

把手锁安装示意图

Handle lock installation diagram



BS301系列




BS301系列



产品说明

Description

- ◆ 锌合金锁座, 把手和锁芯。钢转舌片。
 - ◆ 镀铬锁芯, 把手和锁座。镀锌转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle and cylinder. Steel cam.
Chrome plated base, handle and cylinder. Zinc plated cam.
90 degree turn achieve open and lock.



规格型号

Specifications

BS301-1KE1

BS301-1NE1

BS302系列





BS302系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，喷塑把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.



规格型号
Specifications

BS302-7KXX

BS302-7NXX

BS303系列





BS303系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
- ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle and cylinder. Steel cam.
Chrome plated base, handle and cylinder, Zinc plated cam.
90 degree turn achieve open and lock.



规格型号
Specifications

BS303-1KE1

BS303-1NE1

BS304系列




BS304系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle and cylinder. Steel cam.
Chrome plated base, handle and cylinder, Zinc plated cam.
90 degree turn achieve open and lock.



规格型号
Specifications

BS304-1KE1

BS304-1NE1

BS305系列




BS305系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢螺杆。
 - ◆ 镀铬锁芯，把手和锁座。镀锌螺杆。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, powder coated handle and base.
Zinc plated shaft.
90 degree turn achieve open and lock.




规格型号
Specifications

BS305-1KE1

BS305-1NE1

BS306




产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转180度实现开启和锁闭。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, powder coated handle and base.
Zinc plated shaft.
180 degree turn achieve open and lock.

规格型号
Specifications
BS306-1KE1

BS307





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
- ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle and cylinder. Steel cam.
Chrome plated base, handle and cylinder. Zinc plated cam.
90 degree turn achieve open and lock.

规格型号
Specifications
BS307-1KE1

BS308





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle and cylinder. Steel cam.
Chrome plated base, handle and cylinder. Zinc plated cam.
90 degree turn achieve open and lock.

规格型号
Specifications
BS308-1KE1

BS309





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴，转舌片。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转轴，转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle and cylinder. Steel shaft, cam.
Chrome plated base, handle and cylinder. Zinc plated shaft, cam.
90 degree turn achieve open and lock.

规格型号
Specifications
BS309-1KE1

BS310






产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS310-1KE1

BS311




产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。


ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS311-1KE1

BS312系列



BS312系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock. RH/LH open.

规格型号
Specifications

BS312A-1KE1

BS312A-1NE1

BS312系列



BS312系列



产品说明
Description



- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock. RH/LH open.

规格型号
Specifications

BS312B-1KE1

BS312B-1NE1



BS313系列






BS313系列



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座，镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.



规格型号
Specifications

BS313A-1KE1

BS313A-1NE1

BS313系列






BS313系列



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座，镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock. RH/LH open.



规格型号
Specifications

BS313B-1KE1

BS313B-1NE1

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge


内装铰链
Internal hinge

搭扣
Toggle lock


密封条
Gasket

配件
Accessories

BS314系列





BS314系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.



规格型号
Specifications


BS314A-1KE1

BS314A-1NE1

BS314系列





BS314系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock. RH/LH open.



规格型号
Specifications

BS314B-1KE1

BS314B-1NE1

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge




内装铰链
Internal hinge

搭扣
Toggle lock

密封条
Gasket

配件
Accessories

BS315系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度或180度实现开启和锁闭。

左右门通开。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree or 180 degree turn achieve open and lock.
RH/LH open.

规格型号
Specifications

BS315A-1KE1

BS315A-1NE1

BS315系列



BS315系列



产品说明
Description




- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock. RH/LH open.


规格型号
Specifications

BS315B-1KE1


BS315B-1NE1



BS316系列



BS316系列



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转180度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft, cam.
Chrome plated cylinder, handle and base. Zinc plated shaft, cam.
180 degree turn achieve open and lock. RH/LH open.

规格型号
Specifications

BS316A-1KE1

BS316B-1KE1

BS317系列



BS317系列



产品说明
Description




- ◆ 锌合金锁座，把手和锁芯。钢螺杆，转舌片。
- ◆ 镀铬锁芯，把手和锁座。镀锌螺杆，转舌片。
- ◆ 把手旋转60度或90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft, cam.
Chrome plated cylinder, handle and base. Zinc plated shaft, cam.
60 degree or 90 degree turn achieve open and lock.
RH/LH open.



规格型号
Specifications

BS317-1KE1

BS317-1NE1



BS318



产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, Powder coated handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS318-1KP2

BS319系列



BS319系列





产品说明
Description

- ◆ 锌合金锁座，把手，锁芯。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手上下扳动30度实现开启和锁闭。


ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
30 degree turn achieve open and lock.

规格型号
Specifications
BS319-1KE1

BS319-1NE1



BS320




产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
 - ◆ 把手旋转360度实现开启和锁闭。
- ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
360 degree turn achieve open and lock.

规格型号
Specifications
BS320-1SE1

BS321





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。转轴。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle, cylinder, cam, shaft.
Chrome plated cylinder, Powder coated handle,
base and cam. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS321-1SE1

BS322

BS323系列





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转360度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS322-1KE1





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。带不锈钢防尘盖，钢转轴。
- ◆ 喷漆把手和锁座，镀锌锁芯，转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS323A-1KP6

BS323系列






产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。带不锈钢防尘盖，钢转轴。
- ◆ 喷漆把手和锁座，镀锌锁芯，转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder with stainless steel cap. Steel shaft. Painted plated handle, base. Zinc plated cylinder, shaft. 90 degree turn achieve open and lock.

规格型号
Specifications
BS323B-1KP6

BS324




产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀亚光铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手上旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder with stainless steel cap. Steel shaft. Painted plated handle, base. Zinc plated cylinder, shaft. 90 degree turn achieve open and lock.

规格型号
Specifications
BS324-1KPO

BS325




产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
- ◆ 镀铬锁芯，喷塑把手，锁座。镀锌转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, Powder coated handle, base.
Zinc plated cam.
90 degree turn achieve open and lock.

规格型号
Specifications
BS325-7KXX

BS326




产品说明
Description

- ◆ 塑料把手，锌合金锁座，锁芯。钢转舌片。
- ◆ 喷塑锁座，镀铬锁芯，镀锌转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder. Steel fixings.
Chrome plated cylinder, handle and base. Zinc plated fixings.
90 degree turn achieve open and lock.

规格型号
Specifications
BS326-1KP2

BS327




产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
- ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS327-1KE1

BS328系列



产品说明
Description



- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
- ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS328A-1KE1

BS328系列

BS329





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder .Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS328B-1KE1





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder .Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock. RH/LH open.

规格型号
Specifications
BS329-1KE1

BS330系列





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，喷塑把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS330A-1KE1

BS330系列





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转轴。
- ◆ 镀铬锁芯，把手和锁座。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam. Steel shaft.
Chrome plated cylinder, powder coated handle, base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS330B-1KE1

BS331





产品说明
Description

- ◆ 锌合金锁座，把手。钢转舌片。
- ◆ 喷漆把手，镀锌转舌片和锁座。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle. Steel cam.
Powder coated handle. Zinc plated cam and base.
90 degree turn achieve open and lock.

规格型号
Specifications
BS331-1NE1

BS332



产品说明
Description

- ◆ 锌合金锁座，把手。钢转轴，转舌片。
- ◆ 喷漆把手和锁座，镀锌转轴，转舌片。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle. Steel cam.
Powder coated handle. Zinc plated cam and base.
90 degree turn achieve open and lock.

规格型号
Specifications
BS332-1JP2

BS333系列





BS333系列



产品说明
Description

- ◆ 锌合金锁芯，锁座，把手。钢转轴。
- ◆ 镀铬锁芯，喷塑把手和锁座。镀锌转轴
- ◆ 把手旋转90度实现开启和锁闭。

ZDC cylinder, base, handle. Steel shaft.
Chrome plated cylinder. Powder coated handle and base.
Zinc plated shaft.
90 degree turn achieve open and lock.



规格型号
Specifications

BS333A-1KP2

BS333A-1NP2

BS333系列





BS333系列



产品说明
Description

- ◆ 锌合金锁芯，锁座，把手。钢转轴。
- ◆ 镀铬锁芯，喷塑把手和锁座。镀锌转轴
- ◆ 把手旋转90度实现开启和锁闭。

ZDC cylinder, base, handle. Steel shaft.
Chrome plated cylinder. Powder coated handle and base.
Zinc plated shaft.
90 degree turn achieve open and lock.





规格型号
Specifications

BS333B-1KP2

BS333B-1NP2

BS334系列





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle, cylinder .Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS334A-1KE1

BS334系列





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。钢转舌片。
 - ◆ 镀铬锁芯，把手和锁座。镀锌转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle, cylinder .Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS334B-1KE1

BS335





产品说明
Description

- ◆ 锌合金锁座，把手和锁芯。不锈钢面板，钢转轴。
- ◆ 镀铬把手，锁芯和锁座。镜面抛光面板，镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder .Stainless steel panel.
Steel shaft.
Chrome plated cylidner, handle and base. Mirror polished panel. Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS335-1KE1

BS336



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯和转舌片。钢转轴。
- ◆ 镀铬锁芯，喷塑把手，锁座和转舌片。镀锌转轴。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder and cam.Steel shaft.
Chrome plated cylinder, powder coated handle,base and cam. Zinc plated Shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS336-1KP2



BS339系列



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯。钢螺杆。
- ◆ 镀铬锁芯，把手和锁座。镀锌螺杆。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle, cylinder. Steel shaft.
Chrome plated cylinder, handle and base. Zinc plated shaft.
90 degree turn achieve open and lock.



规格型号
Specifications

BS339-1KE1

BS339-1NE1



BS340系列



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯。钢转舌片。
- ◆ 不锈钢挂锁扣。
- ◆ 镀铬锁芯，把手，锁座。镀锌转舌片，震光锁板。
- ◆ 把手旋转90度实现开启和锁闭。

ZDC base, handle and Steel cam. Stainless steel padlock buckle.
Chrome plated base, handle and cylinder, Zinc plated cam. Tumbled padlock hasp.
90 degree turn achieve open and lock.



规格型号
Specifications

BS340-1SE1

BS340-1JE1

BS341系列

BS342系列

BS341系列

BS342系列

产品说明
Description

- ◆ 锌合金锁座，把手，锁芯。钢转轴。不锈钢挂锁扣。
- ◆ 镀铬锁芯，把手，锁座。镀锌转轴，震光锁板。
- ◆ 把手旋转90度或180度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft. Stainless steel padlock buckle.
Chrome plated cylinder, handle and base. Zinc plated shaft. Tumbled padlock hasp.
90 degree or 180 degree turn achieve open and lock. RH/LH open.

规格型号
Specifications

BS341-1SE1

BS341-1JE1

产品说明
Description



- ◆ 锌合金锁座，把手，锁芯。钢转轴。不锈钢挂锁扣。
- ◆ 镀铬锁芯，把手，锁座。镀锌转轴，震光锁板。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft. Stainless steel padlock buckle.
Chrome plated cylinder, handle and base. Zinc plated shaft. Tumbled padlock hasp.
90 degree turn achieve open and lock. RH/LH open.

规格型号
Specifications

BS342-1SE1

BS342-1JE1



BS343系列




BS343系列

产品说明

- ◆ 锌合金锁座，把手，锁芯。钢转轴。不锈钢挂锁扣。
- ◆ 镀铬锁芯，把手，锁座。镀锌转轴，震光锁板。
- ◆ 把手旋转90度或180度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft. Stainless steel padlock buckle.
Chrome plated cylinder, handle and base. Zinc plated shaft. Tumbled padlock hasp.
90 degree or 180 degree turn achieve open and lock.
RH/LH open.



规格型号 Specifications

BS343-1SE1

BS343-1JE1

BS344系列




BS344系列

产品说明

- ◆ 锌合金锁座，把手，锁芯。钢转轴。不锈钢挂锁扣。
- ◆ 镀铬锁芯，把手，锁座。镀锌转轴，震光锁板。
- ◆ 把手旋转90度实现开启和锁闭。左右门通开。

ZDC base, handle, cylinder. Steel shaft. Stainless steel padlock buckle.
 Chrome plated cylinder, handle and base. Zinc plated shaft. Tumbled padlock hasp.
 90 degree turn achieve open and lock. RH/LH open.





规格型号 Specifications

BS344-1SE1

BS344-1JE1

BS345



产品说明
Description

- ◆ 锌合金锁座，把手。钢转轴，舌片。
 - ◆ 喷塑把手和锁座。镀锌转轴，转舌片。
 - ◆ 把手旋转90度实现开启和锁闭。
- ZDC base, handle. Steel shaft, cam.
Powder coated handle and base. Zinc plated shaft, cam.
90 degree turn achieve open and lock.

规格型号
Specifications
BS345-1NP2

BS346系列





BS346系列



产品说明
Description

- ◆ 尼龙锁座，把手。锌合金锁芯。钢转轴。
 - ◆ 镀锌锁芯带不锈钢防尘盖。镀锌转轴。
 - ◆ 把手旋转90度实现开启和锁闭。
- PA base, handle. ZDC cylinder. Steel shaft.
Zinc plated cylinder with stainless steel dust-proof cap.
Zinc plated shaft.
90 degree turn achieve open and lock.

规格型号
Specifications
BS346-1KP2
BS346-1NP2




BS439



产品说明
Description


- ◆ 锌合金麻黑喷涂锁座，镀锌钢钢栓
Zinc alloy Textured black coated lockbody, galvanized steel locking tongue



规格型号
Specifications


BS439-1KP2

BS590



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢转轴
Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 90 degrees to open or lock. Various key structures can be selected (refer to the key diagram).



规格型号
Specifications

BS590-1KE1


BS591



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢转轴
Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 360 degrees to open or lock. Various key structures can be selected (refer to the key diagram).

Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 360 degrees to open or lock. Various key structures can be selected (refer to the key diagram).



规格型号
Specifications

BS591-1KE1


BS592



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢转轴
Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 360 degrees to open or lock. Various key structures can be selected (refer to the key diagram).

Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 360 degrees to open or lock. Various key structures can be selected (refer to the key diagram).



规格型号
Specifications

BS592-1KE1


BS593



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢定位片
- ◆ 锌合金部件镀亮铬，镀蓝白锌定位片
- ◆ 钥匙打开后把手90度旋转实现开启或锁闭
- ◆ 多种钥匙结构可选择（参考钥匙示意图）

Zinc base, handle and lock cylinder, steel shaft, cam. Zinc alloy parts are plated with bright chrome, steel positioning piece plated with blue and white zinc. After turning the key, the handle rotates 90 degrees to open or lock. Various key structures can be selected (refer to the key diagram).



规格型号
Specifications

BS593-1KE1


BS594



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢定位片
- ◆ 锌合金部件镀亮铬，镀蓝白锌定位片
- ◆ 钥匙打开后把手90度旋转实现开启或锁闭

Zinc alloy base, handle, lock cylinder, steel positioning piece. Zinc alloy parts are plated with bright chrome, steel positioning piece plated with blue and white zinc. After turning the key, the handle rotates 90 degrees to open or lock.



规格型号
Specifications

BS594-1KE1


BS595



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢转轴
- ◆ 锌合金部件镀亮铬，镀蓝白锌轴
- ◆ 钥匙打开后把手360度旋转实现开启或锁闭
- ◆ 多种钥匙结构可选择（参考钥匙示意图）

Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 360 degrees to open or lock. Various key structures can be selected (refer to the key diagram).



规格型号
Specifications

BS595-1KE1


BS596



产品说明
Description

- ◆ 锌合金锁座，把手，锁芯，钢转轴
- ◆ 锌合金部件镀亮铬，镀蓝白锌轴
- ◆ 钥匙打开后把手360度旋转实现开启或锁闭
- ◆ 多种钥匙结构可选择（参考钥匙示意图）

Zinc alloy base, handle, lock cylinder, steel rotating shaft. Zinc alloy parts are plated with bright chrome, steel rotating shaft plated with blue and white zinc. After turning the key, the handle rotates 360 degrees to open or lock. Various key structures can be selected (refer to the key diagram).



规格型号
Specifications

BS596-1KE1