




▶ 面板锁型号说明
Panel locks model description




注：S双功能 S=(K+J K+M K+O J+M M+O)
Note : S double functions S=(K+J K+M K+O J+M M+O)

▶ 客户使用实例
Customer application scenarios





MB400




产品说明
Description

- ◆ 铝合金锁座、把手、盖板，锌合金挂锁装置，碳钢钢栓、压板、转轴
 - ◆ 喷塑(蓝灰)锁座、喷塑(黑亮光)把手，挂锁装置、盖板，镀白锌钢栓、压板
 - ◆ 把手承载扭矩值≤18N.m
- Aluminium alloy die cast housing, handle, cover, zinc alloy padlock device. Carbon steel bolt, press board, drive shaft. Spray-painted(blue and green) housing. Sprayed (black matte) handle, padlock device and cover. White zinc plated steel bolt and press board.
Handle load capacity≤18N.m.



开孔尺寸
Recommended hole size



默认钢栓
Default steel bolt

产品型号 Product model MB400-4NP4-00


MB401




产品说明
Description

- ◆ 铝合金锁座、盖板、挂锁装置，碳钢钢栓、压板、转轴
- ◆ 喷塑(蓝灰)锁座、把手、挂锁装置、盖板，镀白锌钢栓、压板
- ◆ 手柄承载扭矩值 $\leq 25\text{N}\cdot\text{m}$


Aluminium alloy die cast housing, handle, cover and padlock device. Carbon steel bolt, press board and drive shaft.
Spray-painted(blue and green) housing, handle, padlock device and cover. White zinc plated steel bolt and press board.
Handle load capacity $\leq 25\text{N}\cdot\text{m}$.



开孔尺寸
Recommended hole size



默认钢栓
Default steel bolt



选配钢栓
Optional steel bolt

产品型号 Product model	特征描述 Feature description	
	A	B
MB401-4NP4-00	54	69
MB401-4NP4-01	44	59



SC402




产品说明
Description

- ◆ 锌合金支架、防尘盖、把手、轴套，不锈钢面板，碳钢钢栓、转轴
- ◆ 镜面抛光不锈钢面板，镀亮光铬手柄、轴套、防尘盖，镀白锌支架、钢栓、转轴
- ◆ 默认JK198钥匙
- ◆ 手柄承载扭矩值 $\leq 24\text{N}\cdot\text{m}$

Zinc alloy die cast support, dust proof cap, handle and bushing. Stainless steel panel. Carbon steel bolts, drive shaft.
Mirror polished stainless steel panel. Bright chrome plated dust proof cap, handle and bushing. Zinc plated support, steel bolt and drive shaft.
Default JK198 keys.
Handle load capacity $\leq 24\text{N}\cdot\text{m}$.




开孔尺寸
Recommended hole size




选用面板
Optional panel



锁头防水盖(选配)
Waterproof cap(optional)



默认钢栓
Default steel bolt



产品型号 Product model	孔型 Types with hole	螺柱型 Stud type
	SC402-3KM1-00	SC402-3KM1-01



SC403




产品说明
Description

- ◆ 锌合金防尘盖、把手、轴套，不锈钢面板、钢栓、转轴
- ◆ 镜面抛光不锈钢面板，镀亮光铬把手、轴套、防尘盖、不锈钢钢栓
- ◆ 默认JK198钥匙
- ◆ 手柄承载扭矩值≤14N.m，钢栓承载力≤510N


Zinc alloy dust proof cap, handle and bushing. Stainless steel panels, steel bolt and drive shaft. Mirror polished stainless steel panel. Bright chrome plated dust proof cap, handle, bushing and dust proof cap. Stainless steel bolt. Default JK198 keys. Handle load capacity≤14N.m. Steel bolt load capacity: ≤510N.



开孔尺寸
Recommended hole size



选用面板
Optional panel



选配钢栓
Optional steel bolt



锁头防水盖 (选配)
Waterproof cap(optional)



	孔型 Types with hole	螺柱型 Stud type
产品型号 Product model	SC403-3KM1-00	SC403-3KM1-01

SC404



产品说明
Description

- ◆ 不锈钢面板、把手，锌合金锁头，其它连接件为碳钢
 - ◆ 镜面抛光不锈钢面板、把手，镀亮光铬锁头组件，其它件镀白锌
 - ◆ 默认JK198钥匙
 - ◆ 手柄承载拉力值：≤130N
- Stainless steel panel, handle. Zinc alloy lock housing, other connecting accessories is carbon steel material. Mirror polished stainless steel panel and handle. Bright chrome lock parts. The other accessories is white zinc plated. Default JK198 keys. Handle load capacity:≤130N.



开孔尺寸
Recommended hole size



产品型号 Product model	SC404-3KM1-00
--------------------	---------------

MB405



产品说明
Description

- ◆ 碳钢面板、把手、压板，不锈钢锁舌，锌合金锁头组件
 - ◆ 喷塑(黑淡光)面板、把手锁头组件，镀白锌锁舌、压板
 - ◆ 默认JK198钥匙
 - ◆ 手柄承载拉力值：≤160N，锁舌承载力≤800N
- Carbon steel panel, handle, press board. Stainless steel latch. Other lock parts are zinc alloy material. Sprayed (black matte) panel, handle and lock parts. White zinc plated latch and press board. Default JK198 keys. Handle load capacity≤160N. Cam load capacity ≤800N.



开孔尺寸
Recommended hole size

特征描述 Feature description	无锁头 Lockless	带锁头 With lock
	产品型号 Product model	产品型号 Product model
碳钢 Carbon steel	MB405-6NP1-00	MB405-6KP1-00
不锈钢 Stainless steel	SC405-3NM1-00	SC405-3KM1-00


MB406



产品说明
Description

- ◆ 碳钢面板、把手、锁舌、压板，锌合金锁头组件
- ◆ 喷塑(黑亮光)面板、把手，喷砂镀铬锁头组件，镀白锌锁舌、压板、压铆螺钉
- ◆ 默认JK198钥匙
- ◆ 手柄承载力值: $\leq 200N$, 锁舌承载力 $\leq 550N$

Carbon steel panel, handle, press board, latch. Zinc alloy lock parts.
Sprayed (black matte) panel, handle. Sandblasted and nickel plated lock parts. White zinc plated latch, press board, screw.
Default JK198 keys.
Handle load capacity $\leq 200N$.
Locking latch load capacity $\leq 500N$.



特征描述 Feature description	产品型号 Product model
带锁头 With lock	MB406-6KP1-00
无锁头 Lockless	MB406-6NP1-00


SC408



产品说明
Description

- ◆ 不锈钢面板、把手、锁栓、锁舌，锌合金锁头
- ◆ 镀亮光铬锁头镍锁头组件，镀白锌锁舌、压板、压铆螺钉
- ◆ 默认配JK198钥匙
- ◆ 手柄承载力值: $\leq 150N$, 锁舌承载力 $\leq 550N$

Stainless steel panel, handle, locking bolt, locking latch. Zinc alloy die cast lock.
Bright chrome plated lock. Nickel plated other lock parts. White zinc plated latch, press board and screw.
Default JK198 keys.
Handle load capacity $\leq 150N$.
Locking latch load capacity $\leq 550N$.



产品型号 Product model	带锁头 With lock	无锁头 Lockless
	SC408-3KM1-00	SC408-3NM1-00


MB407



产品说明
Description


- ◆ 碳钢面板、把手、锁舌、压板、焊接螺钉，锌合金锁头组件
- ◆ 喷塑(黑亮光)面板、把手，镀亮光铬锁头组件，镀白锌锁舌、压板、焊接螺钉
- ◆ 默认JK198钥匙
- ◆ 手柄承载力值: $\leq 145N$, 锁舌承载力 $\leq 800N$

Steel panel, handle, press board, locking latch and welding screw. Zinc alloy die cast lock parts.
Sprayed (black matte) panel and handle. Bright chrome plated lock parts. White zinc plated latch, press board and welding screw.
Default JK198 keys.
Handle load capacity $\leq 145N$.
Locking latch load capacity $\leq 800N$.



特征描述 Feature description	带锁头 With lock	无锁头 Lockless
	产品型号 Product model	产品型号 Product model
H=31.5	MB407-6KP1-31.5	MB407-6NP1-31.5
H=44	MB407-6KP1-44	MB407-6NP1-44
H=55	MB407-6KP1-55	MB407-6NP1-55

拉扣部件 Pulling part




SC409



产品说明
Description


- ◆ 不锈钢面板、把手
 - ◆ 拉丝抛光
 - ◆ 把手承载拉力值: $\leq 50N$, 锁舌承载力 $\leq 200N$
- Stainless steel panel and handle.
Blushed polishing.
Handle load capacity $\leq 50N$.
Locking latch load capacity $\leq 200N$.



产品型号 Product model


SC409-3NM2-00

SC410



产品说明
Description

- ◆ 不锈钢(或碳钢)面板、把手, 锌合金锁舌, 碳钢压板
 - ◆ 压板、锁舌镀白锌
 - ◆ 默认钥匙JK198钥匙
 - ◆ 手柄承载拉力值: $\leq 200N$, 锁舌承载力 $\leq 1000N$
- Stainless steel(or steel) panel and handle. Zinc alloy latch. Steel press board.
White zinc plated press board and latch.
Default JK198 keys.
Handle load capacity $\leq 200N$.
Locking latch load capacity $\leq 1000N$.



产品型号 Product model

SC410-3KM2-00


SC410-6KP1-00

SC411



产品说明
Description

- ◆ 不锈钢(或碳钢)面板、把手, 压板碳钢锁舌锌合金
 - ◆ 当面板、把手材质为不锈钢时表面镜面抛光材质为碳钢时表面纳米喷涂, 压板, 锁舌镀白锌
 - ◆ 默认为JK198钥匙
 - ◆ 手柄承载拉力值: $\leq 200N$, 锁舌承载力 $\leq 500N$
- Stainless steel(or steel) panel and handle. Zinc alloy latch. Steel press board.
Mirror polished when the panel and handle is stainless steel material. Nano-painted when made of carbon steel. White zinc plated press board and latch.
Default JK198 keys.
Handle load capacity $\leq 200N$.
Locking latch load capacity $\leq 500N$.



产品型号 Product model

SC411-3KM1-00


SC411-6KP1-00

SC412



产品说明
Description

- ◆ 不锈钢面板、把手不锈钢, 锁舌、锁头、锁芯锌合金其余为碳钢
 - ◆ 把手, 面板镜面抛光, 锁头基座亮光铬, 材质碳钢时镀白锌
 - ◆ 默认为JK198钥匙
 - ◆ 把手承载拉力值: $\leq 200N$, 锁舌承载力 $\leq 1000N$
- Stainless steel panel and handle. Steel latch, lock housing and cylinder.
Mirror polished stainless steel panel and handle.
Bright chrome lock parts. Steel material, white zinc plated.
Default JK198 keys.
Handle load capacity $\leq 200N$.
Locking latch load capacity $\leq 1000N$.



产品型号 Product model

SC412-3KM1-00


MB413



产品说明
Description

- ◆ 黑色PA面板、把手，碳钢压板
- ◆ 镀白锌压板
- ◆ 默认JK198钥匙
- ◆ 手柄承载扭矩值 $\leq 2.5N \cdot m$

Black PA panel and handle. Carbon steel press board.
White zinc plated press board. Default JK198 keys.
Handle load capacity $\leq 2.5N \cdot m$.



产品型号 Product model

MB413-7KXX-00


MB414



产品说明
Description

- ◆ 黑色PA面板/锌合金面板
- ◆ 默认JK198钥匙
- ◆ 手柄承载扭矩值 $\leq 28N \cdot m$ ，钢栓承载力 $\leq 390N$

Black PA panel/Zinc alloy panel.
Default JK198keys.
Handle load capacity $\leq 28N \cdot m$.
Steel bolt load capacity $\leq 390N$.



特征描述 Feature description

锌合金面板、手柄 Zinc alloy panel, handle

PA面板、手柄 PA panel, handle

PA面板、锌合金手柄 PA panel, zinc alloy handle

产品型号 Product model

MB414-1KP1-00

MB414-7KXX-00

MB414-7KXX-01


MB415



产品说明
Description

- ◆ 锌合金面板、把手
- ◆ 镀亮光铬
- ◆ 手柄拉起旋转90度带动锁舌伸缩，在门锁处于关闭状态下可直接碰撞关门
- ◆ 手柄承载扭矩值： $\leq 31N \cdot m$ ，钢栓承载力： $\leq 4000N$

Zinc alloy panel and handle. Bright chrome plated.
Pulling the handle up and rotating it 90 degrees retracts the cam, allowing the door to be closed directly when the lock is in the closed position. Handle load capacity $\leq 31N \cdot m$. Steel bolt load capacity $\leq 4000N$.



产品型号 Product model


MB415-1NE1-00

MB416



产品说明
Description

- ◆ 镀锌钢压板
 - ◆ 锌合金镀铬面板
- Galvanized steel clamp, zinc alloy chrome-plated panel



产品型号 Product model


MB416-6NE1-0

MB417



产品说明
Description

- ◆ 锌合金黑色面板、把手
 - ◆ 钢片固定板和固定支架：钢，镀锌
 - ◆ 最大工作载荷：560N
- Black zinc alloy panel and handle
steel fixing panel and support, zinc plated.
Maximum load capacity: 560N



产品型号 Product model


MB417-1KP1-00

MB418



产品说明
Description

- ◆ 锌合金面板、把手
 - ◆ 扣板固定板和固定支架：钢，镀锌
 - ◆ 最大工作载荷：560N
- Zinc alloy panel and handle
buckle fixing panel and support, zinc plated.
Maximum load capacity: 560N



产品型号 Product model


MB418-1KP1-00

SC419



产品说明
Description

- ◆ 不锈钢面板，把手；塑料锁舌头
- Stainless steel panel, handle; PA tongue



产品型号 Product model


SC419-3NM2-00

MB420



产品说明
Description

- ◆ 锌合金黑色喷涂把手
 - ◆ 不锈钢转轴，座套，销子及弹簧
 - ◆ 镀锌钢螺栓，碳素钢黑色面板
- Black zinc alloy spray handle, stainless steel shaft, seat cover, pin and spring, galvanized steel bolt, carbon steel black coated panel.



产品型号 Product model	带锁芯 With insert	无锁芯 Without insert
	MB420-1KP1-00	MB420-1NP1-00