



搭扣型号说明
Buckle model description



功能说明：S双功能组合（K+J K+Z K+Y J+Z J=Y）
Function Description: s dual function combination (K+J K+Z K+Y J+Z J=Y)

固定扣型号说明
Fixed buckle model description





DK901系列



锌合金，黑色/zinc alloy, black coated


产品说明
Description

- ◆ 材质及表面处理：锌合金黑色喷涂搭扣，不锈钢固定座
 - ◆ 最大静载荷：600N
- Material and treatment: zinc alloy black spray buckle, stainless steel mounting.
Maximum static load:600N



带锁芯 With insert	无锁芯 Without insert	A	B	C	D	E	F	G	H
DK 9011-1KP7	DK 9011-1NP7	21	32	76	16	12	35.5	3.2	21-29
DK 9012-1KP7	DK 9012-1NP7	16.5	26.5	64.5	12	12	30	3.2	16.5-24

DK901



产品说明
Description

- ◆ 材质及表面处理：锌合金黑色喷涂搭扣，不锈钢固定座
 - ◆ 最大静载荷：700N
- Material and treatment: zinc alloy black spray buckle, stainless steel mounting.
Maximum static load: 700N


带锁芯 With insert	无锁芯 Without insert
DK9013-1KP7	DK9013-1NP7

DK902系列



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：400N
- Material and treatment: stainless steel buckle
Maximum static load: 400N




	常规搭扣 General hasp		辅助搭扣 Auxiliary type		挂锁搭扣 Padlock type	
	A3钢镀锌 Galvanized steel	不锈钢 Stainless steel	A3钢镀锌 Galvanized steel	不锈钢 Stainless steel	A3钢镀锌 Galvanized steel	不锈钢 Stainless steel
隐藏式 Hidden type	DK9021-6NE0	SD9021-3NXX	DK9021-6ZE0	SD9021-3ZE0	DK9021-6JE0	SD9021-3JXX
外露式 Appear type	DK9022-6NE0	SD9022-3NXX	DK9022-6ZE0	SD9022-3ZE0	DK9022-6JE0	SD9022-3JXX

SD903系列



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：800N
- Material and treatment: stainless steel buckle
Maximum static load:800N



尺寸C Dimension C	固定扣料号 Fixed buckle P/N	备注 Note
14	FB01-3XX	短型 Short type
17	FB02-3XX	标准型 Standard
23	FB03-3XX	加长型 Longer type

A=45,B=35 SD9031-3ZXX	A=60,B=35 SD9032-3ZXX	A=45,B=59 SD9033-3ZXX	A=60,B=59 SD9034-3ZXX
--------------------------	--------------------------	--------------------------	--------------------------

SD903系列



产品说明
Description


- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：800N
- Material and treatment: stainless steel buckle
Maximum static load:800N

SD903系列




产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：800N
- Material and treatment: stainless steel buckle
Maximum static load:800N



尺寸C Dimension C	固定扣料号 Fixed buckle P/N	备注 Note
14	FB01-3XX	短型 Short type
17	FB02-3XX	标准型 Standard
23	FB03-3XX	加长型 Longer type

A=45,B=35 SD9035-3ZXX	A=60,B=35 SD9036-3ZXX	A=45,B=59 SD9037-3ZXX	A=60,B=59 SD9038-3ZXX
--------------------------	--------------------------	--------------------------	--------------------------



尺寸C Dimension C	固定扣料号 Fixed buckle P/N	备注 Note
14	FB01-3XX	短型 Short type
17	FB02-3XX	标准型 Standard
23	FB03-3XX	加长型 Longer type

A=45,B=35 SD903A-3ZXX	A=60,B=35 SD903B-3ZXX	A=45,B=59 SD903C-3ZXX	A=60,B=59 SD903D-3ZXX
--------------------------	--------------------------	--------------------------	--------------------------

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket

配件
Accessories

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket


配件
Accessories

DK9041



产品说明 Description

- ◆ 材质及表面处理: 黑色橡胶把手, 不锈钢固定座
 - ◆ 最大静载荷: 50N
- Material and treatment: black rubber handle, stainless steel mounting.
Maximum static load: 50N




标准型 Standard	挂锁型 Padlock type
DK 9041-9NXX	DK 9041-9JXX

SD905系列



产品说明 Description

- ◆ 材质及表面处理: 不锈钢搭扣
 - ◆ 最大静载荷: 500N
- Material and treatment: stainless steel buckle
Maximum static load: 500N




A型	B型	C型	D型	A	B	C	D	E	F	G	H	J	K	L	M	N	P	T
SD9051-3NXX	SD9051-3JXX	SD9051-3ZXX	SD9051-3SXX	33	34	Φ3	Φ32	14.5	15	Φ5.5	14	Φ32	20	12	10	15	22	33.5
SD9052-3NXX	SD9052-3JXX	SD9052-3ZXX	SD9052-3SXX	45	41	Φ4	Φ52	17	15	Φ7	17	Φ52	28	18	15	21	26	43
SD9053-3NXX	SD9053-3JXX	SD9053-3ZXX	SD9053-3SXX	50	48	Φ4	Φ52	17	15	Φ8.5	17	Φ52	28	18	15	21	26	43

SD905系列



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：500N
- Material and treatment: stainless steel buckle
Maximum static load:500N



E型	F型	G型	H型	A	B	C	D	E	F	G	H	J	K	L	M
SD9054-3NXX	SD9054-3JXX	SD9054-3ZXX	SD9054-3SXX	34	25	14.5	6	12	84	Φ3.5	22	26.5	14	Φ5.5	1.5
SD9055-3NXX	SD9055-3JXX	SD9055-3ZXX	SD9055-3SXX	41	29	17	8	18	100	Φ5.2	26	31.5	18	Φ7	1.5
SD9056-3NXX	SD9056-3JXX	SD9056-3ZXX	SD9056-3SXX	48	29	17	8	18	108	Φ5.2	26	31.5	18	Φ7	1.5

DK906



产品说明
Description


- ◆ 材质及表面处理：镀锌钢搭扣
 - ◆ 最大静载荷：2000N
- Material and treatment: galvanized steel buckle
Maximum static load:2000N

DK9071




产品说明
Description

- ◆ 材质及表面处理：镀锌钢插销式搭扣
 - ◆ 最大静载荷：1800N
- Material and treatment: galvanized steel latch buckle
Maximum static load:1800N



调节搭扣
Adjusting buckle
DK906-6YE0




产品型号
Product model
DK9071-6NE0

DK9072



产品说明
Description

- ◆ 材质及表面处理：镀锌钢插销式搭扣
 - ◆ 最大静载荷：800N
- Material and treatment: galvanized steel latch buckle
Maximum static load:800N




产品型号
Product model
DK9072-6NE0

DK908



产品说明
Description

- ◆ 材质及表面处理：碳钢黑色电泳搭扣
 - ◆ 最大静载荷：1200N
- Material and treatment: carbon steel black electrophoretic buckle
Maximum static load:1200N




产品型号
Product model
DK908-6NP7

SD909



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：250N
- Material and treatment: stainless steel buckle
Maximum static load:250N



标准拉扣
Standard pull clasp
SD909-3NXX


嫁接拉扣
Grafting pull clasp
SD909-3YXX

SD9101



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：150N
- Material and treatment: stainless steel buckle
Maximum static load:150N



产品型号
Product model
SD9101-3NXX

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket


配件
Accessories

SD9102



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：150N
- Material and treatment: stainless steel buckle
Maximum static load:150N




产品型号
Product model
SD9102-3NXX

SD9103



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：250N
- Material and treatment: stainless steel buckle
Maximum static load:250N




产品型号
Product model
SD9103-3NXX

SD9104



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：800N
- Material and treatment: stainless steel buckle
Maximum static load:800N




产品型号
Product model
SD9104-3NXX

DK911



产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：250N
- Material and treatment: black PA buckle
Maximum static load:250N



A款
DK9111-7NXX

B款
DK9112-7NXX

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket


配件
Accessories

SD912



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：650N
- Material and treatment: stainless steel buckle
Maximum static load:650N




产品型号
Product model
SD912-3NXX

SD913



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：600N
- Material and treatment: stainless steel buckle
Maximum static load:600N



产品型号
Product model
SD913-3ZXX

DK914



产品说明
Description


- ◆ 材质及表面处理：黑色橡胶把手，黑色PA固定座
 - ◆ 最大静载荷：600N
- Material and treatment: black rubber handle, black PA fixing seat.Maximum static load:600N

SD915




产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：800N
- Material and treatment: stainless steel buckle
Maximum static load:800N



产品型号
Product model
DK914-7NXX




产品型号
Product model
SD915-3JXX

DK916



产品说明
Description


- ◆ 材质及表面处理：锌合金黑色喷涂搭扣
 - ◆ 最大静载荷：1800N
- Material and treatment: zinc alloy black coated buckle,
Maximum static load:1800N



带锁芯
With insert
DK916-1KP7


无锁芯
Without insert
DK916-1NP7

DK918




产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：200N
- Material and treatment: black PA buckle
Maximum static load:200N




产品型号
Product model
DK918-7NXX

SD917




产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：250N
- Material and treatment: stainless steel buckle
Maximum static load:250N




产品型号
Product model
SD917-3YXX

DK919



产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：150N
- Material and treatment: black PA buckle
Maximum static load:150N



产品型号
Product model
DK919-7NXX

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket

配件
Accessories

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket


配件
Accessories

DK920



产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：90N
- Material and treatment: black PA buckle
Maximum static load:90N




产品型号
Product model
DK920-7NXX

DK922



产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：300N
- Material and treatment: black PA buckle
Maximum static load:300N




产品型号
Product model
DK922-7KXX

DK921




产品说明
Description

- ◆ 材质及表面处理：黑色PA把手, 锁轴及螺帽橡胶垫套
 - ◆ 最大静载荷：150N
- Material and treatment: black PA handle, shaft and nut
Rubber mat sets
Maximum static load:150N




产品型号
Product model
DK921-7NXX

DK923



产品说明
Description

- ◆ 材质及表面处理：锌合金镀镍搭扣
 - ◆ 最大静载荷：400N
- Material and treatment: zinc alloy nickel plated buckle
Maximum static load:400N



产品型号
Product model
DK923-1NE2

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket

配件
Accessories


DK924



产品说明 Description


- ◆ 材质及表面处理：镀锌钢固定座，锌合金镀锌锁舌
- ◆ 最大静载荷：700N

Material and treatment: galvanized steel fixing seat, zinc alloy galvanized locking tongue
Maximum static load:700N




产品型号
Product model
DK924-6NE0

DK926



产品说明 Description

- ◆ 材质及表面处理：镀锌钢固定座，锌合金镀锌锁舌
 - ◆ 最大静载荷：500N
- Material and treatment: Galvanized steel fixing seat
Zinc alloy galvanized locking latch
Maximum static load 500N




产品型号
Product model
DK926-6NE0

SD925




产品说明 Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：1200N
- Material and treatment: stainless steel buckle
Maximum static load:1200N




产品型号
Product model
SD925-3NXX

DK927




产品说明 Description

- ◆ 材质及表面处理：镀锌钢固定座，锌合金镀锌锁舌
 - ◆ 最大静载荷：500N
- Material and treatment: Galvanized steel fixing seat
Zinc alloy galvanized locking latch
Maximum static load 500N




产品型号
Product model
DK927-6NE0

DK928



产品说明
Description

- ◆ 材质及表面处理：镀锌钢搭扣
 - ◆ 最大静载荷：500N
- Material and treatment: galvanized steel buckle
Maximum static load:500N




产品型号
Product model
DK928-6NE0

DK929



产品说明
Description

- ◆ 材质及表面处理：镀锌钢搭扣
 - ◆ 最大静载荷：500N
- Material and treatment: galvanized steel buckle
Maximum static load:500N




产品型号
Product model
DK929-6NE0

DK930



产品说明
Description

- ◆ 材质及表面处理：镀锌钢搭扣
 - ◆ 最大静载荷：500N
- Material and treatment: galvanized steel buckle
Maximum static load:500N




产品型号
Product model
DK930-6NE0

DK931系列



产品说明
Description

- ◆ 材质及表面处理：锌合金镀铬搭扣
 - ◆ 最大静载荷：5N
- Material and treatment: zinc alloy Chromed buckle
Maximum static load: 5N



特征说明 Features	A	B	C	D	E	F	G	H	J	K	M
DK9311-1NE1	10.5	4	21.5	4	70	60	10.5	30	Φ4.2	13.5	Φ8
DK9312-1NE1	6	2.5	13.5	2.5	42.5	35	7.5	16	Φ3.3	8	Φ6.3

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket

配件
Accessories

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge


内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket


配件
Accessories

DK932




产品说明 Description

- ◆ 材质及表面处理：锌合金镀锌搭扣，不锈钢弹簧及销子
 - ◆ 最大静载荷：50N
- Material and treatment: zinc alloy galvanized clasp, stainless steel spring and pin
Maximum static load: 50N




产品型号
Product model
DK932-1NE0

DK934



产品说明 Description

- ◆ 材质及表面处理：白色POM搭扣，不锈钢弹簧及销子
 - ◆ 最大静载荷：50N
- Material and treatment: white POM buckle, stainless steel spring and pin
Maximum static load: 50N




产品型号
Product model
DK934-ONP9

DK933



产品说明 Description

- ◆ 材质及表面处理：白色PA搭扣
 - ◆ 最大静载荷：30N
- Material and treatment: white PA buckle
Maximum static load: 30N




产品型号
Product model
DK933-7NXX

DK935



产品说明 Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：150N
- Material and treatment: Black PA buckle
Maximum static load: 150N



产品型号
Product model
DK935-7KXX

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket

配件
Accessories

电源锁
Key switch lock

转舌锁
Cam lock

圆柱锁
Quarter turn lock

连杆锁
Rob control lock

平面锁
Plane lock

把手锁
Handle lock

面板锁
Panel lock

拉手
Handles

限位
Door stop

外装铰链
External hinge

内装铰链
Internal hinge

搭扣
Buckle

密封条
Gasket


配件
Accessories

DK936



产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：150N
- Material and treatment: Black PA buckle
Maximum static load 150N




产品型号
Product model
DK936-7KXX

DK937



产品说明
Description

- ◆ 材质及表面处理：黑色PA搭扣
 - ◆ 最大静载荷：150N
- Material and treatment: Black PA buckle
Maximum static load 150N



塑料黑色
Black PA

带挂
Padlockable
DK937-7JXX


不带挂
Without padlock
DK937-7NXX

SD938



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：1200N
- Material and treatment: stainless steel buckle
Maximum static load:1200N




产品型号
Product model
SD938-3SXX

SD939



产品说明
Description

- ◆ 材质及表面处理：不锈钢搭扣
 - ◆ 最大静载荷：1200N
- Material and treatment: stainless steel buckle
Maximum static load:1200N



产品型号
Product model
SD939-3SXX